

## Fixed-target experiments at LHC with bent crystals. MDM measurement of short lived particles.

*Wednesday, May 29, 2024 11:30 AM (12 minutes)*

Utilisation of bent crystals at LHC opens up a unique possibility of direct measurement of electromagnetic dipole moments (MDM and EDM) of short lived particles. We present a detailed sensitivity study showing the feasibility of such experiments at the LHC in the coming years. The latest experiments on deflecting efficiency of crystals at SPS and LHC suggest that the MDM of charmed baryon could be measured at LHC within two years, and about ten years of operation is needed to reach the current (from indirect measurement) precision on MDM of tau lepton.

**Primary author:** FOMIN, Alex (IJCLab , Universite Paris-Saclay, IN2P3/CNRS)

**Co-authors:** STOCCHI, Achille (IJCLab , Universite Paris-Saclay, IN2P3/CNRS); KORCHIN, Alexandr (NSC Kharkiv Institute of Physics and Technology, Kharkiv, Ukraine); MIRARCHI, Daniele (CERN); KOU, Emi (IJCLab , Universite Paris-Saclay, IN2P3/CNRS); KIRILLIN, Igor (NSC Kharkiv Institute of Physics and Technology, Kharkiv, Ukraine); BURMISTROV, Leonid (University of Geneva); HERMES, Pascal (CERN); ROBBE, Patrick (IJCLab , Universite Paris-Saclay, IN2P3/CNRS); REDAELLI, Stefano (CERN); SCANDALE, Walter (Imperial College (GB))

**Presenter:** FOMIN, Alex (IJCLab , Universite Paris-Saclay, IN2P3/CNRS)

**Session Classification:** Session V

**Track Classification:** Physics beyond colliders