

Development of Capacitive Coupled LGAD detector (AC-LGAD) in US and Japan

Tuesday 18 June 2024 12:40 (10 minutes)

Particle detectors at future lepton or hadron colliders will require covering a very large area with a tracker with fine spatial resolution of $O(10)\mu\text{m}$. A timing capability of $O(10)\text{ps}$ in addition should improve the tracking reconstruction, particle identification of charged particles and mass measurement of newly discovered particle. Capacitive-coupled Low-Gain Avalanche Diode (AC-LGAD) is a semiconductor tracking detector with precise timing resolution and spatial resolution developed by KEK and Tsukuba group collaborating with Hamamatsu Photonics K.K. (HPK). A $100\mu\text{m} \times 100\mu\text{m}$ pitch pixel type sensor and $80\mu\text{m}$ pitch with 10mm length strip type sensor with $20\text{-}50\mu\text{m}$ active thickness have been successfully developed with fully uniform gain across sensor active area. In this presentation we will present about recent status of the development of AC-LGAD detector and possibility of improvement for timing resolution and radiation tolerance.

Type of presentation (scientific results or project proposal)

Type of presentation (in-person/online)

Presenter: NAKAMURA, Koji (High Energy Accelerator Research Organization (JP))

Session Classification: WG/WP2 - Hybrid silicon technologies