

Machine Learning Basics - Set 2:

Decision Trees, Fisher Discriminant and Feature Transformation

Datasets: A (from Set 1), B: Similar to dataset A, but not linearly separable unless we apply a transformation before.

1. Two-layer Decision Tree:

- Visualize Dataset A and propose two sequential cuts to separate the classes.
- Implement your two-layer decision tree and classify each data point.
- Calculate and report the signal efficiency and background rejection efficiency.
- Discuss how you decided on the order of your cuts and potential limitations of this approach.

2. Fisher Discriminant:

- Calculate the mean vectors $\mathbb{E}(\mathbf{x}|\mathbf{S})$ and $\mathbb{E}(\mathbf{x}|\mathbf{B})$ for signal and background classes in Dataset A.
- Compute the sum of covariances matrix $\text{cov}(\mathbf{x}) = \text{cov}(\mathbf{x}|\mathbf{S}) + \text{cov}(\mathbf{x}|\mathbf{B})$.
- Calculate the Fisher Discriminant vector $\mathbf{w} = \text{cov}^{-1}(\mathbf{x}) * (\mathbb{E}(\mathbf{x}|\mathbf{S}) - \mathbb{E}(\mathbf{x}|\mathbf{B}))$, which maximises $J(\mathbf{w})$.
- Project the data points onto the Fisher Discriminant axis and visualize the results with an histogram.

3. Fisher Discriminant Classification:

- Determine a suitable threshold for classification based on the projected data.
- Implement the Fisher Discriminant classifier and evaluate its performance on Dataset A.
- Compare the performance of the Fisher Discriminant to the methods used in Set 1.

4. Feature Transformation:

- Analyze Dataset B and identify why the standard Fisher Discriminant might fail.
- Propose a feature transformation that could improve class separation. Justify your choice.
- Implement your feature transformation and visualize the transformed data.
- Apply the Fisher Discriminant to the transformed data and compare its performance to the non-transformed case.

5. *Advanced Analysis:

- Implement a function to perform k-fold cross-validation (with k=5) for your classifiers.
- Use cross-validation to compare the robustness of the decision tree, original Fisher Discriminant, and transformed Fisher Discriminant methods.
- Discuss the strengths and weaknesses of each method based on your cross-validation results.
- Implement Principal Component Analysis (PCA) as an automated feature transformation method:
 - Calculate the covariance matrix of the dataset.
 - Compute the eigenvectors and eigenvalues of the covariance matrix.
 - Sort the eigenvectors by decreasing eigenvalues and select the top k eigenvectors.
 - Project the data onto the selected eigenvectors.
- Apply PCA to Dataset B, reducing it to 2 principal components. Visualize the transformed data.
- Use the Fisher Discriminant on the PCA-transformed data. Compare its performance to your previous results.
- Discuss the benefits and limitations of using PCA for feature transformation in this context.

Note: If you complete these problems quickly, feel free to move on to Set 3.