Weekly Reports - GIF⁺⁺ Users Meeting

Meeting: 16.05.2024 - 09h

Present : Stefania J., Joao P., Valerio D., Antonello P., Luca Q., Giuseppe P., Paolo M.

Announcements from GIF⁺⁺ Coordination

- NA64e main users till June 19th of the H4 beam line. Access to GIF++ now possible anytime, due to the change done in the safety elements.
- Gas detection system maintenance on May 29th
- GIF++ webiste not working. Trying to find a solution.
- 10/06 to 14/06: Cabling installation for alarm RP

Please keep the door of the preparation area closed MATTERMOST channel (gif-users) available if theren't objections, I will add all users to the team Room 892 1/B09 booked Resume in-person meeting (NOT MANDATORY)

:::info

Muon Beam Requests 2024 : 11 setups

ATLAS - sMPI 3 x 2 Weeks ATLAS - MPI RPC 3 x 2 Weeks ATLAS - LEGACY 3 x 2 Weeks ATLAS - PHASE 2 3 x 2 Weeks ATLAS NSW MM (2x) 1 x 2 Weeks ATLAS - sTGC parasitic user for the whole beam period CMS - CSC (3x) 3 x 2 Weeks CMS - GEM 2 x 3 Weeks CMS - RPC (2x) 4 x 2 Weeks EP-DT2 3 x 2 Weeks RPC ECOgas 3 x 2 Weeks :::

YETS 2023/24

- Consolidation of chilled water piping in EHN1

• Chilled water stopped : 1st November - 22nd March (19 weeks). Scaffolding dismantling by end of March. We are backed up from an external chiller

Safety:

```
:::success
New Safety Form (ISD) available https://ep-th-safety.web.cern.ch/GIF_ISD
```

Safety courses:

- First Aid SST Initial (workplace first aider)
- ATEX Habilitation Level 1 https://lms.cern.ch/ekp/servlet/ekp? CID=EKP000040032&TX=FORMAT1&BACKTOCATALOG=Y&DECORATEPAGE=N
- F-GAS https://lms.cern.ch/ekp/servlet/FORMAT1?
 CID=EKP000039939&LANGUAGE_TAG=en
 :::

Weekly Reports :

Please update before or during the meeting !

ATLAS-RPC Module 0: (none)

• No report

ATLAS-RPC-Legacy: (Giulio, Sinem)

• We need a HV scan for 2-2.5h for different ABS factors(Source off, 3.3, 10, 33)

ATLAS-RPC Conditioning: (Alessandro, Eric, Mohamed)

- The conditioning will start in February.
- In each 2 weeks there will be 1 trolley which includes 24-25 gas gaps.
- Each trolley will stay in the bunker for 1 week.

ATLAS-MM: (Valerio)

- Setups back in standard position and under irradiation
- Small false-floor trolley out of the bunker last week and delivered to BB5
- Ar:C02 gas bank can last 1-2 weeks more, need replacement ordered several weeks ago

CMS-CSC: (Katerina, Victor)

• irradiation ongoing from 21.02

CMS-HGCAL: (Sasha, Elena)

•

ATLAS-MPI: (Elena, Giorgia, Francesco, Markus)

• no report

EP-DT2: (Mattia, Stefania)

16.05.2024

- The humidifier is ready, it will be installed today in the afternoon;
- In the next weeks, we will bring back the detectors to the bunker;

Requests

• none;

Ecogas: (Luca)

16/05/2024

System status

- Currently flushing with ECO2 mixture and aging ongoing for all chambers
- HFO bottle might be over soon, can we arrange change with Giuseppe?

Access requests

• None

ATLAS-TGC: (Giannis)

• Nothing to report

CMS-RPC: (João, Dayron)

- Longevity plans ongoing fine
- iRPC chambers OFF for now, FEBs and Power Supplies removed
- Problem with pc of MFCs of standard gas mixture (100L/h) since last week, but new pc will be installed next days by Giuseppe.

****- AoB** **

- Installation new gas supply lines from 909
- Gas supply presentation

https://indico.cern.ch/event/1360529/attachments/2790291/4865861/Gas%20User's%20meeting Jan-2024.pdf

• DRD1 CM

https://indico.cern.ch/event/1360282/timetable/

• Recuperation systems for fluorinated gas at the CERN LHC Experiments

https://indico.cern.ch/event/1386095/