

Study of the muon alignment effect on momentum scale of high pT muons

Hyunyong Kim on behalf of muon alignment group Texas A & M University


Track-Based Muon Alignment



- Track-based muon alignment (TBMA)
 - propagate the tracker part of muons to the muon system
 - Muon residual: difference between the reconstructed position and the predicted position on the muon chamber
- The TBMA technique is proven to be efficient, robust, and stable in Run1 and Run2
- The algorithm is developed and integrated into CMSSW framework
- Sources of possible systematic uncertainties have been investigated and various improvements to reduce their effect are being developed
- Muon system alignment is very important for muon reconstruction and TBMA has good accuracy on the order of 100 μ m (depend on chamber type, position, and integrated luminosity)




2024 TBMA




- About 3/fb dataset
- All subsystems (DT, CSC, and GEM) have been updated with the new alignment conditions.
- Zero GPR based
- Physics validation looks good
- The new tags have been appended to online GTs on May 14th

DT



- Two chambers (MB+2/1/5 and MB-2/1/8) don't have any entries
- Overall residual distributions look fine

CSC



- ME-4/2/4 doesn't have any entries.
- Overall residual distributions look fine
- CSC had a z position issue; alignment starts from an ideal CSC geometry
 - we don't align dz parameter but CSC chambers have unrealistic z shifts


GEM



Physics Validation

- Run2024C dataset
 - 2023 Geometry: geometry in GT (updated tracker geometry)
 - 2024 Geometry: updated geometry with TBMA


Dimuon Mass



- Dimuon mass distributions by η , ϕ , and p_T
- One leg is a global muon and the other leg is a STA muon

High pT Muon

- Run2024C + D (D is not the full dataset)
- Two global muons for the dimuon mass, not STA-GLB
- μ^- and μ^+ probes
- The new 2024 geometry (left) and the 2024 tracker geometry + 2023 muon geometry (right)



Online GTs

• Prompt

DTAlignment_2009_v1_express 1: 380726 CSCAlignment_2009_v2_express 1: 380726 GEMAlignment_prompt_v2: 380644 GlobalAlignment_2009_v2_express: 380726

• HLT

DTAlignment_2009_v1_hlt 1: 380726 CSCAlignment_2009_v1_hlt 1: 380726 GEMAlignment_hlt_v2: 380728 GlobalAlignment_2009_v1_hlt: 380728

• Express

DTAlignment_2009_v1_express 1: 380726 CSCAlignment_2009_v2_express 1: 380726 GEMAlignment_express_v2: 380726 GlobalAlignment_2009_v2_express: 380726


Summary

- The 2024 muon alignment has been conducted with about 3/fb of dataset.
- All subsystems show minimal residuals after the alignment.
- The physics validation results look fine, especially the dimuon mass distribution by eta, which shows improvement in the high eta region.
- The new tags have been appended to online GTs on May 14th.


Backup

CSC Layer-level Residual


 After the chamber-level alignment, which involves linear fitting of the 6-layer's recHits, we calculate the layer-level residual for further alignment.



CSC Layer Alignment Validation




CSC layer-level residual before the layer-level alignment (left) and after layer-level alignment (right). The layer-level alignment shows an improvement of the residual. However, in this particular case, we expect the CSC chamber rotation of ϕ_v .




GEM-CSC Alignment


- The CSC layer-level alignment shows an improvement of the GEM-CSC bending angle distribution because the layer-level alignment corrects the CSC segment direction.
- The unrealistic large layer-level residuals are due to the chamber $\phi_{\rm v}$ rotation.
 - We will correct the layer-level misalignment with the chamber ϕ_v rotation but it requires further study.
 - To avoid the unexpected issue of the CSC segment performance, we would like to keep the ideal layer positions.
- However, GEM alignment will use the updated CSC segment of the CSC layer-level alignment.
 - It already proves the improvement in GEM-CSC bending angle performance.

CSC Segment Direction




Towsifa






The top illustration shows the direction of old and reco (reconstruction with CSC layer-level alignment) CSC segments. The bending angle remains unchanged for both old and reco segments (bottom left and illustration), but the residual can vary (bottom right). However, the old segment direction is incorrect, leading to an incorrect residual calculation for the old segment case (top left).

Dimuon Mass by pt




The dimuon mass has charge bias above 200 GeV Blue: 2018UL (muon geometries have a momentum bias) Red: current tracker geometry + 2018-preUL Green: current tracker geometry + updated muon geometry

Muon Charge Bias by η



Endcap 1



Endcap 2

