XVII Polish Workshop on Relativistic Heavy-Ion Collisions: Phase diagram and Equation of State of strongly interacting matter



Contribution ID: 8 Type: not specified

Exploring the baryon correlation puzzle via angular correlations from ALICE

Saturday 14 December 2024 12:10 (15 minutes)

One of the most effective techniques for investigating the mechanism of baryon

production is the study of angular correlations between two particles. Angular correlations represent a convolution of various physical processes, such as

mini-jets, Bose-Einstein quantum statistics, conservation of momentum, resonances, and other phenomena that contribute to the unique behavior observed

for different particle species. Experimental results from proton-proton collisions at 7 TeV have revealed a pronounced anticorrelation, a phenomenon that

had not been replicated by any Monte Carlo model. This triggered a series of studies that helped create what is called the "baryon correlation puzzle".

In this work, the first ALICE measurements of the angular correlation functions for identical particles (such as $\pi \pm$, K \pm , and p-barp) in pp, p–Pb and Pb–Pb

collisions at LHC energies in various multiplicity/centrality classes are presented.

This new piece of the puzzle enhances the understanding of anticorrelation

and raises new questions. This will prompt theorists to implement and improve existing theoretical models in search of new answers.

Author: JANIK, Malgorzata Anna (Warsaw University of Technology (PL))Presenter: JANIK, Malgorzata Anna (Warsaw University of Technology (PL))

Session Classification: Session 1