



An Update on BDSIMxG4BL Solenoid Validations

Muon Collider Cooling Meeting
28 November 2024

Rohan Kamath
Imperial College London



Context

- A software mini-workshop (<https://indico.cern.ch/event/1446644/>) before the demonstrator workshop looked to do a like-for-like validation of different tracking codes and softwares for muon cooling.
- This has been summarized by Bernd Stechauner in the Fermilab workshop here.
<https://indico.fnal.gov/event/64984/timetable/#20241030.detailed>

Context

- Particularly, one of the outcomes of the workshop was the shortfall in the solenoid implementation in BDSIM.




Summary & outlook

- **ICool** and **G4BL** are powerful and well-established tools for muon ionization cooling.
- Novel programs, like **RF-Track** and **BDSIM**, show high agreement with **ICool** and **G4BL**.
- **BDSIM** overview:
 - Very good agreements with all **ICool** and **G4BL**.
 - Improvements needed in benchmarking the solenoid model with **G4BL**.

Since then...



- Bugs in the analytic calculation of the solenoid field off axis have been fixed.
- BDSIM only did a solenoid sheet model natively.
- G4BL does solenoid blocks by modelling a block as multiple sheets. This has been now implemented, and BDSIM does solenoid block models out of the box as well.
- Bounding boxes have been added to solenoid (calculated based on a user supplied tolerance) to save flops on calculating complex elliptic integrals off axis for far away solenoids.
- The cooling branch has been merged* with the develop branch of BDSIM and can compile/run after the latest updates in the wider BDSIM framework.

B Field Maps



B Field blows up near the actual coils of the solenoid - currently BDSIM returns 0 very close to the sheet so the integral isn't calculated inside a spatial limit.


G4BL Residuals




NB: Masked 6x points in the Bx plot and 2x points in the Bz plot *inside* the solenoid coil due to aforementioned reasons

Tracking

Before



After



Next Steps

- Rerun the residuals with a more granular G4BL field map.
- Model currently returns 0 close to the sheet, this can be improved/replaced with something more physical.
- Extend validations to include RFs, absorbers towards a tracking validation of the entire cooling channel.
- Add and validate dipoles (WIP)



**Funded by
the European Union**

Funded by the European Union (EU). Views and opinions expressed are however those of the author(s) only and do not necessarily reflect those of the EU or European Research Executive Agency (REA). Neither the EU nor the REA can be held responsible for them.