Contribution ID: 149

## Search for B Mesogenesis and Dark matter at BABAR.

Wednesday 27 August 2025 11:00 (20 minutes)

We present the most recent BABAR searches for reactions that could simultaneously explain the presence of dark matter and the matter-antimatter asymmetry in the Universe. This scenario predicts exotic B-meson decays into an ordinary-matter baryon and a dark-sector anti-baryon  $\psi_D$  with branching fractions accessible at the B factories.

The results are based on the full data set of about 430 fb<sup>-1</sup> collected at the  $\Upsilon(4S)$  resonance by the BABAR detector at the PEP-II collider.

We search, in particular, for decays like  $B \to \psi_D cal B$  where

cal B is a baryon (proton,  $\Lambda$ , or  $\Lambda_c$ ). The hadronic recoil method has been applied with one of the B mesons from  $\Upsilon(4S)$  decay fully reconstructed, while only one baryon is present in the signal B-meson side. The missing mass of signal B meson is considered as the mass of the dark particle  $\psi_D$ . Stringent upper limits on the decay branching fraction are derived for  $\psi_D$  masses between 0.5 and 4.3 GeV/c<sup>2</sup>.

Author: MIDDLETON, Sophie (Caltech)

Co-author: ANULLI, Fabio (Sapienza Universita e INFN, Roma I (IT))

Presenter: MIDDLETON, Sophie (Caltech)

Session Classification: Parallel