



Contribution ID: 616

Type: Poster

## Hadronization: does the chemical freeze-out curve meet the lattice QCD parton-hadron phase boundary ?

*Thursday 16 August 2012 16:00 (2 hours)*

We analyze hadrochemical freeze-out in central Pb+Pb collisions at CERN SPS energies, employing the hybrid version of the Ultrarelativistic Quantum Molecular Dynamics model, which describes the transition from a hydrodynamic stage to hadrons by the Cooper-Frye mechanism, and matches to a final hadron-resonance cascade. We fit the results both before and after the cascade stage using the Statistical Model, to assess the effect of the cascade phase. We observe an upward shift of the statistical model freeze-out curve over the entire range of SPS energies if we omit the significantly absorbed antibaryon species from the fit. The freeze-out curve shifts closer to the lattice parton-hadron phase transition line. The corresponding effects are studied at RHIC and LHC energies where the final state annihilation affects both the baryon, and antibaryon yields.

reference: arXiv:1201.6349 to appear in Phys. Rev. C

**Authors:** BECATTINI, Francesco (University of Florence); BLEICHER, Marcus (Uni Frankfurt); MITROVSKI, Michael Kosta (Institut fuer Kernphysik-Johann-Wolfgang-Goethe Univ.); STOCK, Reinhard (Institut fuer Kernphysik - Johann-Wolfgang-Goethe Univ.); KOLLEGER, Thorsten (Johann-Wolfgang-Goethe Univ. (DE)); Mr SCHUSTER, Tim (Yale University (US))

**Presenters:** BECATTINI, Francesco (University of Florence); Mr SCHUSTER, Tim (Yale University (US))

**Session Classification:** Poster Session Reception

**Track Classification:** Hadron thermodynamics and chemistry