



Contribution ID: 116

Type: Oral Presentation

Prospective for A Fixed-Target Experiment at the LHC: AFTER@LHC

Friday, 17 August 2012 17:30 (20 minutes)

We outline the physics opportunities [Brodsky:2012vg] which are offered by a next generation and multi-purpose fixed-target experiment exploiting the LHC beams extracted by a bent crystal. This mature extraction technique offers an ideal way to obtain a clean and very collimated high-energy beam, without altering the performance of the LHC [Uggerhoj:2005xz, Scandale:2011zz, LUA9]. The multi-TeV LHC beams grant the most energetic fixed-target experiment ever performed, to study pp , pd and pA collisions at $\sqrt{s_{NN}} \simeq 115$ GeV and PbA collisions at $\sqrt{s_{NN}} \simeq 72$ GeV. AFTER – for A Fixed-Target Experiment – gives access to new domains of particle and nuclear physics complementing that of collider experiments, in particular RHIC and the projects of electron-ion colliders. The typical instantaneous luminosity achievable with AFTER in pp and pA mode [Brodsky:2012vg] surpasses that of RHIC by more than 3 orders of magnitude and is comparable to that of the LHC collider mode. This provides a quarkonium and heavy-flavour observatory in pp and pA collisions where, by instrumenting the target-rapidity region, gluon and heavy-quark distributions of the proton, the neutron and the nuclei can be accessed at large x and even at x larger than unity in the nuclear case.

The nuclear target-species versatility provides a unique opportunity to study cold nuclear matter versus the features of the hot and dense matter formed in heavy-ion collisions, including the formation of the quark-gluon plasma. During the one-month lead runs, PbA collisions can be studied at a luminosity comparable to that of RHIC and the LHC over the full range of target-rapidity domain. Modern detection technology should allow for the study of quarkonium excited states, in particular the χ_c and χ_b resonances, even in the challenging high-multiplicity environment of pA and PbA collisions, magnified by the boost of the fixed-target mode.

Precise data from pp , pA and PbA should help to greatly improve our understanding of heavy-quark and quarkonium production, to clear the way to use them for gluon and heavy-quark PDF extraction in free and bound nucleons, to unravel cold from hot nuclear effects and to restore the status of heavy quarkonia as a golden test of lattice QCD in terms of dissociation temperature predictions at $\sqrt{s_{NN}}$ where the recombination process is expected to have a small impact. The fixed-target mode also has the advantage to allow for spin measurements with polarized targets. We will discuss a tentative design for AFTER, and report the projected detector performances from the first preliminary simulations.

`\begin{thebibliography}{4}`

`\bibitem{Brodsky:2012vg}`

S.J. Brodsky, F. Fleuret, C. Hadjidakis and J.P. Lansberg,
arXiv:1202.6585 [hep-ph].

`%%CITATION = ARXIV:1202.6585;%%`

`\bibitem{Uggerhoj:2005xz}`

E. Uggerhoj, U.I. Uggerhoj,
Nucl. Instrum. Meth. B **234** (2005) 31.

`%%CITATION = NUIMA,B234,31;%%`

`\bibitem{Scandale:2011zz}`

W. Scandale, {it et al.},
Phys. Lett. **B703** (2011) 547-551.

`\bibitem{LUA9} W. Scandale, {it et al.} [LUA9], CERN-LHCC-2011-007, 2011.`

Primary authors: RAKOTOZAFINDRABE, Andry Malala (CEA - Centre d'Etudes de Saclay (FR)); GENOLINI, Bernard (IN2P3 - CNRS - Université Paris Sud); HADJIDAKIS, Cynthia (Universite de Paris-Sud 11 (FR)); GONZALEZ FERREIRO, Elena (Universidad de Santiago de Compostela); SCOMPARIN, Enrico (Universita e INFN (IT)); FLEURET, Frédéric (LLR Ecole Polytechnique, IN2P3/CNRS); Mr DIDELEZ, J.P. (IPN Orsay); LANSBERG, Jean-Philippe (Ecole Polytechnique); Mr ROSIER, Philippe (IPN Orsay); ARNALDI, Roberta (Universita degli Studi di Torino-Universita e INFN); Mr BRODSKY, Stanley J. (SLAC); Mr UGGERHOEJ, Ulrik Ingerslev (University of Aarhus); CHAMBERT, Valerie (IPN Orsay)

Presenter: RAKOTOZAFINDRABE, Andry Malala (CEA - Centre d'Etudes de Saclay (FR))

Session Classification: Parallel 7C: New Experimental Developments (Chair T. Peitzmann)

Track Classification: Experiment upgrades, new facilities, and instrumentation