

ICHEP2012



Contribution ID: 850

Type: **Parallel Sessions**

Light Higgs Scenario in BMSSM and LEP Precision Data

Friday, 6 July 2012 17:15 (15 minutes)

In this talk we consider very light Higgs fields in BMSSM (Beyond MSSM). The spectrum below TeV scale is the same as the MSSM but the Higgs potential is modified and is well described in terms of effective dimension five and six operators. A correction from the BMSSM operators allows us to consider new parameter space of Higgs sector which is not allowed in the MSSM. It can be regarded as a constrained version of general 2 Higgs doublet model (2HDM) as long as Higgs sector is concerned. We focus on the possibility that CP odd Higgs (A) mass is about 7 or 8 GeV and charged Higgs mass is comparable to W mass. At the same time one of the CP even Higgs (h) is light enough such that h and A production at the Z pole is kinematically allowed. The tension between forward backward asymmetry of bottom quark $A_{b,FB}$ measured at LEP and the Standard Model prediction can be ameliorated if bottom quark pair produced from light CP even Higgs is taken into account.

Primary authors: Dr KIM, DOYOUN (Monash University); KIM, Hyung Do (Unknown); KIM, Jihun (Seoul National University); BAE, Kyu Jung (Korea Advanced Institute of Science and Technology); DERMISEK, Radovan

Presenter: Dr KIM, DOYOUN (Monash University)

Session Classification: Plenary3 - The Standard Model -TR1

Track Classification: Track 1 - The Standard Model and EW Symmetry Breaking - Higgs Searches