

Proton resonance elastic scattering on ^{30}Mg

Monday 17 December 2012 14:45 (20 minutes)

We measured an excitation function of the proton resonance elastic scattering on ^{30}Mg of 2.92 MeV/nucleon to study the isobaric analog resonances of the low-lying bound states in ^{31}Mg . We successfully observed several resonances. In this paper, we'll present the angular momenta and spectroscopic factors of the parent bound states in ^{31}Mg obtained by the R-matrix analysis on the excitation function.

Primary author: IMAI, Nobuaki (High Energy Accelerator Research Organization (KEK))

Co-authors: Dr KAHL, Daid (Center for Nuclear Study, University of Tokyo); JOHANSSON, Hakan (Gesellschaft fuer Schwerionenforschung mbH (GSI)); AGHAI KHOZANI, Hossein (L); KURCEWICZ, Jan Pawel; CEDERKALL, Joakim (Lund University (SE)); MUKAI, Momo (High Energy Accelerator Research Organization (JP)); GOLUBEV, Pavel Ivanovich (Lund University (SE)); TERANISHI, Takashi (Kyushu University (JP)); WATANABE, Yutaka (High Energy Accelerator Research Organization (JP))

Presenter: IMAI, Nobuaki (High Energy Accelerator Research Organization (KEK))

Session Classification: Light nuclei