**Weekly Report**

**Period (01.09-07.09)**

**ASCC**

(CERN-ASCC)

Total number of fails on channel – 18936

| all | average | max | min | m_id | m_example |
|---|---|---|---|---|---|
| 3155 | 451 | 1617 | 0 | 32 | SOURCE during PREPARATION phase: [INVALID_PATH] specified file(s) does not exist |
| 774 | 111 | 476 | 0 | 313 | SOURCE during PREPARATION phase: [REQUEST_TIMEOUT] failed to prepare source file in 180 seconds |
| 252 | 36 | 156 | 0 | 315 | SOURCE during PREPARATION phase: [CONNECTION] service timeout during [SrmGet] |




(ASCC-CERN)

Total number of fails on channel – 11179

| all | average | max | min | m_id | m_example |
|---|---|---|---|---|---|
| 1159 | 166 | 1089 | 0 | 21 | DESTINATION during PREPARATION phase: [GENERAL_FAILURE] CastorStagerInterface.c:2507 Device or resource busy (errno=0, serrno=0) |
| 1394 | 199 | 1080 | 0 | 26 | DESTINATION during PREPARATION phase: [CONNECTION] [SrmPut] failed: SOAP-ENV:Client - CGSI-gSOAP: Could not open connection |
| 618 | 88 | 618 | 0 | 28 | FINAL:SRM_DEST: Failed on SRM put: Failed To Put SURL. Error in srm__put: SOAP-ENV:Client - CGSI-gSOAP: Error reading token data: Success; also failing to do 'advisoryDelete' on target.% |
| 990 | 141 | 989 | 0 | 321 | DESTINATION during PREPARATION phase: [GENERAL_FAILURE] destination file failed on the SRM with error [SRM_FAILURE] |
| 2786 | 398 | 1454 | 0 | 306 | failed to prepare Destination file in 180 seconds |
| 2260 | 323 | 2179 | 0 | 309 | DESTINATION during PREPARATION phase: [CONNECTION] failed to contact on remote SRM [srm]. Givin' up after 3 tries |
| 1338 | 191 | 1216 | 0 | 360 | DESTINATION during PREPARATION phase: [REQUEST_FAILURE] [SRM_FAILURE] [SrmPut] failed: SOAP-ENV:Client - initFileStatuses: cannot create path |

**INFN**

(CERN-INFN)




Total number of fails on channel – 18020

| all | average | max | min | m_id | m_example |
|---|---|---|---|---|---|
| 1545 | 221 | 738 | 0 | 21 | DESTINATION during PREPARATION phase: [GENERAL_FAILURE] CastorStagerInterface.c:2507 Device or resource busy (errno=0, serrno=0) |
| 645 | 92 | 264 | 0 | 32 | SOURCE during PREPARATION phase: [INVALID_PATH] specified file(s) does not exist |
| 8679 | 1240 | 4920 | 0 | 321 | DESTINATION during PREPARATION phase: [GENERAL_FAILURE] destination file failed on the SRM with error [SRM_FAILURE] |
| 1730 | 247 | 892 | 0 | 306 | failed to prepare Destination file in 180 seconds |
| 195 | 28 | 193 | 0 | 309 | DESTINATION during PREPARATION phase: [CONNECTION] failed to contact on remote SRM [srm]. Givin' up after 3 tries |
| 629 | 90 | 596 | 0 | 360 | DESTINATION during PREPARATION phase: [REQUEST_FAILURE] [SRM_FAILURE] [SrmPut] failed: SOAP-ENV:Client - initFileStatuses: cannot create path |




(INFN-CERN)

Total number of fails on channel – 24367

| all | average | max | min | m_id | m_example |
|---|---|---|---|---|---|

| | | | | | |
|---|---|---|---|---|---|
| 17181 | 2454 | 3666 | 0 | 32 | SOURCE during PREPARATION phase: [INVALID_PATH] specified file(s) does not exist |
| 155 | 22 | 128 | 0 | 75 | SOURCE during PREPARATION phase: [GENERAL_FAILURE] CastorStagerInterface.c:2162 Required tape segments are not all accessible (errno=0, serrno=0) |
| 5504 | 786 | 2483 | 0 | 315 | SOURCE during PREPARATION phase: [CONNECTION] service timeout during [SrmGet] |
| 544 | 78 | 453 | 0 | 344 | SOURCE during PREPARATION phase: [GENERAL_FAILURE] CastorStagerInterface.c:2162 Required tape segments are not all accessible (errno=98, serrno=0) |
| 185 | 26 | 60 | 0 | 359 | SOURCE during PREPARATION phase: [GENERAL_FAILURE] cannot continue since no size has been returned after PrepareToGet or SrmStat |