

Contribution ID: 932

HEP 2013 Stockholm 18-24 July 2013



Type: Poster Presentation

Tests of Chiral Perturbation Theory with Ke4 decays at CERN NA48/2 experiment

The NA48/2 collaboration has accumulated more than one million charged kaon decays to $\pi^+\pi^-e^{\pm}\nu$ (K_{e4}^{+-}) leading to an improved determination of the branching ratio by a factor of 3 and detailed form factors and $\pi\pi$ scattering studies. Concurrently, about 60000 charged kaon decays to $\pi^0\pi^0e^{\pm}\nu$ (K_{e4}^{00}) have been analyzed, increasing the world available statistics by several orders of magnitude. Background contamination at percent level and very good π^0 reconstruction allow the first accurate measurements of the branching ratio and decay form factor. The achieved precision makes possible the observation of subtle effects such as $\pi^+\pi^-$ to $\pi^0\pi^0$ charge exchange scattering below the $2m_{\pi^+}$ threshold. Decay properties of both Ke4 modes bring new precise inputs to Low Energy QCD studies and can provide stringent tests of Chiral Perturbation Theory predictions.

Primary authors: Dr BLOCH-DEVAUX, Brigitte (Universita e INFN (IT)); BALEV, Spasimir (CERN) **Presenter:** GOUDZOVSKI, Evgueni (University of Birmingham)

Track Classification: QCD