Quark Matter 2014 - XXIV International Conference on Ultrarelativistic Nucleus-Nucleus Collisions

Tuesday, 20 May 2014

Poster session - spectrum (16:30 - 18:30)

[id] title	presenter	board
[197] Study of \$\Lambda^{\ast}\$(1520) resonance production with the ALICE experiment at the LHC	BARAL, Rama Chandra	A-01
[370] Quark-gluon plasma connected to finite heat bath	BARNAFOLDI, Gergely	A-02
[675] Prospects of effective Polyakov line actions for investigations of dense nuclear matter	BERGNER, Georg	A-03
[210] Transport coefficients of QGP	BRATKOVSKAYA, Elena	A-04
[362] Complex heavy quark potential at high temperature from lattice QCD	Dr BURNIER, Yannis	A-05
[587] he second order hydro-coefficient \$\kappa_t\$ and antiscreening of QED and QCD plasmas from lattice QCD	Dr FRANCIS, Anthony	A-06
[73] Two-loop perturbative corrections to the thermal effective potential in gluodynamics	Dr GUO, Yun	A-07
[622] Experimental signals of the QCD first-order phase transition from a stochastic fluid dynamical model	Dr HEROLD, Christoph	A-08
[398] The role of the quark-gluon vertex function in the QCD phase transition	HOPFER, Markus	A-09
[543] Charged particle transverse momentum spectra measured at mid-rapidity by STAR in the RHIC Beam Energy Scan	HORVAT, Stephen	A-10
[618] Towards the continuum limit of thermodynamics from lattice QCDwith dynamical charm	Dr ILGENFRITZ, Ernst-Michael	A-11
[36] Chiral superfluidity in QCD	KALAYDZHYAN, Tigran	A-12
[393] Shear viscosity from a large-\$N_c\$ NJL model at next-to-leading order	Mr LANG, Robert	A-13
[320] Measurement of \$\phi\\$ meson nuclear modification factors in p-Pb and Pb-Pb collisions in the ALICE experiment at the LHC	MALAEV, Mikhail	A-14
[2] Thermodynamics of a Solvable Quark Model Inpired by the Gribov-Zwanziger Theory	MINTZ, Bruno	A-15
[647] Meta-stable States in Quark-Gluon Plasma	Dr MISHRA, Ananta P.	A-16
[68] Domain growth and fluctuations during quenched transition to quark-gluon plasma	Dr MOHAPATRA, Ranjita	A-17
[200] \$K^{\ast}\$(892)\$^0\$ resonance production with the ALICE experiment at the LHC	NAYAK, Kishora	A-18
[428] The velocity of pions in the low-temperature phase of QCD	Mr ROBAINA, Daniel	A-19
[13] Properties of neutral pions in a hot and magnetized quark matter	Prof. SADOOGHI, Neda	A-20
[546] Wigner Function on the lattice: a new tool to study the strongly coupled quark-gluon plasma at finite T and \mu	SAKAI, Yuji	A-21
[696] V0 Reconstruction in Au+Au-Collisions at 1.23 AGeV with HADES	SCHEIB, Timo	A-22

[375] Conserved Charge Fluctuations and Susceptibilities in Strongly Interacting Matter	SHI, Shuzhe	A-23
[290] Quartetting in fermion systems with differing chemical potentials	WINDISCH, Andreas	A-24
[14] The fluidity of a hot hadronic soup	Dr WIRANATA, Anton	A-25
[146] Quark-hadron phase transition in the PNJL model with hadronic excitations	YAMAZAKI, Kanako	A-26
[282] Higher order fluctuations of strangeness and flavor hierarchy	Dr ALBA, Paolo Giuseppe	B-01
[323] News on transverse momentum fluctuations in p+p and Be+Be energy scans from NA61/SHINE	CZOPOWICZ, Tobiasz	B-02
[410] Nuclear matter with the functional renormalization group	Mr DREWS, Matthias	B-03
[581] On the phase structure and dynamics of QCD	Dr FISTER, Leonard	B-04
[435] Inhomogeneous phases in 1+1 and 1+3 dimensional effective quark models	Mr HEINZ, Achim	B-05
[17] Noncongruence of the deconfinement phase transition	HEMPEL, Matthias	B-06
[326] New results on hadron spectra in Be+Be collisions from NA61/SHINE at the CERN SPS	KAPTUR, Emil Aleksander	B-07
[16] G2 gauge theories as a tool to understand the QCD phase diagram	MAAS, Axel	B-08
[615] Hadron-Quark Crossover as a Possible Resolution of Hyperon Crisis in Massive Neutron Stars	Mr MASUDA, Kota	B-09
[496] Number of Quark Participant Scaling of \$\langle dN_{ch}/d\eta \rangle\$ and \$\langle dE_{T}/d\eta \rangle\$ with Centrality for 200 GeV d+Au Collisions and Au+Au Collisions from 7.7 to 200 GeV	MITCHELL, Jeffery	B-10
[463] Phase Structure of Strongly Interacting Matter: Thermodynamics and Chiral Anomaly	MITTER, Mario	B-11
[420] Inhomogeneous chiral phase in external magnetic field	NISHIYAMA, Kazuya	B-12
[626] Phase diagram of lattice QCD in auxiliary filed Monte-Carlo method in the strong coupling region	OHNISHI, Akira Mr ICHIHARA, Terukazu	B-13
[311] QCD effective potential with strong electromagnetic fields at zero and finite temperatures	Dr OZAKI, Sho	B-14
[592] Deconfinement phase transition with heavy quarks	Dr POK MAN, Lo	B-15
[640] Pseudo-rapidity dependence of inclusive photon multiplicity distribution at forward rapidity in STAR at RHIC Beam Energy Scan energies	RANIWALA, Rashmi	B-16
[363] Chiral restoration and deconfinement in two-color QCD with two flavors of staggered quarks	Mr SCHEFFLER, David	B-17
[697] Charged Kaon Reconstruction in Au+Au-Collisions at 1.23 AGeV with HADES	SCHULDES, Heidi	B-18
[342] Effective SU(2) Polyakov Loop Models for the Deconfinement Transition	Mr SCIOR, Philipp	B-19
[446] CMS Jet reconstruction	LAI, Yue Shi	B-19
[355] The Binder cumulant in O(N)-models	Mr SPRINGER, Paul	B-20
[150] Constraining the vector interaction strength of QCD	STEINHEIMER, Jan	B-21
[627] Thermodynamics and phase structure of strongly-interacting matter	STIELE, Rainer	B-22
[610] QCD Phase Diagram from the Lattice at Strong Coupling: Staggered vs. Wilson Fermions.	UNGER, Wolfgang	B-23
[669] Dynamical simulation of a linear sigma model near the critical point	WESP, Christian	B-24
[598] Quark Ensembles with Infinite Correlation Length	Prof. ZINOVJEV, Gennady	B-25

[469] Study of gamma-gamma interactions in pPb collisions at LHC with CMS	AKBIYIK, Melike	C-01
[192] $\phi = 100$ [192] $\phi = 10$	DASH, Ajay Kumar	C-02
[65] Energy loss in unstable quark-gluon-plasma	DEJA, Katarzyna	C-03
[467] Centrality and pseudorapidity dependence of dE $_T$ \$/d\$\eta\$ in pPb collisions at \$\sqrt{s_{NN}}\$ = 5.02 TeV with CMS	EDWARDS-BRUNER, Christopher Ryan	C-04
[663] An Analytic Study of the Initial Energy Momentum Tensor in Nuclear Collisions	FRIES, Rainer	C-05
[481] Search for strong magnetic field via electron-pair asymmetry measurement in Au+Au at \$\sqrt{s_{NN}}\$ = 200 GeV at RHIC-PHENIX	Mr HOSHINO, TOMOYA	C-06
[573] Possible resolution of the early thermalization problem in relativistic heavy-ion collisions: decoherence entropy from the Glasma	IIDA, Hideaki	C-07
[40] Rapidity gap events in proton-proton and ultra-peripheral heavy ion collisions at RHIC and the LHC	JALILIAN-MARIAN, Jamal	C-08
[539] Color Glass Condensate in Schwinger Keldysh QCD	JEON, Sangyong	C-09
[357] p+Pb collisions at 5.02 TeV in the Parton-Hadron-String-Dynamics transport approach	Dr KONCHAKOVSKI, Volodymyr	C-10
[464] The Forwards-Backwards Asymmetry of Charged Particles in pPb collisions at \$\sqrt{s_{NN}}\$ = 5.02 TeV with CMS	KRAJCZAR, Krisztian	C-11
[679] The Role of Initial-state Geometry and its Fluctuations in Hadronic Collisions	LACEY, Roy	C-12
[83] A New Study of Parton Energy Loss Mechanisms in p+A Collisions at Fermilab E906 Experiment	Dr LIU, Ming	C-13
[527] Centrality Categorization for \$R_{p(d)+A}\$ in High-Energy Collisions	Dr MCGLINCHEY, Darren	C-14
[177] Diffractive vector meson production in ultraperipheral heavy ion collisions from the Color Glass Condensate	MÄNTYSAARI, Heikki	C-15
[181] Azimuthal asymmetries in high-energy collisions of protons with holographic shockwaves	NORONHA, Jorge	C-16
[87] Determining QCD matter viscosity from fluid dynamics with saturated minijet initial conditions in ultrarelativistic A+A collisions	PAATELAINEN, Risto	C-17
[300] Low Mass Vector Meson Production in d+Au collisions at \sqrt{s}_{NN} = 200 GeV with the PHENIX Detector at RHIC	Dr SARSOUR, Murad	C-18
[377] Initial state fluctuations in pA and AA collisions and their influence on geometry measures	Dr STEFANEK, Grzegorz	C-19
[113] \$E_T\$ distributions in p+p, d+Au and Au+Au at \$\sqrt{s_{NN}}=200\$ GeV and analysis based on Constituent-Quark-Participants	TANNENBAUM, Michael	C-20
[114] Low Mass Vector Mesons Production in $p+p$ collisions at forward rapidity in the dimuon channel at $\sqrt{s} = 200$ and 510 GeV at RHIC	Dr TIEULENT, Raphael	C-21
[456] Measurement of the inelastic proton-lead cross section at 5.02 TeV/nucleon center-of-mass energy with CMS	Dr VERES, Gabor	C-22
[525] Two-Gluon Correlations in Heavy-Light Ion Collisions	WERTEPNY, Douglas	C-23
[328] PHENIX experimental search for the dark photon decay to di-electron pairs	YAMAGUCHI, Yorito	C-24
[142] Towards the Test of Saturation Physics Beyond Leading Logarithm	ZASLAVSKY, David	C-25
[531] Nonextenisve Quark Recombination Model	Dr ABDEL-AZIZ, Mohamed	D-01

		- 3
[167] Approach to equilibrium: Universal properties in expanding gauge and scalar field theories	BOGUSLAVSKI, Kirill	D-02
[90] Early thermal and chemical equilibration of quarks and gluons	Dr MONNAI, Akihiko	D-03
[568] Charged particle pseudorapidity distribution in Cu+Au, Au+Au, and U+U collisions as measured with the PHENIX silicon vertex detector.	Mr ROWAN, Zachary	D-04
[565] Statistical function instability under strong color magnetic field in 2PI approach	TSUTSUI, Shoichiro	D-05
[358] Quark production, Bose-Einstein condensates and thermalization of the quark-gluon plasma	Dr YAN, Li	D-06
[183] Jet quenching effects on the direct, elliptic, and triangular flow at RHIC	ANDRADE, Rone	E-01
[412] Event plane dependence of charged jet yields in \$\sqrt{\rm s_{NN}}\$ = 2.76 TeV Pb-Pb collisions with ALICE	BERTENS, Redmer Alexander	E-02
[298] Charged Hadron Suppression at High pT in Au+Au Collisions at 200 GeV	Mr BRYSLAWSKYJ, Jason	E-03
[636] \$\pi^0\$ production in \$\sqrt{s_{NN}}\$=200 GeV Cu+Au Collisions at PHENIX	CAMPBELL, Sarah	E-04
[22] Elucidating the internal structure of jets at the LHC using soft-collinear effective theory	Dr CHIEN, Yang-Ting	E-05
[415] Inclusive Jet Spectra in p-Pb Collisions at ALICE	CONNORS, Megan Elizabeth	E-06
[401] Measurement of Nuclear Modifications of Jets in p-Pb collisions at \$\sqrt{s_{\rm NN}}\$ = 5.02 TeV with the ALICE detector at the LHC	YALDO, Chris G	E-07
[157] Measurement of Neutral Pions via their $e^{+}e^{-}\$ Decay in p-Pb Collisions at \sqrt{NN} = 5.02 TeV with ALICE at the LHC	GONZALEZ ZAMORA, Pedro	E-08
[411] Charged jets in p-Pb collisions with the ALICE detector	HAAKE, Rudiger	E-09
[407] Particle identification techniques for measuring the hadron composition in charged jets from pp collisions with the ALICE experiment	HESS, Benjamin Andreas	E-10
[39] Parton energy loss in 3-jet events at RHIC and the LHC	Prof. JALILIAN-MARIAN, Jamal	E-11
[162] Neutral Pions Measured in the ALICE Electromagnetic Calorimeter in pp and p-Pb Collisions at \$\sqrt{s_{\mathrm{NN}}}\$ = 5.02 TeV	KAMIN, Jason Adrian	E-12
[460] Jet shapes and fragmentation functions in pp and PbPb collisions with CMS	KIM, Yongsun	E-13
[524] Title: The centrality dependence of jet and leading particle production in d-Au and p-Pb collisions	KORDELL, Michael	E-14
[235] Jet reconstruction and calibration in heavy-ion collisions with the ATLAS detector	KOSEK, Tomas	E-15
[422] Study of the transverse momentum distribution of jet constituents in p-Pb collisions at ALICE	KRAL, Jiri	E-16
[423] Fragmentation of jets into hadrons with strangeness in Pb-Pb collisions in ALICE at the LHC	ZIMMERMANN, Alice KUCERA, Vit	E-17
[510] Performance Studies of Inclusive jets in CMS	KUNNAWALKAM ELAYAVALLI, Raghav	E-18
[43] Transport model studies on reconstructed jets in a hot partonic medium	MA, Guo-Liang	E-20
[686] Frame independent formulation of energy loss in evolving bulk medium	MOLNAR, Denes	E-21
[158] Study of neutral \$\pi\$ meson in \$\sqrt{s_{\mathrm{NN}}}\$ = 5.02 TeV p-Pb collisions at ALICE	OKUBO, Tsubasa	E-22
[193] Baryon-to-meson ratio of strange particles in near-side and away-side jets in pp collisions with ALICE using azimuthal correlations	PAHULA HEWAGE, Sandun	E-23

	0	J
[159] Neutral meson measurement via photon conversions in p-Pb collisions at \$\sqrt{s_{\rm NN}}\$ = 5.02 TeV with ALICE at the LHC	PASSFELD, Annika	E-24
[164] Confronting current NLO charged-hadron fragmentation functions with LHC data	PAUKKUNEN, Hannu	E-25
[526] Novel sub-jet observables for quenched jets	TEIXEIRA DE ALMEIDA MILHANO, Guilherme CUNHA APOLINARIO, Liliana Marisa PLOSKON, Mateusz ZHANG, Xiaoming	E-26
[426] Measurement of transverse momentum jet spectra in Pb-Pb collsions at \$\sqrt{\rm s_{NN}}\$ = 2.76 TeV using calorimeter triggers with the ALICE detector	REED, Rosi Jan	E-27
[519] Inclusive Spectrum of Reconstructed Charged Jets in Central Au+Au Collisions at \$\sqrt{s_{NN}}\$=200 GeV by the STAR Experiment	RUSNAK, Jan	E-28
[434] MUSIC and MARTINI with a Hadronic Afterburner	RYU, Sangwook	E-29
[163] Measurement of neutral mesons at high transverse momentum with the ALICE EMCal	SAHLMULLER, Baldo	E-30
[117] Detailed study of parton energy loss via measurement of fractional momentum loss of high \$p_T\$ hadrons in \$d\$+A and A+A collisions	SAKAGUCHI, Takao	E-31
[449] Reconstructed jets within the partonic transport model BAMPS	SENZEL, Florian	E-32
[381] Medium response in asymmetric di-jet events from full 3-D hydro	Mr TACHIBANA, Yasuki	E-33
[286] Status of Jet Reconstruction in Cu+Au collisions at 200 GeV from PHENIX	Mr TIMILSINA, Arbin	E-34
[215] The study of jet properties in pp collisions at 7 TeV and pPb collisions at 5.02 TeV using POWHEG-Box	VAJZER, Michal	E-35
[75] Universal scaling dependence of QCD energy loss from data-driven studies	VISLAVICIUS, Vytautas	E-36
[418] Jet azimuthal distributions with high \$p_{\rm T}\$ neutral pion triggers in pp collisions from LHC-ALICE	WATANABE, Daisuke	E-37
[240] The Tricky Azimuthal Dependence of Jet Quenching at RHIC and LHC via CUJET2.0=rcDGLV+elastic+VISH(2+1)	XU, Jiechen	E-38
[541] Shooting string holography of light quark jet quenching at RHIC and LHC	FICNAR, Andrej	E-39
[161] Study of high-\$p_{\rm T}\$ neutral mesons with a high energy photon trigger at ALICE	YANO, Satoshi	E-40
[462] Performance Studies of b-jet identification in CMS	YU, Leo	E-41
[500] Is the LHC Fireball Less Opaque Than the RHIC Fireball, and Why?	Dr ZHANG, Xilin	E-42
[214] Effects of shower patrons on soft and semihard hadrons produced in Pb-Pb collisions at LHC	ZHU, Lilin	E-43
[154] Isolated photon-hadron and \$\pi^0\$-hadron correlations in pp and Pb-Pb collisions with the ALICE experiment	ZHU, Xiangrong	E-44
[63] Jet-medium excitation and gamma-jet asymmetry	ZHU, Yan	E-45
[494] Statistically inferring nuclear modification of charm and beauty hadrons from PHENIX electron data	Dr ADARE, Andrew	F-01
[595] Master equations of quarkonia in the Lindblad form	AKAMATSU, Yukinao	F-02
	ALVES GARCIA PRADO, Caio	F-03

[542] High-\$p_{T}\$ non-photonic electron production in p+p collisions at \$\sqrt{s}\$=200 GeV	Mr BAI, Xiaozhi Prof. YE, Zhenyu	F-04
[120] Measurement of $\rm D^{+}\$ -meson production in Pb-Pb collisions with the ALICE detector at the LHC	Dr BALA, Renu	F-05
[621] RAA and v2 of muons from heavy flavour decays at forward rapidities at 2.76 ATeV	Dr BEGUM, Umme Jamil	F-06
[402] Charm quark dynamics in the QGP	Dr BERREHRAH, Hamza	F-07
[266] Study of charm jet tagging using ${\rm D}^{\ }\$ mesons with ALICE in pp collisions at the LHC	BIANCHIN, Chiara	F-08
[272] Measurement of \$\rm D^0\$ azimuthal anisotropy in Pb-Pb collisions with the ALICE detector at the LHC	CAFFARRI, Davide	F-09
[605] Coalescence production of J/Psi in heavy ion collisions	CHO, Sungtae	F-10
[453] Measurement of exclusive Upsilon photoproduction in pp and pPb collisions at CMS	CHUDASAMA, Ruchi	F-11
[133] Perspectives of \$\Upsilon\$ production in ALICE and future prospects	Dr DAS, Debasish	F-12
[118] Measurement of anisotropic flow of electrons from the decay of heavy-flavour hadrons in Pb-Pb collisions at \$\sqrt{s_{\rm{NN}}}\$ = 2.76 TeV with ALICE at the LHC	DUBLA, Andrea	F-13
[630] Heavy Quark Interactions with the Medium as Measured with Electron-Hadron Correlations in \$Au+Au\$ Collisions in STAR	DUNKELBERGER, Jay	F-14
[264] \${\rm D^0}\$ meson production measurement in pPb collisions at \$\sqrt{s_{\rm NN}}\$ = 5.02 TeV with ALICE	FESTANTI, Andrea	F-15
[530] DCA and secondary vertex measurement of electron pairs using PHENIX-VTX	Dr HACHIYA, Takashi	F-16
[599] Bottomonium at finite temperature from lattice QCD	HARRIS, Tim	F-17
[465] Performance and study of B meson spectra in pp and pPb collisions in CMS	INNOCENTI, Gian Michele	F-18
[256] Measurement of heavy-flavour decay electrons in p-Pb collisions at \$\sqrt{s_{\rm NN}}\$ = 5.02 TeV with the ALICE ElectroMagnetic Calorimeter at the LHC	JAHNKE, Cristiane	F-19
[278] Study of \$\rm D^{0}\$ signal extraction in ALICE using combinatorial background subtraction techniques	JENA, Chitrasen	F-20
[228] Study of non-prompt \$J/psi\$ production from B decays in pp collisions with the PHENIX Detector at RHIC	JEZGHANI, Margaret	F-21
[516] Measurement of J/\$\psi\$ yields at midrapidity in 200 GeV \$Au+Au\$ collisions with PHENIX	Mr KLATSKY, Jeff	F-22
[550] $J/psi\$ production in minimum bias U+U collisions at $\sqrt{s_{NN}}=193\$ GeV in the STAR experiment	KUKRAL, Ota	F-23
[274] Measurement of electrons from beauty-hadron decays in p-Pb collisions at \$\sqrt{s_{\rm NN}}\$ = 5.02 TeV with ALICE at the LHC	KWEON, Min Jung	F-24
[279] Prospects for beauty-jet measurements with ALICE	LA POINTE, Sarah	F-25
[129] Centrality dependence of the J/\$\psi\$ production in p-Pb collisions with ALICE at the LHC	LAKOMOV, Igor	F-26
[706] \$J∧psi\$ in pPb collisions with CMS	LEE, Songkyo	F-27
[128] \$\psi\$(2S) signal extraction in pp, p-Pb and Pb-Pb collisions with ALICE at	LEONCINO, Marco	F-28

Quark Matter 2014 Marie Miterialional Conference on Citarciali Material Material Compion	13 / 110Grammic 1 desday, 20	141uy 20
[291] Heavy-flavor muon production at forward rapidity in \$d+\$Au collisions at \$\sqrt{s_{NN}}=200\$ GeV	LIM, Sanghoon	F-29
[280] Analysis of D-h and D-e angular correlations with ALICE, and perspectives for the upgrade	LONNE, Per-Ivar	F-30
[275] Measurement of the ${\rm D^{\alpha}}\$ nuclear modification factor in p-Pb collisions at $\rm NN}$ = 5.02 TeV in different multiplicity intervals.	LUPARELLO, Grazia	F-31
[132] Low-\$p_{\rm T}\$ J/\$\psi\$ in Pb-Pb collisions at forward rapidity with ALICE at the LHC	MASSACRIER, Laure Marie	F-32
[84] Measurement of non-prompt J/\$\psi\$ contribution at midrapidity in p-Pb collisions with ALICE	MASTROSERIO, Annalisa	F-33
[98] When the heavy quark jet bends	MAZUMDER, Surasree	F-34
[690] Gluon Bremsstrahlung of Charm Quark \& Charm Quark Equilibrium Distribution Function	MAZUMDER, Surasree	F-35
[268] Feasibility study for the measurement of the elliptic azimuthal anisotropy of electrons from semileptonic decays of beauty hadrons in Pb-Pb collisions at $\sqrt{s_{NN}}$ = 2.76 TeV with ALICE	MOREIRA DE GODOY, Denise Aparecida	F-36
[78] Charm Quark Medium Modification within a Linearized Boltzmann Approach	MORELAND, J. Scott	F-37
[406] Heavy Quark azimuthal correlations in proton-proton and nucleus-nucleus collisions.	NARDI, Marzia	F-38
[452] Low $p_{T}\$ non-photonic electron production in AuAu collisions at $\$ Nqrt{s_{nn NN}} = \$200 GeV	OH, Kunsu	F-39
[486] Lattice QCD study on quark mass dependence of quarkonium properties at finite temperature	ONO, Hiroshi	F-40
[684] D-meson propagation in hadronic matter and consequences on heavy-flavor observables in ultrarelativistic heavy ion collisions	Dr OZVENCHUK, Vitalii	F-41
[116] Study of single electron production in p-Pb collisions at \$\sqrt{s_{\rm NN}}\$ = 5.02 TeV triggered with the ALICE Transition Radiation Detector	PACHMAYER, Yvonne Chiara	F-42
[0] Nonperturbative effect on the melting of quarkonium	Dr PATRA, Binoy Krishna	F-43
[130] Inclusive J/\$\psi\$ and \$\psi\$(2S) production at forward rapidity in pp collisions with ALICE at the LHC	PAUL, Biswarup	F-44
[119] Measurements of the correlation between heavy-flavour decay electrons and charged particles in pp, p-Pb and Pb-Pb collisions with ALICE at the LHC	PEREIRA DE OLIVEIRA FILHO, Elienos	, F-45
[276] Prospects for measuring heavy-flavour hadron decay electron - jet correlations with the ALICE detector	ROSSI, Andrea	F-46
[79] Bottomonium melting from a stochastic potential	ROTHKOPF, Alexander	F-47
[578] Heavy quark pair production and parton saturation in pA collisions at the LHC	WATANABE, Kazuhiro	F-48
[518] Measurements Of Non-Photonic Electron Production And Correlation With STAR Experiment	Mrs RUSNAKOVA, Olga	F-49
[454] The puzzling relation between the \$R_{AA}\$ and the \$v_2\$ for heavy mesons in a Boltzmann and in a Langevin approach	SCARDINA, francesco	F-50
[121] ${\rm D}^{+}\$ -meson reconstruction in pp collisions at $\$ = 8 TeV with the ALICE detector	SHARMA, Ankita	F-51
[314] Charmonia formation in quark-gluon plasma	Dr SONG, Taesoo	F-52
		-

	0	
[400] Exclusive J/\$\psi\$ photoproduction in ultra-peripheral p-Pb collisions at \$\sqrt{s_{\rm NN}}\$ = 5.02 TeV	TAPIA TAKAKI, Daniel	F-53
[374] Heavy-meson diffusion in hadronic matter	Dr TORRES-RINCON, Juan	F-54
[544] J/\$\psi\$ polarization measurement in p+p collisions at \$\sqrt{s}\$ = 500 GeV in STAR	TRZECIAK, Barbara	F-55
[174] Prospects for the ALICE muon physics with the Muon Forward Tracker upgrade	URAS, Antonio	F-56
[603] Heavy-quark diffusion at LHC, RHIC, and FAIR within a UrQMD-hydrodynamical hybrid model	VAN HEES, Hendrik	F-57
[390] Upsilon production in U+U collisions at the STAR experiment	VERTESI, Robert	F-58
[270] Separation of electrons from charm- and beauty hadron decays in Pb-Pb collisions at \$\sqrt{s_{\rm NN}}\$ = 2.76 TeV with ALICE	VÖLKL, Martin	F-59
[262] Measurement of electrons from charm and beauty-hadron decays in p-Pb collisions at \$\sqrt{s_{\rm NN}}\$ = 5.02 TeV with ALICE at the LHC	WAGNER, Jan	F-60
[365] Identified-identified two-particle correlations and quantum number conservation in p-p, p-Pb and Pb-Pb collisions at LHC energies	BENCEDI, Gyula	F-61
[259] Multiplicity dependence of ${\rm D}^{*+}$ -meson production in p-Pb collisions at \sqrt{NN} = 5.02 TeV at the LHC	WILKINSON, Jeremy	F-62
[564] Heavy flavor muons at forward rapidities in \$\sqrt{s_{NN}}=200\$ GeV p+p and Cu+Au collisions	WYSOCKI, Matthew	F-63
[582] High-\$p_T\$ \$J∧psi\$ production in \$U+U\$ collisions at STAR	XIE, Guannan	F-64
[613] Quarkonia production in p\$+\$p collisions from the STAR experiment	YANG, Qian	F-65
[701] Energy Loss of Open Charm Produced In Relativistic Heavy Ion Collision	YOUNUS, Mohammed	F-66
[277] Reconstruction techniques for $\Lambda_{c} \simeq {\rm NN} \$ in p-Pb collisions at $\Lambda_{c} \simeq {\rm NN} \$ = 5.02 TeV with ALICE at the LHC	ZAMPOLLI, Chiara	F-67
[431] Systematic studies of the centrality dependence of soft photon production in \$Au+Au\$ collision with PHENIX	BANNIER, Benjamin	G-01
[24] The Magneto-Sono-Luminescence and its signatures in photon and dilepton production in heavy ion collisions	BASAR, Gokce	G-02
[475] Reconstruction of \$\pi^{0}\$ mesons via conversion method in Au+Au at 1.23AGeV with HADES	BEHNKE, Claudia	G-03
[223] W boson production and the lepton charge asymmetry in lead-lead collisions in the ATLAS experiment	BIELSKI, Rafal	G-04
[252] \$\rm W^{\pm}\$ boson production measurements in p-Pb collisions with ALICE at the LHC	BOSSU, Francesco	G-05
[155] Measurement of low-mass dielectrons in p-Pb collisions with ALICE	BROKER, Theo Alexander	G-06
[709] Coherent \$\psi\$(2S) photo-production in ultra-peripheral Pb-Pb collisions at the LHC	BROZ, Michal	G-07
[637] Soft direct photon \$v_{2}\$ and \$n_{q}\$ scaling	CAMPBELL, Sarah	G-08
[221] Z Boson Production in p+Pb Collisions Measured by the ATLAS Experiment	CITRON, Zvi	G-09
	Prof. LEE, Kang Seog	G-10

Qualit Matter 2014 MAXIV International Conference on Officient/Side Materials Materials Conference	5 / 110 Grammic 1 de 3 day , 20	111dy 201
[293] Studying Dilepton Production from SIS to RHIC Energies: Transport Calculations vs. Coarse-grained Dynamics	ENDRES, Stephan	G-11
[533] The production of low mass dielectrons in Au+Au collisions at \$\sqrt{s_{NN}}\$ = 27 GeV from STAR	GEURTS, Frank	G-12
[548] Dielectron production in Au+Au and p+p collisions at \$\sqrt{s_{NN}}\$ = 200GeV at STAR	Mr GUO, Yi	G-13
[632] Di-electron reconstruction in Au+Au@1.23 GeV/u	Mr HARABASZ, Szymon	G-14
[472] Azimuthally-anisotropic photon spectrum induced by chiral anomaly in strong magnetic fields	Dr HATTORI, Koichi	G-15
[127] Study of dielectron production in p-Pb collisions at \$\sqrt{s_{\rm NN}}\$ = 5.02 TeV using Transition Radiation Detector triggers with the ALICE detector	HAYASHI, Shinichi	G-16
[302] First principle calculation of dilepton production rate in strongly interacting QGP	Mr KIM, Taekwang	G-17
[536] Low-mass di-electron reconstruction at the CBM experiment	LEBEDEVA, Elena	G-18
[285] Photon production and elliptic flow in heavy-ion collisions within the PHSD approach	Dr LINNYK, Olena	G-19
[616] QGP formation time and the elliptic flow of direct photons	Mrs LIU, Fu-Ming	G-20
[356] The electromagnetic signature of the IP-Glasma initial state	PAQUET, Jean-Francois	G-21
[125] Measurement of Low-Mass Dielectron Production in Pb-Pb Collisions with ALICE	REICHELT, Patrick Simon	G-22
[131] Search for intense magnetic field via dielectron asymmetry in Pb-Pb collisions at \$\sqrt{s_{\rm NN}}\$ = 2.76 TeV with ALICE at the LHC	SHIGAKI, Kenta	G-23
[571] Dilepton emission from heavy ion collision of Quark -Gluon Plasma	Dr SHOUGAIJAM, Somorendro Singh	G-24
[674] Meson production in nucleon-nucleon collisions	TEILAB, Khaled	G-25
[594] Strange and electromagnetic probes of dense nuclear matter at SIS	Dr WEIL, Janus	G-26
[556] Search for Antimatter Muonic Hydrogen at RHIC	XIN, Kefeng	G-27
[512] Dimuon Production in Au+Au √sNN = 200 GeV Collisions at STAR	XIN, Kefeng	G-28
[126] Dielectron elliptic flow in Pb-Pb collisions at $\sqrt{s_{NN}}$ = 2.76 TeV with the ALICE experiment	YANG, Hongyan	G-29
[44] Probing the collective confining colour field by direct photons and lepton pairs	Prof. ZINOVJEV, Gennady	G-30
[12] Cumulative Particle Production in p+A Collisions and z-Scaling	APARIN, Alexey	H-01
[625] Identified charged hadron spectra and ratios in PHENIX	BELMONT, Ron	H-02
[384] Measurement of higher harmonic flow of \$\phi\$ meson in STAR at RHIC	BHASIN, Anju	H-03
[340] Constraining dissipative corrections to particle distributions at freeze out from anisotropic flow	BORGHINI, Nicolas	H-04
[212] Mach cones in viscous heavy-ion collisions	BOURAS, Ioannis	H-05
[643] Higher order asymmetries with exact hydrodynamics	CSANAD, Mate	H-06
[394] Lambda Polarization in peripheral heavy ion collisions	CSERNAI, Laszlo	H-07
[437] Quantifying the applicability of the fluid dynamical description of AA and pA collisions using Knudsen numbers	DENICOL, Gabriel NIEMI, Harri	H-08
[644] Effect of the equation of state on particle spectra, elliptic flow and HBT radii	DUDEK, Danuce	H-09

[698] Constraining global initial geometry with directed flow	GRASSI, Frederique	H-10
[184] Estimation of electric conductivity of the quark gluon plasma via asymmetric heavy-ion collisions	HIRONO, Yuji	H-11
[301] Determination of charm quark diffusion parameter with improved Baysian analysis in lattice QCD	Mr IKEDA, Atsuro	H-12
[688] Simulations with YaPT system for nucleus-nucleus collisions FAIR-GSI energies	JIPA, A.	H-13
[672] Applications of Chaos Many-Bode Engine for the analysis of relativistic nuclear collisions at 200 A GeV/c	Prof. JIPA, Alexandru	H-14
[321] Beam energy scan using a 3+1D viscous hydro+cascade model	Dr KARPENKO, Iurii	H-15
[26] Final state effects on charge asymmetry of pion elliptic flow in high-energy heavy-ion collisions	MA, Guo-Liang	H-16
[608] Observable consequences of tilted initial state	Prof. MAGAS, Volodymyr	H-17
[380] Freeze-out state from analysis of transverse momentum spectra in Pb+Pb collisions at 2.76 ATeV	MELO, Ivan	H-18
[92] Medium effects on the transport coefficients of a hot pion gas	Mrs MITRA, Sukanya	H-19
[351] Direct photon collective flow in Au+Au collisions at \$\sqrt{s_{NN}}\$=200GeV	MIZUNO FOR THE PHENIX COLLABORATION, Sanshiro	H-20
[194] Causal hydrodynamic fluctuation and its implementation in full (3+1)-D dissipative hydrodynamic simulation	MURASE, Koichi	H-21
[70] Probe the QCD media using \$\phi\$-meson event anisotropy \$v_{2}\$	Mr NASIM, Md	H-22
[185] Enhancement of Flow Harmonics due to Bulk Viscosity in Event by Event Hydrodynamics	Dr NORONHA-HOSTLER, Jacquelyn	H-23
[187] Local equilibration and negative contributions: Investigating the transition interfaces in hybrid approaches	OLIINYCHENKO, Dmytro	H-24
[312] Estimates of heavy-ion collision symmetry planes with the ALICE detector.	ONDERWAATER, Jacobus	H-25
[284] Disentangling the soft and hard components of the pp collisions using the spheri(o)city approach	ORTIZ VELASQUEZ, Antonio	H-26
[388] Eigenmode analysis of anisotropic flow	PAL, Subrata	H-27
[479] Anisotropic flows and the shear viscosity of the QGP within a transport approach with initial state fluctuations.	PLUMARI, Salvatore GRECO, Vincenzo	H-28
[702] Soft and Hard interactions in proton-proton collisions at LHC energies	PRASAD, Sidharth Kumar	H-29
[188] Constraining initial stages of heavy-ion collisions from RHIC and LHC data	RETINSKAYA, Ekaterina	H-30
[662] Elliptic and Triangular Flow of inclusive charged hadrons in Au+Au and Cu+Cu at \$\sqrt{s_{NN}} =\$ 200 GeV collisions at RHIC-PHENIX	REYNOLDS, Damian	H-31
[483] Tsallis blast-wave analysis in relativistic heavy ion collisions	Dr RISTEA, Oana	H-32
[105] Charge splitting of directed and elliptic flow in heavy ion collisions	RYBICKI, Andrzej SZCZUREK, Antoni	H-33
[37] Exact solutions of kinetic equation in the relaxation time approximation	RYBLEWSKI, Radoslaw	H-34
[45] Effective Energy Dissipation and Particle Production in Heavy-Ion Collisions	SAHOO, Raghunath	H-35
[151] Hydrodynamical evolution with energy and momentum feeding during the fireball expansion	SCHULC, Martin	H-36
[553] Triangular Flow of Inclusive Charged and Identified Particles at RHIC	SUN, Xu	H-37

[109] Projection method and new formulation of leading-order anisotropic hydrodynamics	Dr TINTI, Leonardo	H-38
[424] Flow vorticity in Peripheral high-energy heavy ion collisions	WANG, Dujuan	H-39
[534] Self-consistent Cooper-Frye freeze-out of a viscous fluid to particles	WOLFF, Zack	H-40
[67] What can the event transverse energy distribution tell us about the longitudinal flow?	ZHANG, Bin	H-41
[202] Measurement of the space-time extent of the emission source in d+Au and Au+Au collisions through charged pion interferometry at \$\sqrt{s_{NN}}=200\$ GeV	AJITANAND, Nuggehalli	I-01
[198] Two-pion Femtoscopy Measurements at RHIC-PHENIX	MWAI, alex	I-02
[250] Forward-backward multiplicity correlations in pp collisions at \$\sqrt{s}\$ = 0.9, 2.76 and 7 TeV	ALTSYBEEV, Igor DE, Sudipan	I-03
[237] Identified particle femtoscopy in Pb-Pb collisions with ALICE at the LHC	BECK, Hans	I-04
[115] QGP parameter extraction via a global analysis of event-by-event flow coefficient distributions	Mr BERNHARD, Jonah E.	I-05
[265] Multiplicity dependence of long and short-range two-particle correlation in \$\sqrt{s}\$ = 7TeV proton-proton collisions at LHC-ALICE experiment	BHOM, Jihyun	I-06
[376] Freeze-out parameters for the Large Hadron Collider	BORSANYI, Szabolcs	I-07
[545] Azimuthally-sensitive two-pion interferometry in U+U collisions at STAR	CAMPBELL, John	I-08
[614] Sign Structures of Susceptibilities of Conserved Charges in the (2+1) Polyakov Quark Meson Model	CHATTERJEE, Sandeep	I-09
[707] Long-range two-particle correlations with K0s and Lambda in pPb and PbPb collisions in CMS	CHEN, Zhenyu	I-10
[490] Dihadron angular correlations in PbPb collisions with HYDJET++ model.	EYYUBOVA, Gyulnara	I-11
[106] Knee structure in the elliptic flow in ultracentral U+U collisions	GOLDSCHMIDT, Andy	I-12
[257] Pion femtoscopy measurements in small systems with ALICE at the LHC	GRACZYKOWSKI, Lukasz Kamil	I-13
[379] Generic framework for anisotropic flow analyses with multi-particle azimuthal correlations	HANSEN, Alexander	I-14
[296] Elucidating the event-by-event flow fluctuations in heavy ion collisions via the event-shape selection and twisting techniques	Mr HUO, Peng	I-15
[661] Description of \${\langle p_{\mathrm{T}}\rangle}\$-\${N_{\mathrm{ch}}}\$ correlations in pp, pA and AA collisions in Monte Carlo model based on the interaction of color dipoles	KOVALENKO, Vladimir	I-16
[246] Multi parton interaction studies in pp and p-Pb	LEOGRANDE, Emilia	I-17
[695] STRONG FLUCTUATIONS IN INITIAL CONDITIONS FOR INTERACTIONS OF HEAVY AND LIGHT NUCLEI AT JINR-AGS-SPS ENERGIES	LOCTIONOV, Albert	I-18
[64] Femtoscopic correlations of two identical particles with nonzero spin in the model of one-particle multipole sources	Dr LYUBOSHITZ, Valery	I-19
[59] Possible effect of mixed phase and deconfinement upon spin correlations in the \$\Lambda \bar{\Lambda}\$ pairs generated in relativistic heavy-ion collisions	Dr LYUBOSHITZ, Valery	I-20
[62] On the pair correlations of neutral \$K, D, B\$ and \$B_s\$ mesons with close momenta produced in inclusive multiparticle processes	Dr LYUBOSHITZ, Valery	I-21
[387] Fluctuations in Relativistic Causal Hydrodynamics	Dr MISHRA, Ananta P.	I-22

[590] The Chiral Criticality in the Probability Distribution of Conserved Charges	Dr MORITA, Kenji	I-23
[575] Mapping the Little Bangs Through Energy Density and Temperature Fluctuations	BASU, Sumit	I-24
[689] Femtoscopic analysis of charged kaon correlations at small relative momentum in \$p+p\$ collisions in STAR	NIGMATKULOV, Grigory	I-25
[532] Correction Methods for Finite-acceptance Effects in Two-particle Correlation Analysis	OH, Saehanseul	I-26
[360] Forward-backward multiplicity correlation in relativistic heavy-ion collisions in a superposition approach	OLSZEWSKI, Adam	I-27
[570] Tri-hadron Azimuthal Correlations and the Conical Emission by Strong Color Fields without Collective Flow in p+p and p+Pb Collisions	Dr OZONDER, Sener	I-28
[27] Relics of Minijets amid Anisotropic Flows	Dr PANG, LongGang	I-29
[249] Untriggered di-hadron correlations in Pb-Pb collisions at \$\sqrt{s_{\rm NN}}\$ = 2.76 TeV with the ALICE experiment	PIYARATHNA, Danthasinghe	I-30
[432] Pion-kaon femtoscopy in Au+Au collisions at \$\sqrt{s_{NN}}\$ = 39GeV at STAR	Ms PONIATOWSKA, Katarzyna	I-31
[484] Higher moments of multiplicity distributions in nuclear collisions at relativistic energies	Dr RISTEA, Catalin	I-32
[100] Sensitivity of event plane correlations at large rapidity gap to \$\eta\$/s in heavy ion collisions	ROY, Victor	I-33
[57] Cross section fluctuations in hadronic nad nuclear collisions	RYBCZYNSKI, Maciej	I-34
[308] Effects of the global charge conservation on the time evolution of fluctuations of conserved charges in relativistic heavy ion collisions	Ms SAKAIDA, Miki	I-35
[261] Femtoscopy with lambda baryons in Pb-Pb collisions with ALICE at the LHC	SALZWEDEL, Jai	I-36
[258] Forward rapidity two-particle correlations in pPb collisions measured in ALICE	SCHUSTER, Tim	I-37
[708] Bose-Einstein correlations with identified particles in CMS	SIKLÉR, Ferenc	I-38
[147] The deconfinement phase transition in simulations of relativistic nuclear collisions	STEINHEIMER, Jan	I-39
[260] Kaon femtoscopy in Pb-Pb collisions with ALICE at the LHC	STEINPREIS, Matthew Donald	I-40
[563] Beam Energy Dependency of Clan Multiplicity at RHIC	Dr TANG, Aihong	I-41
[466] Production of Phi mesons in pPb and PbPb collisions in CMS	VARMA, Mukund Madhav	I-42
[651] Measurement of the Charge Balance Function at RHIC from $\scriptstyle \$ NN}} = 7.7 to 200 GeV	WESTFALL, Gary	I-43
[523] Thermal fluctuations in heavy ion collisions	YOUNG, Clint	I-44
[107] The onset of pion condensation in heavy-ion collisions at the LHC energies	Dr BEGUN, Viktor	J-01
[196] \$\Sigma^0\$ and \$\overline{\Sigma}^0\$ Baryon Production in pp Collisions at \$\sqrt{s}\$ = 7 TeV with ALICE at the LHC	BORISSOV, Alexander	J-02
[347] Chemical Freeze-out Irregularities and Quark Gluon Bags Formation	Mr OLIINYCHENKO, Dmytro Prof. BUGAEV, Kyrill	J-03
[338] On Chemical Freeze-outs of Strange and Nonstrange Hadrons	Prof. BUGAEV, Kyrill	J-04
[609] Multiple Freezeout in Heavy Ion Collisions	CHATTERJEE, Sandeep	J-05

[136] Light vector meson production in p-Pb and Pb-Pb collisions measured with the ALICE detector	DE FALCO, Alessandro	J-06
[373] Color path-integral Monte-Carlo simulations of strongly coupled of quark-gluon plasma	Prof. FILINOV, Vladimir	J-07
[318] Identified particle production for \$p+p\$ collisions in \$\sqrt{s}\$ = 62.4 GeV at STAR	GUPTA, Shikshit	J-08
[195] Midrapidity antibaryon-to-baryon ratios in Pb-Pb and p-Pb collisions measured by the ALICE experiment	MERES, Michal	J-09
[86] \$\omega\$(782) and \$\phi\$(1020) Meson Production in the Dielectron Channel in pp Collisions at \$\sqrt{s}\$ = 7 TeV with ALICE	OZDEMIR, Mahmut	J-10
[208] Measurement of integrated yields of light flavour hadrons, resonances and (hyper-)nuclei at LHC energies with the ALICE experiment and their description with thermal models	PREGHENELLA, Roberto	J-11
[521] HypHI project: Final results of the study of hypernuclei in the reaction \$^{6}\$Li+\$^{12}\$C at 2\$A\$GeV	Dr RAPPOLD, Christophe	J-12
[665] The thermodynamics of heavy light hadrons at freezeout	Dr SHARMA, Sayantan	J-13
[485] Strangeness production in nuclear collisions around the threshold	TOMASIK, Boris	J-14
[641] From the Quark Gluon Plasma to Strongly Coupled Conformal Theories	Mr NUNES DA SILVA, Tiago	K-02
[438] QCD-like theories at finite density	Dr STRODTHOFF, Nils	K-02
[488] Fermion pair production in space-time dependent strong fields	BERENYI, Daniel	L-01
[96] New results in the formalism and application of relativistic viscous hydrodynamics	JAISWAL, Amaresh BHALERAO, Rajeev V., Sreekanth PAL, Subrata	L-02
[191] Ghosts in Nonequilibrium Quark-Gluon Plasma	CZAJKA, Alina	L-03
[447] Cavitation and bulk viscosity	HABICH, Mathis	L-04
[369] Charge dependent elliptic flow from anomalous hydrodynamics	HONGO, Masaru	L-05
[173] Nonperturbative gluonic three-point correlations	Dr HUBER, Markus	L-06
[6] Relaxation-time approximation and relativistic viscous hydrodynamics from kinetic theory	JAISWAL, Amaresh	L-07
[289] Nonlinear waves in 2nd order conformal hydrodynamics	MARROCHIO, Hugo	L-08
[569] The Time Evolution of the Distribution of Matter in Hard Particle Production	Mr MEIRING, Ben	L-09
[145] A new calculation of light quark jet energy loss using the AdS/CFT correspondence	MORAD, Razieh	L-10
[180] Exact analytical solutions of second-order conformal viscous hydrodynamics	NORONHA, Jorge	L-11
[635] Heavy Quarks and Mesons at Finite Chemical Potential in Gauge/Gravity Duality	Mr SAMBERG, Andreas	L-12
[693] Flow or Radiation in Heavy-ion Collisions?	SCHRAM, Zsolt	L-13
[11] The Microsecond universe and the neutron star	SINHA, Bikash	L-14
[4A] V-u'-'	Prof. SORIN, Alexander	L-15
[144] Vorticity and asymmetries at NICA		

•		- 5
[492] System integration of the Silicon Tracking System for the CBM experiment at FAIR	BALOG, Tomas	M-01
[178] Nuclei identification and hypernuclei reconstruction with the ALICE inner tracker upgrade	BUFALINO, Stefania	M-02
[478] A Muon Detection System for the CBM experiment at FAIR	DUBEY, Anand Kumar	M-03
[287] The PHENIX Forward Silicon Vertex Detector	DURHAM, J. Matthew	M-04
[668] The STAR Muon Telescope Detector Upgrade	GEURTS, Frank	M-05
[491] Development of prototype components for the Silicon Tracking System of the CBM experiment at FAIR	GHOSH, Pradeep	M-06
[459] A Fixed-Target Program for STAR: Extending the Low Energy Reach of the RHIC Beam Energy Scan	HAAG, Brooke	M-07
[99] Status of the NICA project at JINR	KEKELIDZE, Vladimir	M-08
[642] The CBM-RICH detector	KOPFER, Jan	M-09
[664] Determination of tolerances of mirror displacement and radiator gas impurity for the CBM RICH detector	MAHMOUD, Tariq	M-10
[670] Development of the photon detection system for the CBM RICH	PAULY, Christian	M-11
[471] Hough transform for charged particle tracking in CMS	LISNIAK, Stanislav	M-12
[666] Global alignment methods of the inner silicon tracker (HFT) of the STAR experiment at RHIC	Mr LOMNITZ, Michael	M-13
[38] Centrality Detector for Collider-based Heavy Ion Experiments	MILOV, Alexander	M-14
[346] An Electron Ion Collider (EIC) Detector Built Around the BaBar Magnet (ePHENIX)	MORRISON, David	M-15
[482] Performance study for measurement of jets and heavy flavor using sPHENIX.	Mr NAGASHIMA, Kazuya	M-16
[345] sPHENIX Detector and Physics Program	NAGLE, James	M-17
[315] The performance of the ALICE High Momentum Particle Identification Detector in pp, p-Pb and Pb-Pb collisions	OLAH, Laszlo	M-18
[653] Status of the FAIR Synchrotrons	OMET, Carsten	M-19
[655] Development of fast ramped superconducting magnets for SIS300	OMET, Carsten	M-20
[656] New beam line and experiments at J-PARC	Prof. OZAWA, Kyoichiro	M-21
[168] FoCal, a high-granularity electromagnetic calorimeter development as a possible upgrade for the ALICE experiment	PEITZMANN, Thomas	M-22
[273] Observation of the charm baryon \$\Lambda_{c}\$ with ALICE at the LHC and perspectives for future measurements with the ALICE upgrade	ROMITA, Rosa	M-23
[589] Upgrade STAR as a possible EIC detector	SHAO, Ming	M-24
[487] Concept and performance of the Silicon Tracking System for the CBM experiment at FAIR	Dr SINGLA, Minni	M-25
[176] Performance for the reconstruction of B mesons with the ALICE inner tracker upgrade	STILLER, Johannes Hendrik	M-26
[175] Performance for the reconstruction of \$\rm{\Lambda_b}\$ baryons with the ALICE inner tracker upgrade	TERREVOLI, Cristina	M-27
[169] Fast Interaction Trigger for ALICE	TRZASKA, Wladyslaw Henryk	M-28
[529] The ALICE Muon Forward Tracker Upgrade Project	VALENCIA PALOMO, Lizardo	M-29

[633] Intermediate Silicon Tracker For STAR HFT Upgrade	Dr WANG, Yaping Dr YE, Zhenyu	M-30
[299] Studies of the hadronic calorimeter prototype for sPHENIX	Dr XUE, LIANG	M-31