

Development of a hybrid technology for treating recalcitrant water contaminants- assessing e-beam potential.




Science & Technology
Facilities Council



University of
BRISTOL




Why we got together?

The challenge is resource (organics, metals and water) recovery from industrial waste waters on site.



Current clean-up approaches such as reverse osmosis and ultrafiltration (shown above) are not ideal- concentrate the problem and very energy intensive.

Our experience- microbiological treatment.




Enables: 1) Water recycling on site. 2) Organic converted microbiologically to biogas and bio-plastics. 3) Some metal recovery- but does not always work since biological systems have their limits.

This has been commercialised by the PI- Microbial Solutions Ltd.

Limitation - we do not always get complete degradation.

Treatment of recalcitrant waters




Waste streams we will test.

- Chemically mixed industrial end-of-pipe oily effluent (Biffa).
- Refinery wastes provided by BP and Exxon (including heavy oils).
- Ground water contaminants such as TCE.
- Pharmaceutical waste (GSK).
- Diageo brewery effluent (mixed humic and copper).


How can we routinely and sustainably reduce the pollution load (expressed as COD-Carbon Oxygen Demand) to consent levels of <2000 mg L?

E-Beam Treatment

- Anticipate treating ~20 samples.
- Optimum e-beam parameters to be determined based upon:
 - Duration,
 - Regime of exposure,
 - Energy,
 - Beam intensity.



*Engineered solution
to be developed*



Drivers and Objectives

Drivers

- STFC Futures Programme-
"Identifying and meeting
unmet needs in the
Environment."
- The programme will develop
new inter-disciplinary
communities.
- Water security and smarter
systems to reduce pollution
and waste.


Our objectives

1. The primary objective of this study is
determine the most effective e-beam
exposure that enables degradation of
recalcitrant water-borne organic
contaminants, resistant to other
treatment procedures, and in parallel
assess the potential of the e-beam to
precipitate metals, so enabling their
recovery, end-of-pipe.
2. To determine the most effective e-
beam regime which leads to microbial
cell inactivation.
3. From these studies determine the
key issues that will define the
commercial potential of e-beam
application for treating problematic
contaminated waters.


Our proposal- Sequential hybrid treatment.



Microbiological



Advanced Oxidation Processes with nanoscale-Fe oxide





Electron-beam

The order and condition of waste treatment is the key focus of the study.


Siemens Technology Development

- Oniac:
 - Spherical Tandem Accelerator




- RELIA:
 - SiC transistor drive amplifier.
 - Targeting 100W/ € installed cost.

50 kW @ 352 MHz



- STFC testing on FETS at RAL.



- STFC providing consultancy for R&D programme.

Other opportunities

Oil and water sector

- Exxon- Heavy oils.
- BP-Castrol and Microbial Solutions Ltd- recalcitrant waste waters.
- Hydraulic "fracking" water- Cuadrilla.

Liquid waste

- Diageo and Coca Cola- end of pipe organics and metals.
- GSK- Pharmaceutical waste.

Green waste

- Breakdown of lignin and conversion to bioenergy.

Even more opportunities

- End of pipe metal recovery.
- Metal recovery for mining systems.
- Recovery of radioactive elements from waste.