



Katarzyna Dzedziniewicz-Wojcik

IT-DB

Database and application design

Today's view



Database design

Tips & tricks

Writing robust applications

APEX – simple web applications

Q & A

“It’s a Database, not a Data Dump”

- Database is an integrated collection of **logically related data**
- You need a database to:
 - **Store data...**
 - ... and be able to **efficiently process it** in order to retrieve/produce information!

Design goals

- Database design – define how to store data to:
 - avoid unnecessary redundancy
 - Storage is not unlimited
 - Redundant data is not logically related
 - retrieve information **easily** and **efficiently**
 - Easily – does not necessarily mean with a simple query
 - Efficiently – using built-in database features
 - be scalable for data and interfaces
 - **Performance is in the design!**
 - Will your design scale to predicted workload (thousands of connections)?

Conceptual design

- Process of constructing a model of the information used in an enterprise
 - Is a conceptual representation of the data structures
 - Is independent of all physical considerations
-
- *Input:* database requirements
 - *Output:* conceptual model

Conceptual design in practice (sort of)

- The Entity-Relationship model (ER) is most common conceptual model for database design:
 - Describes the data in a system and how data is related
 - Describes data as **entities**, **attributes**, and **relationships**
 - Can be easily translated into many database implementations

As previously seen...




Let's get real

- Assume you have to design a database for a university/college and want to handle enrollments
- You have the **courses** taught, each course has a title and a regular timeslot each week
- Each **course** has many **students** who study the course
- Each **student** attends many **courses**

Modeling relationships - example

- Many – to – many (M:N)
 - A student can be registered on any number of courses (including zero)
 - A course can be taken by any number of students (including zero)
- Logical model – normalized form:



Normalization

- Objective – validate and improve a logical design, satisfying constraints and avoiding duplication of data
- Normalization is a process of decomposing relations with anomalies to produce smaller well-structured tables:
 - First Normal Form (1NF)
 - Second Normal Form (2NF)
 - Third Normal Form (3NF)
 - Other: Boyce/Codd Normal Form (BCNF), 4NF ...
- Usually the 3NF is appropriate for real-world applications

First Normal Form (1NF)

- All table attributes values must be atomic (multi-values not allowed)
 - Eliminate duplicative columns from the same table
 - Create separate tables for each group of related data and identify each row with a unique column (the primary key)

CID	SID
123	456
123	497

CNAME	CNAME	SNAME	SNAME2
Calculus	Calculus	Smith	Burton
Physics 1		Johnson, Thompson	

SID	Name	Surname
456	Alan	Smith
497	Thomas	Burton



Second Normal Form (2NF)


- 1NF
- No attribute is dependent on only part of the primary key, they must be dependent on the entire primary key
- Example:
 - partial dependency – an attribute is dependent on part of the primary key, but not all of the primary key

SID	SNAME	CID	CNAME	GRADE
456	Smith	123	Calculus	A
456	Smith	221	Physics	B
456	Smith	222	Database Management	B
497	Burton	123	Calculus	A
497	Burton	127	OO Programming	A
497	Burton	222	Database Management	B

Normalization to 2NF


- For each attribute in the primary key that is involved in partial dependency – create a new table
- All attributes that are partially dependent on that attribute should be moved to the new table

Student(SID, CID, ~~SNAME, CNAME~~, GRADE)



Third Normal Form (3NF)

- 2NF
- No transitive dependency for non-key attributes
 - Any non-key attribute cannot be dependent on another non-key attribute




Violation of the 3NF!

Normalization to 3NF

- For each non-key attribute that is transitive dependent on a non-key attribute, create a table

Class(CID, CNAME, CLEVEL, ROOM, CAPACITY)




Integrity constraints - PK

- Primary keys (PK)
 - Role: Enforce entity integrity
 - Attribute or set of attributes that uniquely identifies an entity instance
 - Every entity in the data model must have a primary key that:
 - is a non-null value
 - is unique
 - it does not change or become null during the table life time (time invariant)
 - Use the shortest possible types for PK columns

Integrity constraints - FK

- Foreign keys (FK)
 - Role: maintains consistency between two tables in a relation
 - The foreign key must have a value that matches a primary key in the other table or be null
 - An attribute in a table that serves as primary key of another table
 - Use foreign keys!
 - foreign keys with **indexes on them** improve performance of selects, but also inserts, updates and deletes
 - indexes on foreign keys **prevent locks** on child tables

Not the best approach



Integrity Checks

- Use DB enforced integrity checks
 - Blindingly fast
 - Foolproof
 - Increases system self-documentation
- NOT NULL
- Client side integrity checks
 - Not a substitute for server side checks
 - Better user experience
 - Prevalidation reduces resource usage on server

Schema design – best practices

- Column types and sizing columns
 - VARCHAR2(4000) is not the universal column type
 - high memory usage on the client
 - it makes data dump, not database
 - use proper data types, it:
 - Increases integrity
 - Increases performance
 - Might decrease storage needs (IO is time)
 - Put “nullable” columns at the end of the table

Schema design – best practices

- Estimate future workload
 - read intensive?
 - write intensive?
 - transaction intensive?
 - mixture? – estimate the amount of each type
- Design indexes **knowing** the workload
 - what will users query for?
 - Minimize number of indexes using proper column order in the indexes – use **multicolumn** indexes
 - Create views, stored procedures (PL/SQL) to retrieve the data in the most efficient way – easier to tune in a running system
 - what is the update/insert/delete pattern?
 - Create indexes on foreign keys

Indexes

- Less known but worth mentioning:
 - Local indexes vs global indexes
 - Local indexes
 - Stay valid through partition exchange
 - If **not** prefixed with partition key columns each partition must be searched
 - Global indexes
 - Can be ranged partitioned differently than table
 - Can enforce uniqueness
 - Range partitioning only
 - Function based index/virtual column index
 - Built on function or complex calculation
 - *create index users_idx on users (UPPER(name));*
 - Speeds up case insensitive searches
 - *select * from users where UPPER(name)='SMITH';*

Partitioning – tips & tricks

- Investigate partitioning your application
 - You can try partitioning by time, subdetector, subsystem, etc
 - Benefits:
 - increased availability – in case of loosing one tablespace/partition
 - easier administration – moving smaller objects if necessary, easier deletion of history, easier online operations on data
 - increased performance – use of local and global indexes, less contention in RAC environment
 - Interval partitioning now available in Oracle
 - *create table myPart (columns) partition by range(partColumn) interval (NUMTOINTERVAL(1, 'MONTH')) (partitions);*

IOTs

- Suppose we have an application retrieving documents uploaded by given users, list's content and size are dynamic
 - In traditional table rows will be scattered, read index then data block
 - If the table was created as IOT:
 - *create table myIOT (...) organization index;*
 - Reads index blocks only
 - Also useful in:
 - Association tables in many to many relationships
 - Logging applications (parameter_id and timestamp as PK)

Compression

- Table compression
 - Reduces data size by 2 to 10 times
 - Simple compression
 - Only for direct inserts (archival, read only data)
 - *create table as select (...) compress;*
 - Insert append
 - Advanced compression
 - Works with read/write workloads
- Index compression
 - Simple, can vastly improve query performance
 - Low cardinality columns should only be compressed
 - Compression depends on selectivity
 - *create index employe_idx on employees (deptID, groupID, supervisorID) (...) compress 1;*

Views

- Use views to simplify queries
- Don't build up multiple view layers
 - Oracle optimizer might come up with suboptimal execution plan

Materialized views

- Materialized views are a way to
 - Snapshot precomputed and aggregated data
 - Improve performance
- Real-life example
 - Web page presenting a report
 - Multiple users accessing web page
 - Hundreds of request from the web server per second
- ... try a materialized view to store that report
- **RESULT_CACHE** hint
 - Invalidated after DML on underlying objects
- Refresh your views only when needed
 - 'on commit' refreshes are very expensive

Denormalization

- Denormalized DB and Non-normalized DB are not the same thing
- Reasons against
 - Acceptable performance of normalized system
 - Unacceptable performance of denormalized system
 - Lower reliability
- Reasons for
 - No calculated values **Function based columns**
 - Non-reproducible calculations **Materialized views**
 - Multiple joins

Denormalization

- 1st step: Talk to your DBAs
- Main issues
 - Keeping redundant data correct
 - Identifying reasonable patterns
 - Correct order of operations
- Patterns
 - FETCH
 - Copy item's price from ITEMS to ORDER_LINES
 - AGGREGATE
 - Put the order_price in ORDERS
 - EXTEND
 - Keep extended_price (price*quantity) in ORDER_LINES
- <http://database-programmer.blogspot.com/2008/10/argument-for-denormalization.html>

Database design

Tips & tricks

Writing robust applications

APEX – simple web applications

Q & A



PL/SQL – tips & tricks

- Query parse types
 - Hard parse
 - Optimizing execution plan of a query
 - High CPU consumption
 - Soft parse
 - Reusing previous execution plan
 - Low CPU consumption, faster execution
- Reduce the number of hard parses
 - Put top executed queries in PL/SQL packages/procedures/functions
 - Put most common queries in views
 - It also makes easier to tune bad queries in case of problems

PL/SQL – tips & tricks

- Reduce the number of hard parses

- Use bind variables

- Instead of:

```
select ... from users where  
  user_id=12345
```

- Use:

```
select ... from users where  
  user_id=:uid
```

- Using bind variables protects from sql injection
 - More on SQL injection in Szymon's talk

PL/SQL – tips & tricks

- Beware of bind variables peeking
 - Optimizer peeks at bind variable values before doing hard parse of a query, but only for the first time
 - Suppose we have huge table with jobs, most of them already processed (processed_flag = 'Y'):
 - using bind variable on processed_flag **may** change query behavior, depending on which query is processed first after DB startup (with bind variable set to 'Y' or 'N')
 - On a low cardinality column which distribution can significantly vary in time – do not use bind variable only if doing so will result in just a few different queries, otherwise **use bind variables**

PL/SQL – tips & tricks

- Use PL/SQL as an API
 - Provide abstraction layer
 - Make tuning easier
 - Restrict functionality
- Reduce the number of hard parses
 - Prepare once, execute many
 - Use prepared statements
 - Dynamic SQL executed thousands of times – consider *dbms_sql* package instead of *execute immediate*
 - Use bulk inserts whenever possible

PL/SQL – tips & tricks

- Stored procedures vs materialized views
 - Use SPs when refresh on each execution is needed

- Use fully qualified names

- Instead of:

```
select ... from table1 ...
```

- Use:

```
select ... from schema_name.table1 ...
```

- **Known bugs** – execution in a wrong schema

Database design

Tips & tricks

Writing robust applications

APEX – simple web applications

Q & A



Writing robust applications

- Use different level of account privileges
 - Application owner (full DDL and DML)
 - Writer account (grant read/write rights to specific objects)
 - Reader account (grant read rights)
 - Directly grant object rights or use roles
 - Caution – roles are switched off in PL/SQL code, one must set them explicitly.
 - More on security in Szymon's talk

Writing robust applications

- Use connection pooling
 - Connect once and keep a specific number of connections to be used by several client threads (pconnect in OCI)
 - Test if the connection is still open before using it, otherwise try reconnecting
 - Log connection errors, it may help DBAs to resolve any potential connection issues

Writing robust applications

- Error logging and retrying
 - Trap errors
 - Check transactions for errors, try to repeat failed transactions, log any errors (including SQL that failed and application status – it might help to resolve the issue)
- Instrumentalization
 - Have ability to generate trace at will
 - More information in Performance Tuning talks

Writing robust applications

- Design, test, design, test ...
- Try to prepare a testbed system – workload generators, etc.
- Do not test changes on a live production system
- IT-DB provides test and integration system (preproduction) with the same Oracle setup as on production clusters
 - contact Oracle.Support to obtain accounts and ask for imports/exports

Database design

Tips & tricks

Writing robust applications

APEX – simple web applications

Q & A



Where to start

- This is not an Apex tutorial...
- Check if your production DB supports Apex
- Request an Apex workspace on the development database
- Remember about SSO integration
 - <https://twiki.cern.ch/twiki/bin/viewauth/DB/CERNonly/ApexCernSSOintegration>
- There is already plenty of Apex apps at CERN
- Apex courses are available

As simple as it gets

- Create application
- Add pages
- You're done ;)
- Remember what you've learned
 - Separate your SQL from presentation
 - Do not write complex queries
 - Use views, stored procedures etc

Home

Navigation

- [> Courses](#)
- [> Chart](#)
- [> Enrollments](#)

[Set Screen Reader Mode On](#)

release 1.0

Go

Actions ▾

Create

	Cid	Name	Startdate	Enddate
	111	Database Design	01-OCT-12	31-JAN-13
	112	Object Oriented Programming	01-OCT-12	31-JAN-13
	113	Java Pogramming	01-OCT-12	31-JAN-13
	114	Project Managemnet	01-OCT-12	31-JAN-13

1 - 4

Q-


Go

Actions ▾

	Firstname	Lastname	Name	Enrollmentdate
	Tom	Adams	Database Design	10-SEP-12
	Adam	Brook	Database Design	10-SEP-12
	Adam	Doe	Database Design	10-SEP-12
	John	Smith	Java Porgramming	11-SEP-12
	Adam	Brook	Java Porgramming	11-SEP-12
	Tom	Adams	Java Porgramming	11-SEP-12
	Tom	Adams	Project Managemnet	13-SEP-12
	Adam	Brook	Project Managemnet	13-SEP-12
	Adam	Doe	Project Managemnet	13-SEP-12

1 - 9

Home > Chart



Database design

Tips & tricks

Writing robust applications


APEX – simple web applications

Q & A



Documentation

- Oracle 11g documentation
- http://www.oracle.com/pls/db112/portal.all_books
- APEX development tutorial
- http://docs.oracle.com/cd/E37097_01/doc/doc.42/e35122/toc.htm



Thank you!