

Higgs boson as a gauge field in extra dimensions

-- Pinning it down at LHC and ILC

Yutaka Hosotani



with Funatsu, Hatanaka, Orikasa, Shimotani

1301.1744 [PLB 722 (2013) 94]

Higgs and Beyond, Tohoku Univ, 7 June 2013

125 - 126 GeV Higgs boson was found.

Higgs decay: $H \rightarrow \gamma\gamma, gg, ZZ, \dots$

Branching fractions: consistent with SM

~~Signal for SM ?~~

Signal for Extra Dimensions !

from old slides in 2007

The Most Wanted Higgs Particle

Yutaka Hosotani, Osaka University

The 5th COE International Symposium, Tohoku University

14 - 16 February 2007

Conclusions

from old slides in 2007

Find Higgs.

Determine the Higgs couplings

to establish

Identity of the Higgs
Mechanism of EW symmetry breaking.

We may find

Extra Dimensions
in the Gauge-Higgs Unification.

Gauge-Higgs unification

gauge theory A_M *in 5 dim.*

4-dim. components A_μ

extra-dim. component A_y

4D gauge fields
 γ, W, Z

4D Higgs fields
 H
Aharonov-Bohm phase
 θ_H

EW symmetry breaking
Hosotani mechanism

SO(5) x U(1) gauge-Higgs unification in RS

Previous model

Agashe, Contino, Pomarol, 2005
 YH, Oda, Ohnuma, Sakamura 2008
 YH, Noda, Uekusa 2009

Planck brane

$SO(5) \times U(1)_X$

TeV brane

Brane scalar

$$\hat{\Phi} \left(0, \frac{1}{2}\right)$$

$$\begin{pmatrix} \hat{T}_R \\ \hat{B}_R \\ \hat{U}_R \\ \hat{D}_R \\ \hat{X}_R \\ \hat{Y}_R \end{pmatrix}$$

$$\left(\frac{1}{2}, 0\right)$$

$$\begin{pmatrix} T \\ B \\ t_L \\ b_L \\ t'_R \\ b'_R \end{pmatrix}_{\frac{2}{3}}$$

$$\begin{pmatrix} U \\ D \\ X \\ Y \\ b'_R \end{pmatrix}_{-\frac{1}{3}}$$

vector rep
 $\left(\frac{1}{2}, \frac{1}{2}\right) \oplus (0, 0)$

quarks/leptons

*SM content
 anomaly cancellation*

$SO(5) \times U(1)_X$


\Rightarrow $SO(4) \times U(1)_X$
 B.C.

\Rightarrow $SU(2)_L \times U(1)_Y$

Hosotani mechanism

\Rightarrow $U(1)_{EM}$
 $\theta_H \neq 0$

However



$$\theta_H = \frac{\pi}{2}$$

stable Higgs !?



new Model

Funatsu, Hatanaka, YH, Orikasa, Shimotani, 1301.1744

Add n_F extra fermions Ψ_F in the spinor rep.

$$\Psi_F(x, -y) = P_0 \gamma_5 \Psi_F(x, y)$$

$$\Psi_F(x, L - y) = -P_1 \gamma_5 \Psi_F(x, L + y)$$

Physics turns out independent of n_F

$V_{\text{eff}}(\theta_H)$ & m_H

parameters

$$k, z_L = e^{kL}, g_A, g_B$$

$$c_t, \tilde{\mu}/\mu_2$$

$$c_F, n_F$$

input

$$m_Z, g_w, \sin^2 \theta_W$$

$$m_t, m_b$$

$$m_H$$

$$V_{\text{eff}}$$

$$\theta_H : \frac{dV_{\text{eff}}}{d\theta_H} = 0$$

$$m_H^2 = \frac{1}{f_H^2} \left. \frac{d^2 V_{\text{eff}}}{d\theta_H^2} \right|_{\text{min}}$$

$$m_H = 126 \text{ GeV}$$

$$\theta_H(z_L, n_F)$$

gauge couplings



Higgs couplings

KK spectrum

$$V_{\text{eff}} = \left(\frac{m_{\text{KK}}}{2\pi} \right)^4 U$$

$$n_F = 3, \quad z_L = 10^7$$

$$c_t = 0.330, \quad c_F = 0.353$$





EW symmetry breaking takes place.

Higgs boson at 126 GeV.

(No instability problem in GH. \longleftrightarrow SM, UED)

$\theta_H(z_L, n_F)$ & $m_{KK}(z_L, n_F)$ $m_{Z^{(1)}}(z_L, n_F)$

input $m_H = 126 \text{ GeV}$





$$m_{KK} \sim \frac{1352 \text{ GeV}}{(\sin \theta_H)^{0.786}}$$

$$m_{Z^{(1)}} \sim \frac{1044 \text{ GeV}}{(\sin \theta_H)^{0.808}}$$



Universality

Higgs self couplings





Universality

Universality predicts



θ_H



Higgs boson: Production and decay rates


$$\begin{matrix} WWH \\ ZZH \\ \text{Yukawa} \end{matrix} = SM \times \cos \theta_H$$

Suppression at tree level


$$gg \rightarrow H, \quad H \rightarrow \gamma\gamma, \quad gg$$



Enhanced or not ?



$$I_{W^{(n)}} = \frac{g_{HW^{(n)}} W^{(n)}}{g_w m_{W^{(n)}} \cos \theta_H}$$



$$I_{t^{(n)}} = \frac{y_{t^{(n)}}}{y_t^{\text{SM}} \cos \theta_H}$$

For $\theta_H = 0.360$


$$I_{W^{(0)}} = 1.004$$

$$I_{t^{(0)}} = 1.012$$

Sign alternates.

$$n = 1, 2, 3, \dots$$

destructive interference



in sharp contrast to UED

$H \rightarrow \gamma\gamma$

$$\Gamma(H \rightarrow \gamma\gamma) = \frac{\alpha^2 g_w^2}{1024\pi^3} \frac{m_H^3}{m_W^2} \left| \mathcal{F}_{\text{total}} \right|^2$$

$$\mathcal{F}_{\text{total}} = \mathcal{F}_W + \frac{4}{3} \mathcal{F}_t + \frac{1}{2} n_F \mathcal{F}_F$$

θ_H	0.117	0.360
$\mathcal{F}_{W^{(0)}}$	8.330	7.873
$\mathcal{F}_W / \mathcal{F}_{W^{(0)}}$	0.9996	0.998
$\mathcal{F}_{t^{(0)}}$	-1.372	-1.305
$\mathcal{F}_t / \mathcal{F}_{t^{(0)}}$	0.998	0.990
$\mathcal{F}_F / \mathcal{F}_{t^{(0)}}$	-0.0034	-0.033
$\mathcal{F}_{\text{total}}$	6.508	6.199
$\mathcal{F}_{\text{total}} / (\mathcal{F}_{W^{(0)}} + \mathcal{F}_{t^{(0)}})$	1.001	1.011

Corrections due to KK W and top :


0.1 % - 1 % for $\theta_H = 0.1 - 0.3$.

All decay rates $\Gamma(H \rightarrow b\bar{b}, c\bar{c}, \dots, WW, ZZ, \gamma\gamma, gg)$
 $\sim \Gamma^{\text{SM}} \times \cos^2 \theta_H$

Branching fraction $B(H \rightarrow j) \sim B^{\text{SM}}(H \rightarrow j)$

$\sigma^{\text{prod}}(H) \cdot B(H \rightarrow \gamma\gamma) \sim (\text{SM}) \times \cos^2 \theta_H$
0.99 \sim 0.91

S parameter
Tree unitarity
Z' search



$\theta_H < 0.3$

Summary


SO(5)xU(1) Gauge-Higgs unification: promising

Universality

$$\theta_H, m_{KK}, \lambda_3^H, \lambda_4^H, m_{Z^{(1)}}$$

Low energy physics :
close to SM

Signals
LHC/ILC



$$Z^{(1)} : 5.9 \sim 2.4 \text{ TeV} \\ (\theta_H : 0.12 \sim 0.36)$$

$$\lambda_3^H, \lambda_4^H$$

$$F^{(1)}, \bar{F}^{(1)} : \text{stable} \\ (\text{exp} : m_{F^{(1)}} > 0.5 \text{ TeV})$$