

U70: status and Prospects


Sergey Ivanov



30th International Workshop on High Energy Physics
June 23-27, 2014, Protvino, IHEP


- Generalities
- Runs
- Upgrades
- Acceleration of light ions
- Prospects of development
- Conclusion

Layout, AC U70 vs the U70 proper



4 machines (since Oct 2007):

- 2 linacs
- 2 synchrotrons



Modes:

- p (default, 50-70 GeV) *URAL30-U1.5-U70*
- light-ion (d, C) *I100(2 of 3)-U1.5-U70*


Light-ion (C):

- high energy 24.1-34.1 GeV/u
- intermediate energy 453-455 MeV/u


In a SIS-18, SIS-100 name convention:

- LIS-233 [T·m]
- LIS-6.9 [T·m]



Photo album of the machines



RFQ DTL *URAL30*



RC PS *U1.5*




Alvarez DTL */100*



Main PS *U70*

Fixed-target physics and BTL network



Beams of p, π, K, e, ν, C

Field of research:

- h spectroscopy
- spin physics
- rare K -decays
- h - A interactions
- [ν physics]
- [nuclear physics]
- ...



span 90 m

Collaborators:

IHEP, ITEP, JINR,
INR, St.-PbNPI, SINP MSU,
MEPhI, CERN, FNAL, ...


to note: OKA (#21), FODS (#22), stretcher (#25)

Up to 9 HEP experiments (= No of setups) per a run, up to 7 beam users per a cycle

Goals of activity with accelerators


3 [4] goals:

- Regular runs: stable operation and high p -beam availability
- Improve p -beam quality (lower ε , higher N , up to $3 \cdot 10^{13}$ ppp)
- Implement a complementary light-ion program, $q/A = 0.4\text{--}0.5$
- [Assess other diversification and development options]




Convert the U70 Accelerator Complex into a universal hadron accelerator (& storage ring) for a fundamental and applied fixed-target research

Statistics




2 runs (7/24) per year:

- short (XPh 10 days ca) 2 MD(p) + ions
- long (XPh 30 days ca) 3 MD(p) + ions



90-94% 1-6.5·10¹² ppp





← 3 hr, or 1000 cycles →

Extraction (fixed target, multi-user)


Inventory:

- 1-turn/1-bunch FE
- SRE (Q38 & SSE (new))
- IT
- bent Si-CD SE (new)
- flat-bottom (S)SE (new)





Sequential and parallel flattop sharing

1st 1/2 of a flattop, SSE




2nd ½ of a flattop, IT & CD



duty factor $\langle \Phi \rangle^2 / \langle \Phi^2 \rangle$ to 0.94.
No lines of mains harmonics


Slow stochastic extraction



integer horizontal resonance $3Q_x = 29$






200 MHz RF system



CERN Courier vol 47 no 2 March 2007:

63% in 2.9 s. $\sigma = 0.40$,
duty factor $\langle \Phi \rangle^2 / \langle \Phi^2 \rangle =$
0.87. No lines of mains
harmonics






Slow extraction & the OKA experiment


Data: run 2009/1

Technological data from the *U70*



Data from the OKA facility counters





Spill 1.85 s long
 $0.95 \cdot 10^{13}$ p per a spill
 50 GeV



Bent-(Si)crystal deflectors



Beam to IHEP-CERN experiment
on radiation sustainability of liquid Ar




CD19

IT24

IT27






eam users - experiments

Run2007: 3 CD(19, 24, 30)
6 experiments







Flat-bottom S(S)E

352 Gs, 1.32 GeV (p , test beam) 455 MeV/u (C)





Graphite 32 mm (p 1.32 GeV)
Be 4 mm (C 455 MeV/u)



Bragg's peak in a water phantom

Longitudinal feedbacks

Accelerating system GRAPHITE, 38 ferrite-loaded 1-gap cavities, RF 5.52–6.06 MHz, 10 kV/gap



6 Fbck loops:


A (AVC)	T (AFC)	BL	R	P	AB
× 38			× 1		

Beam quality, longitudinally

- DC CT
- PU
- V_{RF}
- peak D



without 200 MHz spill cavity below γ_{tr}








Bunch length 12.2 ns
Peak power 0.4–1 TW

@ 50 GeV

	≤ 2006	> 2007–8
Bunch length (FW@0.9)	36 ns	12–15 ns
Momentum spread $\Delta p/p$	$\pm 1 \cdot 10^{-3}$	$\pm 4-5 \cdot 10^{-4}$

DDS RF Master Oscillator

New digital MO in RF of the U70





Transverse (NB, local) feedback

ESK @ SS2

0 – 0.2 MHz


± 35.0 kV

PU @ SS2 (+ @SS116)






H: 14.7–72.3 kHz, $\pm 45^\circ$


V: 29.4–43.2 kHz



Damping factor =
100 w. r. t. natural



Digital transverse (WB) feedback










EMK @ SS90

0.2 – 15 MHz

± 10.7 kV

PU @ SS107 + 111



FIR-3 & FIR-4 options








Instabilities

Back to factory default freq range of RF system, 2.6 (4.5)-6.1 MHz instead of o 5.5-6.1 MHz

$$\left| \frac{Z(k\omega_0)}{k} \right| < \frac{1}{\Lambda} \frac{\beta^2 |\eta| E}{e J_0} \left(\frac{\Delta p}{p} \right)^2$$

Cures:

- Momentum spread, RF gymnastics
- Distribution function [& momentum spread] RF noise



Strategy of light ion program

Incremental:


- ion species
- along cascade

$p - d - C$

[I100 - BTL] - U1.5 - BTL - U70 flat bottom circulation (DC PSU, RMG) - U70 fixed-field variable-RF acceleration - U70 transition crossing - U70 ramping to flattop field

- intensity [qpp]



1 - 1/10 - 1/50 & low- N *pilot* p -beams prior to d , C -beams





Reference ions $q = Z, q/A = 1/2$		I100, 2 cav of 3		U1.5		U70		
		IN	OUT	IN	OUT	IN	OUT	
p , <i>pilot</i> beam	β		0.3724		0.9000		0.9999	49 0
	$B\rho$, T·m		1.2558		6.8659		233.38	
	T , MeV		72.71		1 323.8		69 032	
d	β		0.1862		0.7392		0.9996	23 6
	$B\rho$, T·m		1.1856		6.8659		233.38	
	T , MeV/u		16.691		454.56		34 057	
C	β		0.1862		0.7414		0.9996	24.1--34 1
	$B\rho$, T·m		1.1776		6.8659		233.38	
	T , MeV/u		16.678		456.53		34 063	

/100 DTL as a C-injector


Stand-alone runs of I100



43 m long
4 dipoles
8 quads
3 H/V-correctors
Beam diagnostics





InfraLight SP, PhIC GPhI RAS, Troitsk
2 modules, CO₂, N₂ и He, $\lambda=9.6-11 \mu\text{m}$
2 Hz, 4.5 J, almost, COTS



10–12 mA 4000 cycles
(former 800), i.e. >8 hr.







Milestones


 $d: q=1,$
 $A=2,$
 $q/A=1/2$



$C: q=6,$
 $A=12,$
 $q/A=1/2$

	Deuterons $^2\text{H}^{1+}$	Carbon $^{12}\text{C}^{6+}$
U1.5	16.7–448.6 MeV/u March 30, 2008	16.7–455.4 MeV/u December 08, 2010
U70	23.6 GeV/u April 27, 2010	34.1 GeV/u April 24, 2011
		SE @ 455 MeV/u April 24, 2011
		24.1 GeV/u in BTL#22 & FODS April 27, 2012





All H-E extractions with C



April 24, 2012. C 24.1 GeV/u (flatop 0.859 T) $5 \cdot 10^9$ ipp (8 s).

1st ever tests all HE extractions with the C beam





FE



SE



CD#22




1st experimental NPh events




April 27, 2012. 1st ever extracted C beam in 190 m
BTL#22 = **FRS** & FODS (a FOCussing 2-arm
Spectrometer) experimental facility

24.1 GeV/u or 300 GeV full E

Hadron calorimeter



Scintillator counters




BTL#22 50 GeV/c (p),
25 GeV/c/u $q/A=1/2$



BTL#22 60 GeV/c (p) \pm 1%
a FRS

25.7 GeV/c/u $q/A=3/7$

Applied R&D, towards radio-biology




Front-end section of BTL #25 (18 m, 3D, 4Q, 2DCV)



Data: run 2013/1


C-beam footprint @ exit 7 x 5 cm²





Dose deposition in a water phantom





The OMEGA Project



http://www.ihep.ru/ihep/news/IHEP-2-9-10_fin-c.PDF



the extended Lol,
37p, June 2013



Conclusion

Accelerator Complex *U70* of IHEP-Protvino:

- comprises 4 machines (*URAL30*, *I100*, *U1.5*, and *U70* itself),
- readily ensures running the fixed-target physics program
- is subject to ongoing upgrade program
- has noticeably improved quality of proton beam
- is on a way towards a routine acceleration of light ions to 24-34 GeV per nucleon for high-energy nuclear physics
- now has slow extraction of 455 MeV per nucleon of $^{12}\text{C}^{6+}$ beam
- *U1.5* and *U70* now belong to PS and (L)IS categories
- open for a few promising options for future development