



XTREMWEB-HEP



A BEST EFFORT VIRTUALIZATION MIDDLEWARE

Oleg Lodygensky
Laboratoire de l'Accélérateur Linéaire

HIGH ENERGY PHYSIC



© CERN
Geneva



XTREMWEB-HEP

- Introduction
- Security
- Virtualization
- Internode connection
- Intergrid connection
- Applications
- Platform access
- Discussion

XWHEP: A SECURED BEST EFFORT VIRTUAL CLUSTER

Main features

- **multi applications**
- **multi users**
- certified server
- TSL communications
- authentication
 - ✓ X509 cert
 - ✓ OpenId
- authorisations
- access rights
- confinement
- virtualization
- **p2p communications**

Informations

- since 2006
- 600K€ E.U. funded
- 300K€ ANR funded


Goals

- virtualized **cluster**
- secured ressource broker
- grid interconnection
- virtualization
- p2p communications
 - C/S
 - M/W

VOLUNTEER COMPUTING

	Volunteer cluster	Volunteer computing			
	Condor	Boinc	OurGrid	XtremWeb	XWHEP
volunteer resources	✓			✓	
multi OSes	✓			✓	
type	cluster	desktop grid			
deployment	per domain	global			
firewall bypassing	✗			✓	
shared FS	✓			✗	
authentication	delegated	included			
authorization	delegated	✗	✓	✗	✓
Open ID	✗	✗	✗	✗	✓
X509	✗	✗	✓	✗	✓
Sandbox	✓	✓	✓	✓	✓
Heartbeat signal	✗	✗	✗	✓	✓
data	✓	✓	✗	✗	✓
multi users	✓	✗	✓	✓	✓
multi applications	✓	✗	✓	✓	✓
volunteer experience	✓	✓	✗	✗	✗
large deployment	✗	✓	✗	✗	✗

XTREMWEB-HEP : A 3 TIERS ARCHITECTURE




XTREMWEB-HEP

- Introduction
- Security
 - ✓ authentication
 - ✓ authorization
 - ✓ access rights
 - ✓ confinement
- Virtualization
- Internode connection
- Intergrid connection
- Applications
- Platform access
- Discussion


AUTHENTICATION: CERTIFICATES

Distributed parts connect using services public key and must present valid credentials



AUTHENTICATION : OPENID

Credentials may be certified by a third party



<https://developers.google.com/accounts/docs/OpenID>

AUTHORIZATION

Credential is associated to a usage level.

Administrator

- manage public applications
- manage jobs, datas etc.
- manage users and usergroups
- manage workers

Standard user

- manage private applications
- manage its own jobs and datas

Group Administrator

- manage its group
 - ▶ applications
 - ▶ users
 - ▶ jobs
 - ▶ datas

Worker user

- This is used to deploy workers
- **no action allowed**
 - user rights delegation
 - ▶ can compute user job
 - ▶ can update user job
 - ▶ can upload user job results

ACCESS RIGHTS

Request completions depend on **access rights**.


All objects (applications, datas, users, jobs, usergroups etc) are associated to access rights (AR) that allow/deny accesses (read, write, execute).

Access rights define access types

Access Types	Default Access Rights	Min Authz
Private	700	Std user
Group	750	Group admin
Public	755	Admin

CONFIDENTIALITY

Authorisations and access rights define confinement levels



XTREMWEB-HEP

- Introduction
- Security
- Virtualization
 - ✓ contextualization
 - ✓ security
 - ✓ use cases
- Internode connection
- Intergrid connection
- Applications
- Platform access
- Discussion

VIRTUALIZATION



The logos for PayPal and Monéo. The PayPal logo is in blue text on a white background. The Monéo logo consists of a blue square with a white stylized 'm' and the text "MONÉO" in white on a blue background.

Real

Virtuel




VM OVER XWHEP

Centralized and securized services store applications and data

- scheduler
- repository
- etc.



Remote Execution



Distributed resource may declare the virtualbox application.



StratusLab proposes distributions with the IaaS paradigms.



Distributed User

- submit a virtualbox job with a virtual disk


Distributed resource (volunteer PC)

- download the virtual disk
- create and run a new VM inside **its local VirtualBox**

VM : CONTEXTUALIZATION

Following HEPiX Virtualization Working Group recommendation

“Contextualization is defined as the process by which a Virtual Machine instance is configured based on a master Virtual Machine Image. In general, contextualization consists in passing arbitrary data to the Virtual Machine at boot time”



VM : SECURITY

All XWHEP security paradigms apply

- authentication
- authorization
- access rights

Virtual machines :

- recent OS including last known bugs and security corrections
- root access denied
- “sudo” usage disabled
- no access to LAN
- connection only using electronic keys

VM : USE CASE

- HEP applications are linked to ROOT (<http://root.cern.ch>)

- DG resources don't have ROOT

➔ submitted jobs will not run

✓ Deploy a VM with ROOT and XWHEP worker

✓ Submit such VM on the fly

➔ the native worker shares VirtualBox

➔ the native worker launches the VM

➔ the virtualized worker shares ROOT

➔ the virtualized worker run HEP jobs




XTREMWEB-HEP

- Introduction
- Security
- Virtualization
- Internode connection
- Intergrid connection
- Applications
- Platform access
- Discussion

INTERNODE COMMUNICATIONS


Interconnect jobs and applications over DG



Bypassing Fire Walls and NAT

INTERNODE COMMUNICATIONS

Interconnect jobs running on volunteer resources



XTREMWEB-HEP


- Introduction
- Security
- Virtualization
- Internode connection
- Intergrid connection
- Applications
- Platform access
- Discussion

INTER GRID CONNECTIONS



EDGeS & EDGI FP7 projects

- Integrate Service Grids and Desktop Grids
- Enable very large number of computing resources (100K-1M processors)
- Attract new scientific communities
- Provide a Grid application development environment
- Provide application repository and bridges for the execution in the SG-DG system




XTREMWEB-HEP

- Introduction
- Security
- Virtualization
- Internode connection
- Intergrid connection
- Applications
- Platform access
- Discussion

APPLICATIONS

2. Typical Experimental Workflows: Sequential and Parallel at BOINC and XtremWeb DG platforms

Multiscale/VideoP with 4GL MATLAB-code was successfully ported and tested on BOINC-based local DG at IMP with Windows-workers[2] and on XtremWeb DG [4] at LAL with Linux-workers; now the work is going on delivering it to EGEE through EDGeS XtremWeb->EGEE Bridge [5].




The main achievement: applicability and feasibility of integration of typical scientific application coded in 4GL environments with DCI on the basis of Desktop Grid for high-performance distributed computing were proved, tested and demonstrated.

The further increase of performance is possible by delivering 4GL-based applications to global computing resources of EGEE on the basis of XtremWeb desktop grid platform [4] and EDGeS XtremWeb->EGEE Bridge [5].


Porting Multiparametric MATLAB Application for Image and Video Processing to Desktop Grid for High-Performance Distributed Computing

Yuri Gordienko, Institut de Physique du Metal - Kiev - Ukraine




DART: A Framework for Distributed Audio Analysis and Music Information Retrieval

Eddie Al-Shakarchi, Cardiff University - UK



DNA Correlation Applications

A. Abuseiris, Erasmus - NL




High Energy Cosmic Rays

A. Cordier LAL - France

XTREMWEB-HEP

- Introduction
- Security
- Virtualization
- Internode connection
- Intergrid connection
- Applications
- Platform access
 - ✓ Portal
 - ✓ API
- Discussion

OUR PLATFORM




PORTAL

Deploy environment - OAR... Workshop Citizen Science... XtremWeb-HEP 9.0.5-head

https://xwservpub.lal.in2p3.fr:4326 cdiscount cloud

Les plus visités À la une Info DSI LiveCDCustomiza... UrbiForge UrbiOp... e.bike.free.fr / Pa... Sytadin JDK 1.6 Tonematrix

 **XtremWeb-HEP 9.0.5-head**

Logged in as oleg.lodygensky@gmail.com

Overview Applications Data Jobs Group of jobs Help API


Refresh Send Details Delete Web workers

Select all Submit a job Applications [show/hide](#)

Select	UID	Name	Type
<input type="checkbox"/>	280e14e-708e-4a14-95ae-81e5a1894e7	moca	DEPLOYABLE
<input type="checkbox"/>	298ae006-3525-4079-95ab-63a986ad1127	correlizer	DEPLOYABLE
<input type="checkbox"/>	480716a4-7d18-40d0-340a-7601b734d072	dart.jar	DEPLOYABLE
<input type="checkbox"/>	8a3ab5a1-97a5-416a-9942-dc7e45963a22	dsp	DEPLOYABLE
<input type="checkbox"/>	a470723a-823f-4627-3d3b-ccc568a8128	larbin-crawler	DEPLOYABLE
<input type="checkbox"/>	3ae32138-8ae7-409c-a2ae-50a573185fa	guineapig	DEPLOYABLE
<input type="checkbox"/>	4a6ae799-1d70-4893-8712-156a4b2d3073	ls	DEPLOYABLE
<input type="checkbox"/>	ea832b49-4726-48a9-a3a2-1d19ccae4265	guineapig-pp-1.1.1	DEPLOYABLE
<input type="checkbox"/>	0115444e-9175-471a-94d1-3a4937d3095	autodock305.sh	DEPLOYABLE
<input type="checkbox"/>	08a6ed5e-2295-4698-ae09-2e7e58a2a542	ubuntu-11-dg-2.iso	VIRTUALBOX

Web interface (v 1.1) [XtremWeb-Hep.org](#)

API



Deploy environment - OAR... Workshop Citizen Science ... XtremWeb-HEP API

https://xwservpub.lal.in2p3.fr:4326/api

cdiscount cloud

Les plus visités À la une Info DSI LiveCDCustomiza... UrbiForge UrbiOp... e.bike.free.fr / Pa... Sytadin JDK 1.6 Tonematrix

XtremWeb-HEP API


You are logged as "oleg.lodygensky@gmail.com"

[Go to the client interface](#)


Available interface commands :

- <https://xwservpub.lal.in2p3.fr:4326/NULL> : /NULL : does nothing
- <https://xwservpub.lal.in2p3.fr:4326/DISCONNECT> : /DISCONNECT : disconnects
- <https://xwservpub.lal.in2p3.fr:4326/VERSION> : /VERSION : retrieves server version
- <https://xwservpub.lal.in2p3.fr:4326/GET> : /GET/anUID : retrieves an object
- <https://xwservpub.lal.in2p3.fr:4326/GETTASK> : /GETTASK/anUID : retrieves a task
- <https://xwservpub.lal.in2p3.fr:4326/SEND> : /SEND?XMLDESC=an xml description : sends an object
- <https://xwservpub.lal.in2p3.fr:4326/SENDAPP> : /SENDAPP?XMLDESC=an xml description : sends an application
- <https://xwservpub.lal.in2p3.fr:4326/GETAPPS> : /GETAPPS : retrieves all applications
- <https://xwservpub.lal.in2p3.fr:4326/REMOVE> : /REMOVE/anUID : removes an object
- <https://xwservpub.lal.in2p3.fr:4326/SENDGROUP> : /SENDGROUP?XMLDESC=an xml description : sends a group
- <https://xwservpub.lal.in2p3.fr:4326/GETGROUPS> : /GETGROUPS/anUID : retrieves all groups
- <https://xwservpub.lal.in2p3.fr:4326/GETGROUPWORKS> : /GETGROUPWORKS/anUID : retrieves all group works
- <https://xwservpub.lal.in2p3.fr:4326/SENDHOST> : /SENDHOST : not available
- <https://xwservpub.lal.in2p3.fr:4326/GETHOSTS> : /GETHOSTS/GETHOSTS : retrieves all hosts
- <https://xwservpub.lal.in2p3.fr:4326/ACTIVATEHOST> : /ACTIVATEHOST/anUID?PARAMETER=truelfalse : activates/deactivates a host
- <https://xwservpub.lal.in2p3.fr:4326/SETWORKERSPARAMETERS> : /SETWORKERSPARAMETERS : not available
- <https://xwservpub.lal.in2p3.fr:4326/GETWORKERSPARAMETERS> : /GETWORKERSPARAMETERS : not available
- <https://xwservpub.lal.in2p3.fr:4326/SETWORKERSNB> : /SETWORKERSNB : not available
- <https://xwservpub.lal.in2p3.fr:4326/SENDESESSION> : /SENDESESSION?XMLDESC=an xml description : sends a session
- <https://xwservpub.lal.in2p3.fr:4326/GETSESSIONS> : /GETSESSIONS/anUID : retrieves all sessions
- <https://xwservpub.lal.in2p3.fr:4326/GETSESSIONWORKS> : /GETSESSIONWORKS/anUID : retrieves all session works
- <https://xwservpub.lal.in2p3.fr:4326/GETTASKS> : /GETTASKS : retrieves all tasks
- <https://xwservpub.lal.in2p3.fr:4326/SENDTRACE> : /SENDTRACE : not available

LAST MONTH - BEST EFFORT



Site	#hosts	#CPU
Grid5000	170	1148
Qarnot	73	584



XTREMWEB-HEP

- Introduction
- Security
- Virtualization
- Internode connection
- Intergrid connection
- Applications
- Platform access
- Discussion

DISCUSSION

Under work

- OpenSAML / Shibboleth
- Map reduce

<http://www.xtremweb-hep.org>