


Tier1 Readiness

John Gordon
LHCC Review
19/2/2008



Outline

- Review of Relevant Milestones
 - Plans to meet them
 - Explanations
- 24x7
- VO Boxes
- Procurement
 - MoU Commitments
- WN/UI
 - Milestones on individual components have replaced the earlier 'Upgrade to SL4'
- Reliability & Availability

WLCG Milestones

24*7

WLCG High Level Milestones - 2007													
ID	Date	Milestone	ASGC	CC INF3	CERN	FKA GONEx	INFN CNFV	NSGF	PK	RAL	SWAN NINDEF	TRIUMF	FNAL
24x7 Support													
WLCG-07-01	Feb 2007	24x7 Support Definition Definition of the levels of support and roles to follow, depending on the installation											
WLCG-07-02	Apr 2007	24x7 Support Tested Support and operator scenarios tested via public alarms and simulations											
WLCG-07-03	Jun 2007	24x7 Support in Operations The sites provide 24x7 support to users as standard operators											
VO Boxes Support													
WLCG-07-04	Apr 2007	VO Boxes SLA Defined Sites propose and agree with the VO the level of support (response, backup, restore, etc) of VO Boxes											
WLCG-07-05	May 2007	VO Boxes SLA Implemented VO Boxes services implemented at the site according to the SLA											
WLCG-07-05a	Jul 2007	VO Boxes Support Accepted by the Experiments VO Boxes support level agreed by the experiments											
VOMS Job Priorities													
VOMS Milestones are suspended until the VOMS Working Group defines new milestones.													
WLCG-07-06	Jan 2007	New VOMS PAM Release and Deployment New VOMS PAM Release and Deployment on the batch software of the site is published											
3D Services													
WLCG-07-09	Mar 2007	3D Oracle Service in Production Oracle Service in production, and certified by the Experiments											
WLCG-07-10	May 2007	3D Conditions DB in Production Conditions DB in operations for ATLAS, CMS, and LHCb. Tested by the Experiments											
Procurement													
WLCG-07-16	1 Jul 2007	Blade 2007 Plagins Installed To fulfill the agreement that all sites process the 2007 blade plugged by July 2007											
WLCG-07-17	1 Aug 2007	Blade 2008 Plagins Installed To fulfill the agreement that all sites process the 2008 blade plugged by April of every year											
WLCG-07-18	Jun 2007	FTS 2.0 FTS 2.0 Testbed											
BDI													
WLCG-07-21	Jun 2007	BDI Guidelines Available On how to install BDI on a separated node											
WLCG-07-22	Jun 2007	Top-Level BDI Installed at the Site For each Tier-1 site											
WLCG-07-24	Jul 2007	Decision on Usage of gloxacc and Guidelines to Follow											

VO Boxes

Procurement


ID	Date	Milestone	ASGC	CC INF3	CERN	FKA GONEx	INFN CNFV	NSGF	PK	RAL	SWAN NINDEF	TRIUMF	FNAL
Site Reliability - June 2007													
WLCG-07-12	Jun 2007	Site Reliability above 91% Considering such Tier-0 and Tier-1 site											
WLCG-07-13	Jun 2007	Average of Best 5 Sites above 93% Eight sites should reach a reliability above 90%											
MSS Main Storage Systems													
WLCG-07-25	Jun 2007	CASTOR 2.1.3 in Production at CERN MSS system supporting SRM 2.2 deployed in production at the site											
WLCG-07-26	Nov 2007	SRM: CASTOR 2.1.3 Tested and Accepted by the Experiments From the SRM Roll-Out Plan (SRM-18 to -19)											
WLCG-07-27	Nov 2007	SRM: ECache 1.8 Tested and Accepted by the Experiments From the SRM Roll-Out Plan (SRM-18 to -19)											
WLCG-07-28	Sept 2007	Demonstrate Tier-0 Performance (Storage, DM at TB) Demonstrate that the highest throughput (ATLAS 2006) can be reached											
WLCG-07-29a	Sept 2007	Demonstrate Tier-0 Export to Tier-1 Sites Demonstrate that the highest throughput (ATLAS 2006) can be reached											
WLCG-07-29b	Feb 2008	SRM: CASTOR 2.1.3 Upgrade in Production at T1 Sites From the SRM Roll-Out Plan (SRM-23 to -27)											
gLite CE													
WLCG-07-31	Jun 2007	gLite CE Development Completed and Released											
WLCG-07-32	Jul 2007	gLite CE Distribution and Installation on the PPS Systems											
WLCG-07-33	Aug 2007	gLite CE Tested and Accepted by the Experiments											
CAF CERN Analysis Facility													
WLCG-07-40	Oct 2007	CAF CERN Analysis Facility Specification of the requirements and Equipment											
WLCG-07-41	Jul 2007	CAF CERN Analysis Facility Detailed interfaces Tested and Accepted by the Experiments											
Site Reliability - Dec 2007													
WLCG-07-14	Dec 2007	Site Reliability above 93% Considering such Tier-0 and Tier-1 site											
WLCG-07-15	Dec 2007	Average of Best 5 Sites above 95% Eight sites should reach a reliability above 90%											
DSG SAM Tests													
WLCG-07-42	Mar 2008	DSG SAM Reliability Tests in Place DSG tests equivalent to those in BRUCG SAM and results available via GridView											

WN/UI

December Reliability

5-Feb-08		WLCG High Level Milestones - 2007													
ID	Date	Milestone	Done (green)				Late < 1 month (orange)				Late > 1 month (red)				
			ASGC	CC IN2P3	CERN	FZK GridKa	INFN CNAF	NDGF	PIC	RAL	SARA NIKHEF	TRIUMF	BNL	FNAL	
24x7 Support															
WLCG-07-01	Feb 2007	24x7 Support Definition Definition of the levels of support and rules to follow, depending on the issue/alarm				Mar 2008									
WLCG-07-02	Apr 2007	24x7 Support Tested Support and operation scenarios tested via realistic alarms and situations	Jan 2008			Apr 2008				Feb 2008	Jan 2008				
WLCG-07-03	Jun 2007	24x7 Support in Operations The sites provides 24x7 support to users as standard operations				Apr 2008				Mar 2008	Mar 2008				


- T1s underestimated the effort involved in planning this.
 - most have done this now
- 07-03 was never going to happen to original schedule as T1s are mostly ramping up staff for data taking
- Full explanations for missed milestones attached to agenda.



- ASGC testing started in January, production on-call 1700-0200 will start next week.
- CNAF Critical services are already HA. Infrastructure on 30 minute callout.
- FZK Done a lot of work on hardening services. Respective operational procedures will be documented in March 2008 (WLCG-07-01) and go into operation in April 2008 (WLCG-07-03).
- NDGF All tested. Shifts will start with data-taking.
- PIC testing (WLCG 07-02) started at Xmas, complete end of Feb. In production (WLCG 07-03) end of March
- RAL Testing slipped a month to end Feb. Initial production on target for end of March
- SARA-NIKHEF testing under way. Complicated by integrating two sites.

5-Feb-08		WLCG High Level Milestones - 2007													
					Done (green)		Late < 1 month (orange)		Late > 1 month (red)						
ID	Date	Milestone	ASGC	CC IN2P3	CERN	FZK GridKa	INFN CNAF	NDGF	PIC	RAL	SARA NIKHEF	TRIUMF	BNL	FNAL	
VOBoxes Support															
WLCG-07-04	Apr 2007	VOBoxes SLA Defined Sites propose and agree with the VO the level of support (upgrade, backup, restore, etc) of VOBoxes													
WLCG-07-05	May 2007	VOBoxes SLA Implemented VOBoxes service implemented at the site according to the SLA						Nov 2007							
WLCG-07-05b	Jul 2007	VOBoxes Support Accepted by the Experiments VOBoxes support level agreed by exp.	ALICE	n/a						n/a			n/a	n/a	n/a
			ATLAS												n/a
			CMS						n/a			n/a	n/a	n/a	
			LHCb	n/a					n/a				n/a	n/a	n/a

- All T1s support VO Boxes for relevant VOs
 - This milestone is about a defined service
- 5b not always under the control of the T1s.
- Full explanations for missed milestones attached to agenda.



- ASGC - aim to finalise draft by end of March and get agreement by end of April
- IN2P3 - Has been deferred due to higher priority work. SLA by end of February, agreement by end March
- CERN started discussion on formal SLA
- NDGF Should be in place by end of March. Had to negotiate with 7 sites for Alice and ATLAS change to pilot jobs changed the definition of the VO Box.
- PIC ATLAS waiting definition of VO Box; CMS draft proposed; LHCb done.
- SARA NIKHEF advanced draft exists, it has been circulated amongst all parties nationally. It has not yet been discussed with the VOs.



Procurement

5-Feb-08		WLCG High Level Milestones - 2007													
ID	Date	Milestone	Done (green)				Late < 1 month (orange)				Late > 1 month (red)				FNAL
			ASGC	CC IN2P3	CERN	FZK GridKa	INFN CNAF	NDGF	PIC	RAL	SARA NIKHEF	TRIUMF	BNL		
Procurement															
WLCG-07-16	1 Jul 2007	MoU 2007 Pledges Installed To fulfill the agreement that all sites procure the 2007 MoU pledged by July 2007	Jan 2008						Jan 2008			May 2008			
WLCG-07-17	1 Apr 2008	MoU 2008 Pledges Installed To fulfill the agreement that all sites procure they MoU pledged by April of every year	Apr 2008									March 2008			

- SARA-NIKHEF had procurement problems for 2007.

LCG Tier 0 and 1 Resources

CERN Tier0	2007	2008	2009	2010	2011	2012	Split 2008	ALICE	ATLAS	CMS	LHCb	SUM 2008
CPU (kSQR)	4480	11170	23260	35310	37410	40910	Offered	1800	3705	5300	360	2095
							% of Total	40%	33%	23%	1%	1%
Disk (Tbytes)	330	2423	5135	5542	5942	6142	Offered	1600	153	400	210	2363
							% of Req.	100%	100%	100%	100%	100%
Tape (Tbytes)	1620	10790	21160	36090	51120	66760	Offered	3300	2449	4400	630	8779
							% of Req.	100%	100%	100%	100%	100%
Normal WAN (Mbits/sec)	100000	120000	140000	160000	180000	190000	Offered	500	2061	2100	0	4161
							% of Req.	100%	100%	100%	100%	100%

CERN Analysis Facility	2007	2008	2009	2010	2011	2012	Split 2008	ALICE	ATLAS	CMS	LHCb	SUM 2008
CPU (kSQR)	2090	4690	9710	10090	25120	31930	Offered	500	2061	2100	0	4161
							% of Total	24%	44%	22%	0%	20%
Disk (Tbytes)	960	3126	5131	7885	11136	14022	Offered	100	1146	1900	80	3226
							% of Req.	100%	100%	100%	100%	100%
Tape (Tbytes)	790	1270	3820	6960	10480	14890	Offered	0	370	900	0	1270
							% of Req.	100%	100%	100%	100%	100%

Canada Tier1	2007	2008	2009	2010	2011	2012	Split 2008	ALICE	ATLAS	CMS	LHCb	SUM 2008
CPU (kSQR)	160	905	1420	2480	3535	3535	Offered	0	370	900	0	1270
							% of Total	0%	8%	24%	0%	10%
Disk (Tbytes)	110	500	965	1975	2810	2810	Offered	0	370	900	0	1270
							% of Total	0%	8%	24%	0%	10%
Tape (Tbytes)	80	385	790	1435	2245	2245	Offered	0	370	900	0	1270
							% of Total	0%	8%	24%	0%	10%
Normal WAN (Mbits/sec)		10000	10000	10000	10000	10000	Offered	0	370	900	0	1270
							% of Total	0%	8%	24%	0%	10%

FZK-GriKra (Node 1)	2007	2008	2009	2010	2011	2012	Split 2008	ALICE	ATLAS	CMS	LHCb	SUM 2008
CPU (kSQR)	1680	5672	10354	15710	20789	26282	Offered	2500	1813	1050	300	5663
							% of Total	29%	33%	11%	16%	18%
Disk (Tbytes)	880	2933	5122	9297	12549	16340	Offered	1000	1072	690	171	2933
							% of Total	29%	33%	11%	17%	17%
Tape (Tbytes)	1010	3629	7190	11867	16818	21842	Offered	1400	908	1260	143	3671
							% of Total	24%	25%	13%	17%	17%
Normal WAN (Mbits/sec)	10000	20000	30000	30000	30000	30000	Offered	0	370	900	0	1270
							% of Total	0%	8%	24%	0%	10%

UK Tier1	2007	2008	2009	2010	2011	2012	Split 2008	ALICE	ATLAS	CMS	LHCb	SUM 2008
CPU (kSQR)	1300	3130	5620	9047	12995	16900	Offered	132	1925	950	230	3130
							% of Total	4%	61%	28%	7%	10%
Disk (Tbytes)	640	1821	3314	5877	8144	11200	Offered	93	1098	620	121	1832
							% of Total	3%	19%	19%	3%	10%
Tape (Tbytes)	1980	1903	3947	6571	9577	13500	Offered	82	818	900	103	1903
							% of Total	1%	10%	23%	1%	8%
Normal WAN (Mbits/sec)	10000	10000	10000	10000	40000	40000	Offered	0	370	900	0	1270
							% of Total	0%	8%	24%	0%	10%

US-ATLAS Tier1	2007	2008	2009	2010	2011	2012	Split 2008	ALICE	ATLAS	CMS	LHCb	SUM 2008
CPU (kSQR)	2500	4644	7337	12768	18193	18193	Offered	4844	0	0	0	4844
							% of Total	27%	0%	0%	0%	27%
Disk (Tbytes)	1100	3136	5822	11637	16929	16929	Offered	3136	0	0	0	3136
							% of Total	29%	0%	0%	0%	29%
Tape (Tbytes)	803	1718	3277	6296	9820	9820	Offered	1718	0	0	0	1718
							% of Total	21%	0%	0%	0%	21%
Normal WAN (Mbits/sec)	6920	19624	24926	35828	35828	35828	Offered	0	370	900	0	1270
							% of Total	0%	8%	24%	0%	10%

US-CMS Tier1	2007	2008	2009	2010	2011	2012	Split 2008	ALICE	ATLAS	CMS	LHCb	SUM 2008
CPU (kSQR)	1792	4300	5100	11100	11100	11100	Offered	4300	0	0	0	4300
							% of Total	24%	0%	0%	0%	24%
Disk (Tbytes)	700	2000	2600	4100	4100	4100	Offered	2000	0	0	0	2000
							% of Total	29%	0%	0%	0%	29%
Tape (Tbytes)	300	4700	7100	11000	11000	11000	Offered	4700	0	0	0	4700
							% of Total	49%	0%	0%	0%	49%
Normal WAN (Mbits/sec)							Offered	0	370	900	0	1270
							% of Total	0%	8%	24%	0%	10%

Spain P2	2007	2008	2009	2010	2011	2012	Split 2008	ALICE	ATLAS	CMS	LHCb	SUM 2008
CPU (kSQR)	501	1509	2591	5109	6941	8731	Offered	505	471	507	100	1583
							% of Total	3%	3%	2%	1%	5%
Disk (Tbytes)	218	967	1702	3009	4090	5178	Offered	512	358	97	97	967
							% of Total	5%	4%	3%	2%	5%
Tape (Tbytes)	243	950	1944	3402	5249	7250	Offered	388	607	81	93	950
							% of Total	4%	6%	1%	1%	5%
Normal WAN (Mbits/sec)	2500	10000	10000	10000	10000	10000	Offered	0	370	900	0	1270
							% of Total	0%	8%	24%	0%	10%

Summary Est. Tier1s	2007	2008	2009	2010	2011	2012	Split 2008	ALICE	ATLAS	CMS	LHCb	SUM 2008
CPU (kSQR)	14894	37963	61992	121737	126823	148130	Offered	5541	16195	12291	3536	17563
							Required	10100	18120	9600	1770	39590
							Balance	-4559	-20125	-7309	-1434	-22027
Disk (Tbytes)	7221	20221	35222	60008	79875	93021	Offered	2395	10913	5548	1207	20221
							Required	4000	10790	7200	1225	22955
							Balance	-1605	-2877	-1652	-1018	-2934
Tape (Tbytes)	8503	21298	40329	65438	86837	108775	Offered	2983	7892	8429	1194	21298
							Required	4200	8270	8900	960	24550
							Balance	-1217	-3378	-4571	-766	-2952

IN2P3 Lyon	2007	2008	2009	2010	2011	2012	Split 2008	ALICE	ATLAS	CMS	LHCb	SUM 2008
CPU (kSQR)	1288	4240	7999	13441	16105	23024	Offered	830	2096	864	480	4270
							% of Total	6%	11%	9%	2%	11%
Disk (Tbytes)	729	2375	4600	8224	11397	14710	Offered	316	1133	648	278	2375
							% of Total	6%	11%	9%	2%	10%
Tape (Tbytes)	745	2470	5175	9180	13914	18901	Offered	481	877	882	230	2470
							% of Total	6%	11%	9%	2%	10%
Normal WAN (Mbits/sec)	10000	10000	10000	10000	10000	10000	Offered	0	370	900	0	1270
							% of Total	0%	8%	24%	0%	10%

IN2P3 Orsay	2007	2008	2009	2010	2011	2012	Split 2008	ALICE	ATLAS	CMS	LHCb	SUM 2008
CPU (kSQR)	1300	3000	5500	8500	12500	16000	Offered	660	960	1050	330	3000
							% of Total	7%	5%	11%	19%	9%
Disk (Tbytes)	500	1300	2500	4100	6800	8900	Offered	290	420	490	140	1300
							% of Total	7%	4%	6%	14%	9%
Tape (Tbytes)	650	1500	2600	4200	7100	11000	Offered	330	480	530	180	1500
							% of Total	6%	6%	5%	19%	9%
Normal WAN (Mbits/sec)	10000	20000	30000	40000	40000	40000	Offered	0	370	900	0	1270
							% of Total	0%	8%	24%	0%	10%

Netherlands LHC/Tier1	2007	2008	2009	2010	2011	2012	Split 2008	ALICE	ATLAS	CMS	LHCb	SUM 2008
CPU (kSQR)	1677	4382	7544	12305	11985	11085	Offered	317	3548	1017	430	5312
							% of Total	3%	17%	13%	8%	19%
Disk (Tbytes)	1059	2510	3753	6149	7796	7796	Offered	173	1778	1150	350	2510
							% of Total	4%	17%	13%	5%	19%
Tape (Tbytes)	719	1813	3548	5736	7353	7353						

2Q2008	Tier 1 Capacity: Available vs. Required (Scheduled)								
WLCG Site	CPU KSi2K			Disk TB			Tape TB		
	2008/9 pledge	Installed	Required	2008/9 pledge	Installed	Required	2008/9 pledge	Installed	Required
ASGC	3400	3400	2467	1500	1500	1673	1300	1300	1872
CC-IN2P3	4240	4240	4882	2375	1394	2747	2470	2470	2863
FZK/GridKa	5672	4522	7045	2933	2293	3579	3629	2449	4314
INFN/CNAF	3000	3000	3994	1300	1300	2289	1500	1500	2453
NDGF	2172	2172	2633	1079	385	1203	930	273	1407
PIC	1509	1200	1432	967	600	930	953	520	945
RAL	5220	5220	3714	2790	2790	2283	2070	2070	2140
SARA-NIKHEF	4382	1677	3334	2510	1059	1858	1813	719	1577
TRIUMF	905	905	779	500	500	461	385	385	347
US-ATLAS	4844	5400	4167	3136	2100	2468	1715	1800	1856
US-CMS	4300	4500	3840	2000	1700	2880	4700	1600	3920
FNAL									
US-ALICE		180	1111		45	440		35	638

- Most sites achieving CPU pledges
- Most sites will not have disk pledges in place
- Tape less important as can easily be bought just-in-time as data grows
- Some T1s have set dates later than April to meet their pledges in full.
- Very few requirements are met.

Summary with Requ. Balance	2007	2008	2009	2010	2011	2012		SUM 2008	SUM 2009	SUM 2010	SUM 2011	SUM 2012
CPU (kSI2K)	14894	37563	61692	101737	126523	146130	Offered	37563	61692	101737	126523	146130
							Required	39590	69600	114720	152230	191810
							Balance	-5%	-11%	-11%	-17%	-24%
Disk (Tbytes)	7221	20221	35222	60008	79875	93821	Offered	20221	35222	60008	79875	93821
							Required	22955	40179	71000	96791	123892
							Balance	-12%	-12%	-15%	-17%	-24%
Tape (Tbytes)	6503	21298	40329	65438	88837	108775	Offered	21298	40329	65438	88837	108775
							Required	24530	46260	78664	114610	152396
							Balance	-13%	-13%	-17%	-22%	-29%


Note 1: The FZK Pledges indicated for 2008 will be fully available in October 2008. For April 2008 the following will be available : CPU 4522 kSI2K, Disk 2293 Tbytes, Tape 2449 Tbytes

During the 4 months after the end of heavy-ion runs ALICE requires the totality of its CERN resources in the T0. The rest of the time its CERN resources are shared between T0 (for pp reconstruction) and CAF.

Requirements for all experiments are for 2008 and compared with 2008 pledges.

Ext. Tier1 Requ. 2008	ALICE	ATLAS	CMS	LHCb	SUM
CPU (kSI2K)	10100	18120	9600	1770	39590
Disk (Tbytes)	4000	10730	7200	1025	22955
Tape (Tbytes)	5800	8070	9800	860	24530
Number of T1s	6	10	7	6	n/a

- Overall the balance is reasonable for this year and next
 - Does anyone trust the requirements to this accuracy?
- Have we estimated the requirement for disk cache?
 - Is it included by all? Do we understand it?



Resource Comments

- FZK/GridKa (last report of 1 Feb): all hardware for April 2008 is on site in burnin or waiting for final installation. additional acquisitions are 1150 KSi2K cpu, 600 TB disk and 800 TB tape for ALICE and 380 TB disk for CMS to reach full 2008 pledges in October as planned.
- CC-IN2P3 (last report of 4 Feb): no changes in January. 2008 cpu capacity delivery delayed to mid-Feb so not for phase 1 but ok for 1 April. Tape pledge ok for April and will have 50% of disk pledge. No date yet for remaining disk
- INFN/CNAF (last report 4 Feb): Now unlikely to have all disk capacity by April 1. More info soon.
- NDGF (last report 1 Feb): All 2008 cpu in place by March. Will ramp up disk and tape following demand - confident they will not run out up to 2008 pledges.
- NL-T1 (last report 1 Feb): Will have full 2007 pledges installed in April and full 2008 pledges in November.
- PIC (last report 4 Feb): Solving power problems to reach 80% of 2008 cpu pledge by 1 April with remainder by May. Also 80% of disk by 1 April, rest by June. Ramp up tape capacity steadily to reach full pledge by October.
- RAL (last report 14 Jan): Were expecting 1PB of disk mid-Jan and MoU cpu pledge delivery end Feb. Tape media in place and last tape drive purchases about to be placed. Full pledges expected for 1 April.

5-Feb-08		WLCG High Level Milestones - 2007																
ID	Date	Milestone	Done (green)				Late < 1 month (orange)				Late > 1 month (red)							
			ASGC	CC IN2P3	CERN	FZK GridKa	INFN CNAF	NDGF	PIC	RAL	SARA NIKHEF	TRIUMF	BNL	FNAL				
WN and UI																		
WLCG-07-31	Jun 2007	WN Installed in Production at the Tier-1 Sites WN on SL4 installed on each Tier-1 site, with the configuration needed to use SL4 or SL3 nodes							n/a				n/a					
WLCG-07-32	Jun 2007	UI Certification and Installation on the PPS Systems	EGEE - SA1 PPS done: Jul 2007															
WLCG-07-33	Aug 2007	UI Tested and Accepted by the Experiments	ALICE				ATLAS				CMS				LHCb			

- T1s all met milestones
- Experiments have not all verified

5-Feb-08		WLCG High Level Milestones - 2007																
ID	Date	Milestone	Done (green)				Late < 1 month (orange)				Late > 1 month (red)							
			ASGC	CC IN2P3	CERN	FZK GridKa	INFN CNAF	NDGF	PIC	RAL	SARA NIKHEF	TRIUMF	BNL	FNAL				
Site Reliability - Dec 2007																		
WLCG-07-14	Dec 2007	Site Reliability above 93% Considering each Tier-0 and Tier-1 site	Aug 91%	Green	Green	Green	Red	Red	White	Green	Green	Red	Green	Red	Green			
			Sept 91%	Green	Red	Green	Green	Red	White	Green	Red	Green	Green	Green	Red	Green		
			Oct 91%	Red	Red	Green	Red	Green	Red	Green	Green	Red	Green	Green	Red	Red	Green	
			Nov 91%	Green	Red	Green	Red	Green	Green	Green	Green	Green	Green	Green	Green	Red	Red	Green
			Dec 93%	Green	Green	Green	Red	Green	Green	Green	Green	Green	Green	Red	Green	Red	Red	Green
WLCG-07-15	Dec 2007	Average of Best 8 Sites above 95% Eight sites should reach a reliability above 95%	Averages of the 8 Best sites Sept 2007 - Dec 2007 Sept 93% - Oct 93% - Nov 95% - Dec 96%															

- The Gridview algorithm has been tuned
 - Handles downtime more realistically
 - Handles SAM problems



Reliability of WLCG Tier-1 Sites + CERN


August 2007 - January 2008

Data from SAM monitoring. Plots show Reliability calculated as $\text{time_site_is_available} / (\text{total_time} - \text{time_site_is_scheduled_down})$

Target reliability for each site is 91% from June, 93% for December07. Target for 8 best sites is 95% from December07.


target reliability — 93% — 89%
last 3 month average - all sites — 89%

site average colour coding: < 90% of target — ≥ 90% of target — ≥ target
8 best sites 96% # sites: ≥ target 6 ≥ 90% of target 10




CERN-PROD

av.reliability last 3 mths 99%




FZK-LCG2

av.reliability last 3 mths 90%




IN2P3-CC

av.reliability last 3 mths 93%




INFN-T1

av.reliability last 3 mths 85%




RAL-LCG2

av.reliability last 3 mths 92%




SARA-MATRIX

av.reliability last 3 mths 68%




TRIUMF-LCG2

av.reliability last 3 mths 96%





Taiwan-LCG2

av.reliability last 3 mths 96%



USCMS-FNAL-WC1

av.reliability last 3 mths 87%






Availability of WLCG Tier-1 Sites + CERN

August 2007


Data from SAM monitoring. Plots show *Availability* and *Scheduled_Down_Time*. Average Reliability is calculated as $\text{Availability} / \text{Scheduled_Availability}$

legend:



average (all sites): availability 96% reliability 87% target 91%
 average (8 best sites): #REF! 94%

site average colour coding: < 90% of target ≥ 90% of target ≥ target






Availability of WLCG Tier-1 Sites + CERN January 2008


Data from SAM monitoring. Plots show *Availability* and *Scheduled_Down_Time*. Average *Reliability* is calculated as $\text{time_site_is_available} / (\text{total_time} - \text{time_site_is_scheduled_down})$

legend:




average (all sites): availability 87% reliability 99%
average (8 best sites): availability 95% reliability 95%


target 93% site average colour coding: < 90% of target ≥ 90% of target ≥ target




CERN-PROD avail: 99% reliability: 99%




FZK-LCG2 avail: 94% reliability: 94%




IN2P3-CC avail: 95% reliability: 95%



INFN-T1 avail: 70% reliability: 70%




RAL-LCG2 avail: 92% reliability: 92%




SARA-MATRIX avail: 40% reliability: 57%




TRIUMF-LCG2 avail: 97% reliability: 97%




Taiwan-LCG2 avail: 97% reliability: 97%




USCMS-FNAL-WC1 avail: 91% reliability: 93%




PIC avail: 82% reliability: 93%



BNL avail: 91% reliability: 91%



NDGF avail: 91% reliability: 82%




Reliability

- 8 Best sites have been acceptable throughout the last 6 months
- Average is generally rising.
- No clear view of why some sites are better than others
- Middleware improvement have reduced downtime
- There will always be service breaks but sites are coming back more quickly

	Site Reliability - WLCG Tier-1s + CERN												average reliabilities	8 best sites average			# sites ≥ target	# sites ≥90% target
	CERN-PROD	FZK-LCG2	IN2P3-CC	INFN-T1	RAL-LCG2	SARA-MATRIX	TRIUMF-LCG2	Taiwan-LCG2	USCMS-FNAL-WC1	PIC	BNL-LCG2	NDGF		availability	reliability	(% target)		
Aug-2007	99%	67%	95%	70%	99%	86%	97%	83%	99%	94%	71%	0%	87%	94%	94%	101%	6	8
Sep-2007	100%	91%	70%	80%	90%	92%	95%	93%	89%	93%	91%	0%	89%	92%	93%	100%	7	9
Oct-2007	99%	76%	90%	97%	95%	89%	91%	51%	75%	96%	89%	89%	86%	93%	93%	100%	5	9
Nov-2007	98%	85%	84%	91%	93%	94%	94%	94%	79%	95%	93%	98%	92%	91%	95%	102%	9	11
Dec-2007	100%	90%	99%	96%	91%	50%	96%	99%	88%	96%	99%	100%	93%	95%	98%	103%	8	11
Jan-2008	99%	94%	95%	70%	92%	57%	97%	97%	93%	93%	91%	92%	93%	95%	95%	100%	7	10
average last	99%	90%	93%	85%	92%	68%	96%	96%	87%	95%	74%	96%	89%	-	96%	102%	6	10

NOTE - Target raised to 93% from December 07
 Target reliability for each site is 91% from June, 93% from December 07. Target for 8 best sites is 95% in December 07.
 Reliability = time_site_is_available / {total_time - time_site_is_scheduled_down} Availability = time_site_is_available / total_time



Summary

- Some Tier1s seem fully ready for data taking
- Some are approaching readiness
- All much later than planned or than the project would like, but probably inevitable given the machine delays.
- Services in place as much as middleware readiness allows
 - SRM2.2 the most volatile
 - But not all as reliable and resilient as could be
- So far the CCRC has not stress tested the T1s so there remains a risk they are not truly ready
 - But what else can they do?