## TH Institute on String Phenomenology

# **Report of Contributions**

C. Vafa:"F-theory Meets Phenom ...

Contribution ID: 0

Type: not specified

## C. Vafa:"F-theory Meets Phenomenology"

Tuesday 29 July 2008 14:00 (1 hour)

TBA

Author: VAFA, Cumrun (Harvard University)

J. Louis: "Compactifications on G ...

Contribution ID: 1

Type: not specified

#### J. Louis: "Compactifications on Generalized Geometries"

Monday 21 July 2008 14:00 (30 minutes)

I review compactifications on manifolds with SU(3) and SU(3)xSU(3) structure emphasising the structure of the low energy effective action.

Author: LOUIS, Jan (University of Hamburg)

K. Becker: "Torsional heterotic g …

Contribution ID: 2

Type: not specified

#### K. Becker: "Torsional heterotic geometries"

Tuesday 22 July 2008 14:00 (30 minutes)

We construct some new examples of torsional heterotic backgrounds using duality with orientifold flux compactifications. We then explain how duality provides a solution to the heterotic string Bianchi identity which is an equation of Monge-Ampere type. Finally, we propose the existence of a much larger class of compact torsional geometries based on intuition from string duality.

Author: BECKER, Katrin (Texas A&M)

P. G. Camara: "Torsion induced ···

Contribution ID: 3

Type: not specified

#### P. G. Camara: "Torsion induced soft-breaking terms"

Tuesday 22 July 2008 14:30 (30 minutes)

We discuss the conditions for having no-scale solutions of type IIA and IIB supergravity compactified on orientifolds with SU(3) structure. Supersymmetry is spontaneously broken at tree-level by the effect of the intrinsic torsion. The torsion induced mu-terms in the world-volume of D5, D6 and D9-branes are presented for the particular case of twisted-tori, and the arising patterns of soft-terms are discussed for pure moduli mediation.

Author: CAMARA, Pablo G. (Ecole Polytechnique, Paris)

D. Lust: "The Landscape of String ···

Contribution ID: 4

Type: not specified

#### D. Lust: "The Landscape of String Theory: Intersecting branes (statistics and collider signatures) and AdS flux vacua

Wednesday 23 July 2008 14:00 (1 hour)

It is known that the number of ground states is very big. This landscape of string vacua contains intersecting brane constructions as well as flux vacua. We will review some of the properties of intersecting branes, like their statistics and possible signatures at the LHC collider. At the end of the talk we are planning to discuss anti-de Sitter flux vacua and transitions between different string vacua by domain walls.

Author: LUST, Dieter (LMU and MPI, Munich)

M. Douglas: "Landscape, low ene ····

Contribution ID: 5

Type: not specified

#### M. Douglas: "Landscape, low energy supersymmetry, and warping"

Wednesday 13 August 2008 14:00 (1 hour)

A very central question in phenomenology is, what mechanism solves the hierarchy problem. For a long time the only generally accepted solution was low energy supersymmetry. In recent years, other solutions inspired by string theory have been suggested, such as large extra dimensions and warping.

Even more recently, the idea that string theory contains a large landscape of solutions, enabling the anthropic solution to the cosmological constant problem, raises the possibilities that the naturalness considerations which prefer some mechanisms over others are modified in string theory, or

even that the hierarchy is not the result of a mechanism.

We discuss the status of these claims, give a general overview of current thinking about how low energy susy, large extra dimensions and warping can be realized in string compactification, and raise questions whose answers would help us decide whether string theory favors any of these alternatives.

Author: DOUGLAS, Michael (Simons Center / Rutgers/ IHES)

A. Micu: "String dualities and ma ...

Contribution ID: 6

Type: not specified

## A. Micu: "String dualities and manifolds with SU(3) structure"

Monday 21 July 2008 14:30 (30 minutes)

In this talk I will concentrate on the Heterotic - Type IIA duality when fluxes are turned on. I will show that in a specific case the duality involves M-theory rather than type IIA strings. For this case I will show the construction on the M-theory side which is dual to the heterotic compactifiactions on K3 x T<sup>2</sup> when gauge field fluxes along the torus are considered.

Author: MICU, Andrei (Univ. Bonn)

R. Blumenhagen: "Instantons in · · ·

Contribution ID: 7

Type: not specified

# R. Blumenhagen: "Instantons in N=1 string compactifications"

Monday 28 July 2008 14:00 (30 minutes)

In the first part an overview about recent developments on D-brane instantons effects in N=1 string compactifications is given. In the second part new effects based on so-called poly instantons are proposed.

Author: BLUMENHAGEN, Ralph (MPI, Munich)

E. Dudas: "Multi-instanton and ...

Contribution ID: 9

Type: not specified

## E. Dudas: "Multi-instanton and one-loop string corrections in toroidal orbifold models

Monday 28 July 2008 14:30 (30 minutes)

We analyze N=2 perturbative and non-perturbative corrections in type I orbifold models where a dual heterotic description is available. We consider in particular the Bianchi-Sagnotti-Gimon-Polchinski orbifold. By exploiting perturbative calculations of the physical gauge couplings on the heterotic side, we obtain multi-instanton and one-loop string corrections to the K\"ahler potential and the gauge kinetic

function. We argue that these corrections are universal in a given class of models where target-space

modular invariance holds.

Author: DUDAS, Emilian (Ecole Polytechnique and U. Paris-Sud, Orsay)

Contribution ID: 10

Type: not specified

#### A. Wingerter: "Orbifolds, the Standard Model, and Unification"

Wednesday 30 July 2008 10:00 (30 minutes)

We first highlight some of the (theoretical) shortcomings of the Standard Model, and then consider hints at physics beyond the electroweak scale. Grand Unification and theories in extra dimensions are motivated, and string orbifolds are introduced as ultraviolet completions of these theories. We present a general search strategy for MSSM-like models based on a local SO(10) Grand Unified Theory. The results of our search include 15 models with (i) 3 families of quarks and leptons, (ii) only vectorlike exotics that decouple along D- and F-flat directions, (iii) an exact R-parity, (iv) non-trivial Yukawa matrices, (v) mass hierarchies. Going beyond the "mini-landscape", we answer the question whether the requirement of 3 generations necessarily implies an SO(10) structure. We investigate whether the low-energy values of the coupling constants are compatible with gauge coupling/gravity unification in the heterotic orbifold setup. [Based on arXiv:0706.0217, arXiv:0708.2691, arXiv:0710.4924, arXiv:0805.4186]

K. Choi: "Some features of soft te ···

Contribution ID: 12

Type: not specified

## K. Choi: "Some features of soft terms in flux compactification"

Monday 4 August 2008 14:00 (30 minutes)

I discuss some features of soft SUSY breaking terms in flux compactification, which include flavor and CP conserving modulus mediation, sequestered uplifting, and the effect of anomalous U(1) symmetry.

Author: CHOI, Kiwoon (KAIST, Korea)

H.-P. Nilles: "The Gaugino Code"

Contribution ID: 13

Type: not specified

#### H.-P. Nilles: "The Gaugino Code"

Monday 4 August 2008 14:30 (30 minutes)

Gauginos might play a crucial role in the search for supersymmetry at the Large Hadron Collider (LHC). Mass predictions for gauginos are rather robust and often related to the values of the gauge couplings. We analyse the ratios of gaugino masses in the LHC energy range for various string theories and various schemes of supersymmetry breakdown and mediation. Three distinct mass patterns emerge.

Author: NILLES, Hans Peter (Univ. Bonn)

B. Ovrut: "Ricci-Flat Metrics and …

Contribution ID: 14

Type: not specified

#### B. Ovrut: "Ricci-Flat Metrics and Scalar Laplacians on Calabi-Yau Threefolds"

Tuesday 5 August 2008 14:00 (30 minutes)

A mathematical/numerical algrithm is presented for computing Ricci-flat metrics on Calabi-Yau threefolds. This will be explicitly applied to quintics, Z5XZ5 quotients of quintics as well as to the Z3XZ3 threefold of the Heterotic Standard Model. Using these metrics, a procedure is given for explicitly calculating the eigenvalue/eigenfunction spectrum of the scalar Laplacian on these Calabi-Yau threefolds.

Author: OVRUT, Burt (UPenn)

Contribution ID: 15

Type: not specified

#### S. de Alwis: "Supersymmetry breaking models and String theory constraints"

Tuesday 5 August 2008 14:30 (30 minutes)

A consistent theory of supersymmetry breaking must have a hidden sector an observable sector and must be embedded in a locally supersymmetric theory which arises from string theory. For phenomenological reasons it must also transmit supersymmetry from the hidden to the visible sector in a dominantly flavor neutral manner. Also any such theory of supersymmetry breaking has to take into acount the problem of quadratic divergences which arise once the theory is embedded in supergravity. A model which incorporates all these features with just the bare minimum of necessary supergravity/string theory moduli fields coupled to the minimally supersymmetric standard model, is presented. Every other model has either an extra sector or more fine-tuning or both.

Author: DE ALWIS, Shanta (U. Colorado)

A. Maharana: "Isometries and Ap  $\,\cdots$ 

Contribution ID: 16

Type: not specified

#### A. Maharana: "Isometries and Approximate Flavor Symmetries in Local Models"

Wednesday 6 August 2008 10:00 (30 minutes)

We shall present a mechanism to generate flavor symmetries in local D-brane constructions. The key ingredient shall be approximate isometries of the local geometry. We shall discuss our findings in the context of general arguments for the absence of continuous global symmetries in string compactifications. Implications of the mechanism for the Large Volume Scenario for moduli stabilization will be discussed briefly.

P. Kumar: "Connecting the LHC ···

Contribution ID: 17

Type: not specified

# P. Kumar: "Connecting the LHC with underlying theories"

Wednesday 6 August 2008 10:30 (30 minutes)

The talk will discuss some issues in trying to connect underlying theories with data at the LHC; in particular the challenges and the opportunities therein.

G. Villadoro: "Status of D6-brane …

Contribution ID: 18

Type: not specified

## G. Villadoro: "Status of D6-brane flux models and their effective field theories"

Monday 11 August 2008 14:00 (30 minutes)

Author: VILLADORO, Giovanni

S. Raby: "A Fertile Patch in the H  $\,\cdots\,$ 

Contribution ID: 19

Type: not specified

#### S. Raby: "A Fertile Patch in the Heterotic Landscape"

Monday 11 August 2008 14:30 (30 minutes)

This talk is a follow-up to the talk of Akin Wingerter. I will focus on some of the phenomenological details of one benchmark model discussed in 0708.2691[hep-th].

Author: RABY, Stuart (Ohio State U.)

J. Gray: "Uses and methodology of …

Contribution ID: 20

Type: not specified

# J. Gray: "Uses and methodology of the STRINGVACUA Mathematica package"

Tuesday 12 August 2008 14:00 (30 minutes)

I will discuss various applications of the subject of algorithmic algebraic geometry to string phenomenology. In particular i will demonstrate some of the functionality of the recently released STRINGVACUA mathematica package, which facilitates the use of such methods for physicists in our field. Examples will include the analysis of flux vacua and computing Yukawa couplings in smooth, non-standard embedded heterotic compactifications. At the request of some of the participants here, I shall attempt to focus, to some extent, on how these methods actually work rather than providing a comprehensive list of what they can do.

Author: GRAY, James (Oxford U.)

B. Schellekens: "Topics in RCFT o ...

Contribution ID: 21

Type: not specified

#### **B. Schellekens: "Topics in RCFT orientifolds"**

*Tuesday 12 August 2008 14:30 (30 minutes)* 

A large set of exact string spectra can be explored using orientifolds of rational conformal field theories. Several results will be discussed, including a variety of ways of realizing the standard model, distributions of physical quantities, free fermionic constructions, neutrino masses and non-supersymmetric, tachyon-free spectra.

Author: SCHELLEKENS, Bert (NIKHEF)

W. Taylor: "Cosmology and parti ...

Contribution ID: 22

Type: not specified

# W. Taylor: "Cosmology and particle physics in the type IIA landscape"

Thursday 24 July 2008 14:00 (30 minutes)

The apparently vast landscape of stable and metastable solutions to string theory raises the possibility that string theory may be able to reproduce virtually any reasonable low-energy theory. We describe one corner of the string landscape (IIA) where it seems that the range of possible cosmological models may be more constrained than particle physics.

G. Shiu: "UV Physics and String I  $\,\cdots\,$ 

Contribution ID: 23

Type: not specified

#### G. Shiu: "UV Physics and String Inflation"

Thursday 24 July 2008 14:30 (30 minutes)

Inflation has become the standard paradigm of early universe cosmology. Several outstanding questions in inflationary cosmology, however, require an understanding of the underlying UV physics. In this talk, I will discuss some of these issues and argue how one might turn these UV sensitivities into observational opportunities for string inflation.

Welcome coffee

Contribution ID: 24

Type: not specified

#### Welcome coffee

Monday 21 July 2008 11:00 (1 hour)

We meet at 11:00h in the discussion room in front of the TH Secretariat (building 4, second floor), to welcome participants just arriving, and to discuss informally

Welcome coffee

Contribution ID: 25

Type: not specified

#### Welcome coffee

Monday 28 July 2008 11:00 (1 hour)

We meet at 11:00h in the discussion room in front of the TH Secretariat (building 4, second floor), to welcome participants just arriving, and to discuss informally

Welcome coffee

Contribution ID: 26

Type: not specified

#### Welcome coffee

Monday 4 August 2008 11:00 (1 hour)

We meet at 11:00h in the discussion room in front of the TH Secretariat (building 4, second floor), to welcome participants just arriving, and to discuss informally

Welcome coffee

Contribution ID: 27

Type: not specified

#### Welcome coffee

Monday 11 August 2008 11:00 (1 hour)

We meet at 11:00h in the discussion room in front of the TH Secretariat (building 4, second floor), to welcome participants just arriving, and to discuss informally

Morning coffee

Contribution ID: 28

Type: not specified

## **Morning coffee**

Tuesday 22 July 2008 11:00 (1 hour)

We meet at 11:00h in the discussion room in front of the TH Secretariat (building 4, second floor), to discuss informally over coffee.

Morning coffee

Contribution ID: 29

Type: not specified

## **Morning coffee**

Wednesday 23 July 2008 11:00 (1 hour)

We meet at 11:00h in the discussion room in front of the TH Secretariat (building 4, second floor), to discuss informally over coffee.

Morning coffee

Contribution ID: 30

Type: not specified

## **Morning coffee**

Thursday 24 July 2008 11:00 (1 hour)

We meet at 11:00h in the discussion room in front of the TH Secretariat (building 4, second floor), to discuss informally over coffee.

Morning coffee

Contribution ID: 31

Type: not specified

## **Morning coffee**

Friday 25 July 2008 11:00 (1 hour)

We meet at 11:00h in the discussion room in front of the TH Secretariat (building 4, second floor), to discuss informally over coffee.

Morning coffee

Contribution ID: 32

Type: not specified

## **Morning coffee**

Tuesday 29 July 2008 11:00 (1 hour)

We meet at 11:00h in the discussion room in front of the TH Secretariat (building 4, second floor), to discuss informally over coffee.

Morning coffee

Contribution ID: 33

Type: not specified

## **Morning coffee**

Wednesday 30 July 2008 11:00 (1 hour)

We meet at 11:00h in the discussion room in front of the TH Secretariat (building 4, second floor), to discuss informally over coffee.

Morning coffee

Contribution ID: 34

Type: not specified

## **Morning coffee**

Thursday 31 July 2008 11:00 (1 hour)

We meet at 11:00h in the discussion room in front of the TH Secretariat (building 4, second floor), to discuss informally over coffee.

Morning coffee

Contribution ID: 35

Type: not specified

## Morning coffee

Friday 1 August 2008 11:00 (1 hour)

We meet at 11:00h in the discussion room in front of the TH Secretariat (building 4, second floor), to discuss informally over coffee.

Morning coffee

Contribution ID: 36

Type: not specified

## Morning coffee

Tuesday 5 August 2008 11:00 (1 hour)

We meet at 11:00h in the discussion room in front of the TH Secretariat (building 4, second floor), to discuss informally over coffee.

Morning coffee

Contribution ID: 37

Type: not specified

## **Morning coffee**

Wednesday 6 August 2008 11:00 (1 hour)

We meet at 11:00h in the discussion room in front of the TH Secretariat (building 4, second floor), to discuss informally over coffee.

Morning coffee

Contribution ID: 38

Type: not specified

## Morning coffee

Thursday 7 August 2008 11:00 (1 hour)

We meet at 11:00h in the discussion room in front of the TH Secretariat (building 4, second floor), to discuss informally over coffee.

Morning coffee

Contribution ID: 39

Type: not specified

## Morning coffee

Friday 8 August 2008 11:00 (1 hour)

We meet at 11:00h in the discussion room in front of the TH Secretariat (building 4, second floor), to discuss informally over coffee.

Morning coffee

Contribution ID: 40

Type: not specified

## Morning coffee

Tuesday 12 August 2008 11:00 (1 hour)

We meet at 11:00h in the discussion room in front of the TH Secretariat (building 4, second floor), to discuss informally over coffee.

Morning coffee

Contribution ID: 41

Type: not specified

## **Morning coffee**

Wednesday 13 August 2008 11:00 (1 hour)

We meet at 11:00h in the discussion room in front of the TH Secretariat (building 4, second floor), to discuss informally over coffee.

Morning coffee

Contribution ID: 42

Type: not specified

## Morning coffee

Thursday 14 August 2008 11:00 (1 hour)

We meet at 11:00h in the discussion room in front of the TH Secretariat (building 4, second floor), to discuss informally over coffee.

Morning coffee

Contribution ID: 43

Type: not specified

## **Morning coffee**

Friday 15 August 2008 11:30 (30 minutes)

We meet at 11:00h in the discussion room in front of the TH Secretariat (building 4, second floor), to discuss informally over coffee.

M. Cvetic: "A string theoretic mo ...

Contribution ID: 44

Type: not specified

# M. Cvetic: "A string theoretic model of gauge mediated supersymmetry breaking"

Wednesday 30 July 2008 10:30 (30 minutes)

Guided by modern String Theory We propose a robust supergravity model of dynamical supersymmetry breaking and gauge mediation. The Polonyi field (and its mirror) is a chiral field, charged under

"anomalous" U(1)'s, with hierarchical Polonyi-term which can be generated by string instantons, and quartic superpotential terms which arise naturally as a tree-level decoupling effect of massive string states.

A stable supersymmetry breaking minimum allows for the realisation of gauge mediation with soft supersymmetry breaking masses at the TeV scale which we realise for a globally consistent SU(5) GUT model of Type I string theory, with an D1-instanton inducing the Polonyi term.

Discussion Coffee

Contribution ID: 45

Type: not specified

## **Discussion Coffee**

Monday 21 July 2008 15:00 (30 minutes)

We meet in the discussion room after the seminars to continue discussion in an informal atmosphere.

Discussion Coffee

Contribution ID: 46

Type: not specified

## **Discussion Coffee**

Tuesday 22 July 2008 15:00 (30 minutes)

We meet in the discussion room after the seminars to continue discussion in an informal atmosphere.

Discussion Coffee

Contribution ID: 47

Type: not specified

#### **Discussion Coffee**

Wednesday 23 July 2008 15:00 (30 minutes)

The TH group meets in the discussion room after the colloquium to continue discussion in an informal atmosphere.

Discussion Coffee

Contribution ID: 48

Type: not specified

## **Discussion Coffee**

Thursday 24 July 2008 15:00 (30 minutes)

We meet in the discussion room after the seminars to continue discussion in an informal atmosphere.

Discussion Coffee

Contribution ID: 50

Type: not specified

## **Discussion Coffee**

Monday 28 July 2008 15:00 (30 minutes)

We meet in the discussion room after the seminars to continue discussion in an informal atmosphere.

Discussion Coffee

Contribution ID: 51

Type: not specified

## **Discussion Coffee**

Tuesday 29 July 2008 15:00 (30 minutes)

We meet in the discussion room after the seminars to continue discussion in an informal atmosphere.

Discussion Coffee

Contribution ID: 52

Type: not specified

## **Discussion Coffee**

Monday 4 August 2008 15:00 (30 minutes)

We meet in the discussion room after the seminars to continue discussion in an informal atmosphere.

Discussion Coffee

Contribution ID: 53

Type: not specified

## **Discussion Coffee**

Tuesday 5 August 2008 15:00 (30 minutes)

We meet in the discussion room after the seminars to continue discussion in an informal atmosphere.

Discussion Coffee

Contribution ID: 54

Type: not specified

## **Discussion Coffee**

Monday 11 August 2008 15:00 (30 minutes)

We meet in the discussion room after the seminars to continue discussion in an informal atmosphere.

Discussion Coffee

Contribution ID: 55

Type: not specified

## **Discussion Coffee**

Tuesday 12 August 2008 15:00 (30 minutes)

We meet in the discussion room after the seminars to continue discussion in an informal atmosphere.

Discussion Coffee

Contribution ID: 56

Type: not specified

## **Discussion Coffee**

Wednesday 13 August 2008 15:00 (30 minutes)

We meet in the discussion room after the seminars to continue discussion in an informal atmosphere.

M. Gomez-Reino: "dS vacua and …

Contribution ID: 57

Type: not specified

## M. Gomez-Reino: "dS vacua and modular inflation in N=1 supergravity and string theory"

Friday 25 July 2008 10:30 (30 minutes)

I will discuss the possibility of obtaining vacua with spontaneously broken supersymmetry and non-negative cosmological constant in the moduli sector of string models, as well as the possibility of realising slow-roll inflation. I will show that there exist some simple conditions for this to happen which depend only on the Kahler potential. I will then analyse the implications of these conditions through some examples.

Author: GOMEZ-REINO PEREZ, Marta (Unknown)

B. Acharya: "Non-thermal Dark …

Contribution ID: 58

Type: not specified

# **B.** Acharya: "Non-thermal Dark Matter and Moduli/Gravitino Problems in M theory"

Friday 25 July 2008 10:00 (30 minutes)

TBA

Author: ACHARYA, Bobby (Unknown)

F. Gmeiner: "Millions of Standard ...

Contribution ID: 59

Type: not specified

#### F. Gmeiner: "Millions of Standard Models on Z6'?"

Thursday 7 August 2008 10:30 (30 minutes)

I discuss recent results obtained in collaboration with Gabriele Honecker (arXiv:0806.3039 [hep-th]) on a statistical analysis of standard model-like compactifications on the T<sup>6</sup>/Z\_6' orbifold in the context of intersecting brane models of type II string theory. In particular the structure of the hidden sector, the gauge coupling constants and chiral exotic matter content is discussed. It turns out that the number of chiral exotics, Higgses and values of gauge couplings are strongly correlated.

Author: GMEINER, Florian (NIKHEFF)

Contribution ID: 60

Type: not specified

#### M. Schulz: "String Junctions, Abelian Fibrations, and Flux/Geometry Duality"

Thursday 31 July 2008 10:30 (30 minutes)

The simplest class of flux compactifications, type IIB toroidal orientifolds with N=2 flux, is dual to a class of purely geometric IIA Calabi-Yau compactifications with no flux. Since the duality relates warped and nonwarped compactifications, it has the potential to teach us how to define warped Kaluza-Klein reduction, for which we do not yet have a satisfactory definition. The duality also maps D3 instantons to worldsheet instantons, so it furnishes a check on our understanding of instanton calculus. As a step toward these goals, I will discuss aspects of the duality recently explored in collaboration with Donagi and Gao. The first is an analog of F-theory for T^4 fibrations, which is useful for encoding the dual CY geometry. The second is an analog of D(imenional) duality that relates the CYs to auxiliary surfaces that are simpler to study. As a byproduct, we learn how to construct new Calabi-Yau manifolds with nontrivial fundamental group, which should be useful for heterotic model building.

Author: SCHULZ, Michael (Bryn Mawr College)

R. Tatar: "New Aspects of …

Contribution ID: 61

Type: not specified

#### R. Tatar: "New Aspects of Heterotic- F theory duality"

Thursday 31 July 2008 10:00 (30 minutes)

The duality between the Heterotic and F-theory is a powerful tool in gaining more insights into F-theory description of low-energy chiral multiplets. Because chiral multiplets from bundles  $/^2$  V and  $/^2$  V<sup>x</sup> as well as those from a bundle V are all involved in Yukawa couplings in Heterotic compactification, we need to translate descriptions of all those kinds of matter multiplets into F-theory language through the duality. We find that chiral matter multiplets in F-theory are global holomorphic sections of line bundles on what we call covering matter curves. The covering matter curves are formulated in Heterotic theory in association with normalization of spectral surface, while they are where M2-branes wrapped on a vanishing two-cycle propagate in F-theory.

Author: TATAR, Radu (U. Liverpool)

V. Braun:"Heterotic Model Building"

Contribution ID: 62

Type: not specified

#### V. Braun:"Heterotic Model Building"

Friday 1 August 2008 10:00 (30 minutes)

I will survey some aspects of geometric compactifications of heterotic strings and their low-energy phenomenology. In particular, I will focus on heterotic "non-standard embeddings". First, I will try to give a brief overview over the role of vector bundles in that construction, and how they can be constructed. Using our "heterotic standard model", I will discuss how the spectrum and Yukawa textures arise.

One observation is that not all possible superpotential terms are actually present in such compactifications. For example, I will consider a particular model with one excess Higgs-Higgs conjugate pair. It turns out that flavor-changing neutral currents are greatly suppressed.

Author: BRAUN, Volker (UPenn)

M. Trapletti: "Toric resolution of …

Contribution ID: 63

Type: not specified

#### M. Trapletti: "Toric resolution of Heterotic orbifolds"

Thursday 7 August 2008 10:00 (30 minutes)

We describe how to reproduce a large class of heterotic orbifold models as compactifications of 10d SUGRA on smooth manifolds in the presence of gauge fluxes. We show how to construct the smooth manifolds by resolving the orbifold singularity using toric geometry, and how to consistently embed U(1) gauge fluxes on them. Finally we match the obtained models with the standard heterotic orbifold models.

Author: TRAPLETTI, Michele (Ecole Politechnique)

K. Dienes: "A New Approach to F  $\cdots$ 

Contribution ID: 64

Type: not specified

#### K. Dienes: "A New Approach to Flavor?"

Friday 1 August 2008 10:30 (30 minutes)

The origin of flavor is one of the biggest mysteries of the Standard Model. Despite more than a half-century of data, we still have almost no explanation for family replication in the Standard Model. Many theoretical models can incorporate or accommodate this replication, but very few actually explain/predict/require it.

In this talk, I will describe some recent work on a possible new approach towards explaining the origin of family replication in the Standard Model.

Author: DIENES, Keith (U. Arizona)

Contribution ID: 65

Type: not specified

# F. Marchesano: "Generalized non-supersymmetric flux vacua"

Thursday 14 August 2008 10:30 (30 minutes)

I will discuss an strategy to construct 4D N=0 stable flux vacua of type II string theory, based on the existence of BPS bounds for probe D-branes in some of these backgrounds. In particular, I will consider compactifications where D-branes filling the 4D space-time obey the same BPS bound as they would

in an N=1 compactification, while other D-branes, like those appearing as domain walls from the 4D perspective, can no longer be BPS. I will discuss a subfamily of such backgrounds giving rise to 4D N=0 Minkowski no-scale vacua, generalizing the well-known case of type IIB on a warped Calabi-Yau.

Author: MARCHESANO BUZNEGO, Fernando (Unknown)

M. Bianchi: "D-branes on T-folds …

Contribution ID: 66

Type: not specified

#### M. Bianchi: "D-branes on T-folds with few T's"

*Friday 8 August 2008 10:00 (30 minutes)* 

Most of the mechanisms for moduli stabilization in String Theory involve R-R fluxes that can only be treated in the supergravity approximation. Non-geometric vacumm configurations with L-R asymmetric 'T-duality' twists and shifts allow to stabilize closed string moduli in a controllable way. Peculiarities of bound-states of D-branes in these backgrounds will be discussed in view of phenomenological applications to models with open and unoriented strings.

Author: BIANCHI, Massimo (U. Rome 2)

P. Anastasopoulos: "Anomalous ···

Contribution ID: 67

Type: not specified

#### P. Anastasopoulos: "Anomalous U(1)'s at LHC"

Friday 8 August 2008 10:30 (30 minutes)

I will study an extension of the MSSM by an anomalous abelian vector multiplet and a Stuckelberg multiplet. The anomalies are cancelled by the Green-Schwarz mechanism and the introduction of three-gauge-boson couplings that provide a massive boson like Z' with additional new couplings that have not been considered in the past. I will study the effects of these anomaly related terms and we show that they provide new effects in decays like Z'-> Z photon and Z'-> Z Z showing that in many cases the effects might be visible at LHC.

Author: ANASTASOPOPULOS, Pascal (U. Rome 2)

J.F. Morales:"Non-perturbative in ...

Contribution ID: 68

Type: not specified

# J.F. Morales:"Non-perturbative interactions from fluxes"

Thursday 14 August 2008 10:00 (30 minutes)

TBA

Author: MORALES, Jose Francisco (U. Rome 2)

C. Burgess: "Fibre Inflation and T

Contribution ID: 69

Type: not specified

#### C. Burgess: "Fibre Inflation and Tensor Perturbations in Type IIB Vacua"

Friday 15 August 2008 10:00 (30 minutes)

The talk presents an inflationary model of inflation in Type IIB string vacua, wherein the inflaton is a Kahler modulus of a K3 fibration Calabi Yau. It arises within the large-volume framework and so is closely related to Kahler modulus inflation models, and shares with these the property that the slow roll is not achieved by tuning parameters in the potential. But unlike the Kahler modulus models it appears to allow the possibility of obtaining observably large primordial tensor fluctuations.

Author: BURGESS, Clifford (High Energy Physics Group - McGill University)

Discussion Session: "The String L ···

Contribution ID: 71

Type: not specified

#### **Discussion Session: "The String Landscape"**

Wednesday 13 August 2008 10:00 (1 hour)

Discussion led by M. Douglas, B. Schellekens and H. Verlinde on the string theory landscape and its impact on particle physics and cosmology

**Authors:** SCHELLEKENS, Bert (NIKHEF); VERLINDE, Herman (Princeton University); DOUGLAS, Michael (Simons Center / Rutgers/ IHES)

Discussion Session: Strings vs. LHC

Contribution ID: 72

Type: not specified

#### **Discussion Session: Strings vs. LHC**

Friday 15 August 2008 10:30 (1 hour)

This will be an informal discussion on the status of string theory at the dawn of the LHC, and about the possible impact of coming experimental data.

**Authors:** ...; QUEVEDO, Fernando (Cambridge U.); KANE, Gordy (U. Michigan); IBANEZ, Luis (U. Autonoma Madrid)