



Contribution ID: 163

Type: poster presentation

## ATLAS strategy for primary vertex reconstruction during run-II of the LHC

Based on experience gained from run-I of the LHC, the ATLAS vertex reconstruction group has developed a refined primary vertex reconstruction strategy for run-II. With instantaneous luminosity exceeding  $10^{34}$  cm<sup>-2</sup> s<sup>-1</sup>, an average of 40 to 50 pp collisions per bunch crossing are expected. Together with the increase of the center-of-mass collision energy from 8 TeV to 13 TeV, this will create a challenging environment for primary vertex pattern recognition.

This contribution explains the ATLAS strategy for primary vertex reconstruction in high pile-up conditions. The new approach is based on vertex seeding with a medical-imaging algorithm, adaptive reconstruction of vertex positions, and iterative recombination of occasional split vertices. The mathematical foundation and software implementation of the method are described in detail. Monte Carlo-based estimates of vertex reconstruction performance for LHC run-II are presented.

**Primary author:** PROKOFIEV, Kirill (The Hong Kong University of Science and Technology (HK))

**Co-authors:** WHARTON, Andrew Mark (Lancaster University (GB)); Dr BORISSOV, Guennadi (Lancaster University (GB)); GRIMM, Kathryn (Lancaster University (GB)); PEDERSEN, Lars Egholm (University of Copenhagen (DK)); RUDOLPH, Matthew Scott (University of Toronto (CA)); ARNAEZ, Olivier (CERN); PAGAN GRISO, Simone (Lawrence Berkeley National Lab. (US))

**Presenters:** CATMORE, James (University of Oslo (NO)); JONES, Roger (Lancaster University (GB))

**Track Classification:** Track2: Offline software