

## **CdS/CdSe Co-sensitized on Different TiO<sub>2</sub> Morphologies and its Application to Quantum Dot-sensitized Solar Cells (QDSSCs)**

*Thursday, May 21, 2015 1:00 PM (3h 30m)*

With power conversion efficiency in continuous growth, quantum dot-sensitized solar cells (QDSSCs) are recently under high interest; however there is no such perfect cell yet developed for these devices. As the fundamental model of QDSSCs, the morphology of the TiO<sub>2</sub> photoanode plays an important role in photovoltaic performance. Herein, the TiO<sub>2</sub> films based on nanorods (TiR) and arrays of nanorods having flower blossom-like formations on their surface (FTiR) were synthesized by one- and double-step hydrothermal process, respectively. The CdS and CdSe co-sensitized on TiR and FTiR were deposited by using the successive ion layer absorption and reaction (SILAR) and chemical bath deposition (CBD). To study conversion efficiency, FTiR after CdS/CdSe co-sensitized has shown the improving conversion efficiency ( $\eta$ ) compared with TiR photoanode. The efficiencies of CdS/CdSe co-sensitized loading were 0.703% and 0.022% for FTiR and TiR photoanodes, respectively. This study revealed a synergistically beneficial effect (enhanced solar-to-current conversion) of the flower blossom-like formations on the nanorods in CdS/CdSe co-sensitized solar cells.

**Primary author:** Ms BUATONG, Nattha (Department of Physics, Faculty of Science, Kasetsart University, Bangkok, THAILAND 10900)

**Co-authors:** Ms MONTHA, Wararat (Department of Physics, Faculty of Science, Kasetsart University, Bangkok, THAILAND 10900); Dr PON-ON, Weeraphat (Department of Physics, Faculty of Science, Kasetsart University, Bangkok, THAILAND 10900)

**Presenter:** Ms BUATONG, Nattha (Department of Physics, Faculty of Science, Kasetsart University, Bangkok, THAILAND 10900)

**Session Classification:** Poster-3

**Track Classification:** Material Physics, Nanoscale Physics and Nanotechnology