



Contribution ID: 332

Type: **Contributed Oral Presentation**

## Performance Testing of a 15K Pulse Tube Cooler for Space Applications

*Monday, 29 June 2015 11:00 (15 minutes)*

Air Liquide has been working with ESA, CEA and Thales Cryogenics since 2010 to design, manufacture and test a 15K Pulse Tube Cooler system.

This cooler is particularly adapted to the pre-cooling needs of cryogenic chains designed to reach 0.1-0.05K for focal plane cooling on scientific space missions such as ATHENA.

The cooler is designed to provide cooling power  $>0.3\text{W}$  at temperatures from 15 to 18K with an electrical power budget less than 300W (excluding electronics) and a 288K rejection temperature. Significant cooling power at an intermediate temperature (typically 80-100K) is also available.

The design includes two cold fingers mounted on a common warm flange driven by a single high power compressor (240W PV power) specially developed for this application. The first cold finger is used to pre-cool the second, low temperature stage.

An Engineering Model has been manufactured and the design and test results will be presented in this paper.

**Primary author:** BUTTERWORTH, James (Air Liquide Advanced Technologies)

**Co-authors:** Mr CHASSAING, Clément (Air Liquide Advanced Technologies); Mr DE JONGE, Garnt (Thales Cryogenics, Eindhoven); Mr AIGOUY, Gérald (Air Liquide Advanced Technologies); Dr CHARLES, Ivan (SBT, UMR-E CEA / UJF-Grenoble 1); Mr MULLIÉ, Jeroen (Thales Cryogenics, Eindhoven); Mr LINDER, Martin (European Space Agency); Dr MARTIN, Sylvain (Air Liquide Advanced Technologies); DUVAL, jean-marc (SBT, UMR-E CEA / UJF-Grenoble 1)

**Presenter:** BUTTERWORTH, James (Air Liquide Advanced Technologies)

**Session Classification:** C1OrD - Low Temperature Aerospace Cryocoolers

**Track Classification:** CEC-04 - Cryocoolers (Aerospace)