



Contribution ID: 471

Type: Oral (Non-Student) / orale (non-étudiant)

## Restricted Weyl Invariance in Four-Dimensional Curved Spacetime

Wednesday, 17 June 2015 09:15 (15 minutes)

We discuss the physics of *restricted Weyl invariance*, a symmetry of dimensionless actions in four dimensional curved space time. When we study a scalar field nonminimally coupled to gravity with Weyl(conformal) weight of  $-1$  (i.e. scalar field with the usual two-derivative kinetic term), we find that dimensionless terms are either fully Weyl invariant or are Weyl invariant if the conformal factor  $\Omega(x)$  obeys the condition  $g^{\mu\nu}\nabla_\mu\nabla_\nu\Omega = 0$ . We refer to the latter as *restricted Weyl invariance*. We show that all the dimensionless geometric terms such as  $R^2$ ,  $R_{\mu\nu}R^{\mu\nu}$  and  $R_{\mu\nu\sigma\tau}R^{\mu\nu\sigma\tau}$  are restricted Weyl invariant. Restricted Weyl transformations possesses nice mathematical properties such as the existence of a composition and an inverse in four dimensional space-time. We exemplify the distinction among rigid Weyl invariance, restricted Weyl invariance and the full Weyl invariance in dimensionless actions constructed out of scalar fields and vector fields with Weyl weight zero.

**Primary authors:** Prof. EDERY, Ariel (Bishop's); Dr NAKAYAMA, Yu (Caltech)

**Presenter:** Prof. EDERY, Ariel (Bishop's)

**Session Classification:** W1-4 Gravity I (DTP) / Gravité I (DPT)

**Track Classification:** Theoretical Physics / Physique théorique (DTP-DPT)