
Proposed New CMS Conference Room on first floor of SHL (currently the SX5 visitors gallery)

J.Osborne CEMESTE 18 June 2008



Main access




18m

Floor area approx. 180m²



Existing wall to be removed



Existing floor to be replaced, carpet?



Second access/egress






False ceiling, lights ?



Glazed facade




No new window openings proposed



Width of existing stairs & doors need to be confirmed if acceptable > 50 people = 1.4m ?

Tableau 4.3. Nombre et largeur des dégagements.



(a) Dégagement accessoire (balcon, terrasse, échelle fixe ou circuit de circulation rapide) d'une largeur minimale de 0,60 m.
(b) Cette solution est acceptée si le parcours pour gagner l'extérieur est inférieur à 25 m et si les locaux ne sont pas en sous-sol.
Concernant les locaux situés en sous-sol lorsque l'effectif est supérieur à 200 personnes, la largeur des escaliers doit être déterminée en prenant pour base l'effectif ainsi calculé :

- l'effectif des personnes est arrondi à la centaine supérieure ;
- il est majoré de 10 % par mètre ou fraction de mètre au-delà de 2 m de profondeur.

•Conference Room must be considered as a 'non public area'.



New door may be required ?

SHL Draft Cost Estimate

CE works : Glazed wall along SX, partition wall at top of 2 nd staircase, false ceiling, architect (assumes existing external staircase is ok)	150-200kchf
J.Osborne	
Replace false flooring, carpet.	50kchf
D.Parchet	
Modifications to existing Ventilation systems 200chf/m2	40kCHF
B.Pirollet	
Internet	?
E.Sallaz	
Electrical modifications, new lighting, power	?
R.Lassausaie	
Safety equipment : Water Mist Smoke Detection <i>C.Schaefer</i>	?
Furniture/computers etc	?
?	
Total	240-290kchf