



Contribution ID: 59

Type: parallel talk

Discovery opportunity of new physics with M_2 variables

Tuesday 5 May 2015 17:30 (15 minutes)

I will discuss discovery potential of new physics at hadron colliders using the recently proposed on-shell constrained M_2 variables. Particular focus is upon new physics signatures in the top quark sector, for which regular pair-produced top quarks are dominant background. The relevant signal processes are featured by an *asymmetric* event topology, whereas top quark pairs are *symmetric*. I will start with a brief introduction on the on-shell constrained M_2 variables, and then design the kinematic variables under the assumption of $t\bar{t}$ event topology, evoking some contradiction in relevant observables. To demonstrate how the technique works, I will take a couple of examples: 1) supersymmetric top partner search and 2) light dark force carrier search.

Primary author: KIM, Doojin (University of Maryland)

Co-authors: MOORTGAT, Filip (CERN); LEE, Hye-Sung (CERN); GAINER, James (ANL/ Northwestern); MATCHEV, Konstantin (University of Florida (US)); PAPE, Luc (CERN); PARK, Myeonghun (Asia Pacific Center for Theoretical Physics (APCTP) (KR)); Dr CHO, Won Sang (University of Florida)

Presenter: KIM, Doojin (University of Maryland)

Session Classification: BSM V