



Contribution ID: 106

Type: **Poster presentation**

## **Concentrator for the Readout of the PANDA Micro Vertex Detector based on MicroTCA**

*Tuesday, June 7, 2016 3:00 PM (1h 30m)*

The Micro Vertex Detector (MVD) will be used as the central tracking detector in the PANDA (AntiProton Annihilation at Darmstadt) detector system which is under development for the future accelerator facility FAIR in Darmstadt, Germany. The design of the MVD is based on silicon strip detectors at the outer layer and on silicon pixel detectors at the inner layers. Data from the readout ASICs in the front end will be sent via GBT optical links to a multiplexing layer aggregating them to 10 Gbit/s optical uplinks to the Level-1 Trigger network. The multiplexing layer will be based on MTCA.4 using the HGF-AMC, a versatile MTCA.4 module developed by DESY in cooperation with KIT. In order to extend the multiplexing capabilities of the HGF-AMC, a Rear Transition Module (RTM) with 8 optical links has been designed.

**Primary author:** Mr KLEINES, Harald (Forschungszentrum Juelich)

**Co-authors:** Mr ACKENS, Axel (Forschungszentrum Juelich); Dr DROCHNER, Matthias (FZJ); Mr RAMM, Michael (Forschungszentrum Juelich); Dr WUESTNER, Peter (Forschungszentrum Juelich); Prof. VAN WAASEN, Stefan (Forschungszentrum Juelich)

**Presenter:** Mr KLEINES, Harald (Forschungszentrum Juelich)

**Session Classification:** Poster session 1

**Track Classification:** New Standards