



NIKHEF Test Bed Status

David Groep

davidg@nikhef.nl

STARTAP

2x622 Mbit/s

STARLight &

CERN

both 2.5 Gb/s

SURFnet NREN (10 Gbit/s)

NIKHEF Edge Router

IPv6
1Gb

IPv4
1Gb

FarmNet “backbone” – Foundry 15k

Development
Test Bed

5x dual-PIII

Application*
Test Bed

20x dual-PIII

FNAL/D0 MCC

50x dual-PIII

Cache
1.5Tb

NCF GFRC+

60x dual-AMD

DAS-2 Cycle
Scavenging

32x dual-PIII

168x dual-PIII

Testbed: current state

- ◆ Development test bed
 - EDG release 1.2.0
- ◆ Application test bed
 - EDG release 1.2.0
 - Support for all VOs (incl. EDGtutorial, CMS install pending)
- ◆ "External" services
 - Some of the VO membership and RC services (LHCb, Alice, EarthOb, BioMed, ...)
- ◆ Resource sharing with Dzero MCC production





Test bed contacts

- ◆ For requests, please mail the generic address

`grid.support@nikhef.nl *`

- ◆ Also for upgrade requests, RC problems, GDMP host quasi-VO, ...
- ◆ We operate as a best-effort service



Test Bed Buildup strategy

"Why buy farms if you can get the cycles for free?"

- ◆ Get lots of cycles in "scavenging" mode from CS research clusters
- ◆ Attracts other support from CS faculties
- ◆ Get cycles from national supercomputer funding agencies

Downside:


- ◆ Many different clusters (but all run Globus and most EDG middleware)
- ◆ Middleware shall (and should) be truly multi-disciplinary!





SARA: Mass Storage

- ◆ NIKHEF "proper" does not do mass storage - only ~ 2 TByte cache
 - ◆ SARA: 200 Tbyte StorageTek NearLine robot
 - ◆ 2 Gbit/s interconnect to NIKHEF
-
- ◆ Front-end: "teras.sara.nl" 1024 processor MPP - SGI IRIX
 - ◆ Ron Trompert ported GDMP to IRIX.
Now running!





Challenges and Hints

- ◆ Farm installation using LCFG works fine
 - Re-install takes 15 minutes (largely due to application software)
 - Adapts well to many nodes with different functions
(2xCE, 2xSE, 2xUI, external disk server,
2 acceptance-test nodes, 2 types WN, D0 nodes, ...)
- ◆ Some remaining challenges
 - "edg-release" configuration files are hard to modify/optimize
 - RedHat 6.2 is really getting old!
 - Netbooting for system without FDD
 - Get all the application to work!



LCFG configuration

- ◆ Use EDG farm to also accommodate local user jobs
- ◆ disentangled hardware, system, authorization and app. Config
- ◆ using autofs to increase configurability (/home, GDMP areas)
- ◆ Installed many more RPMs (DØMCC, LHCb Gaudi) and home-grown LCFG objects (pbsexechost, autofs, hdparm, dirperm)
- ◆ Force RPM install trick ([+updaterpms.offline](#))
- ◆ modified rdxprof to support multiple domains
- ◆ Shows flexibility of LCFG (with PAN it will be even nicer!)



```
[davidg@booder source]$ cat node18-10
/* node specific profile */

#include "inc/macros-cfg.h"           /* Some useful macro */
#include "inc/nikhef-macros.h"

/* Host specific definitions */
#define HOSTNAME          node18-10
#define LOCALDOMAIN        farmnet.nikhef.nl
#define SITE_GATEWAYS      192.168.18.254
#define SITE_NETMASK        255.255.255.0
#define PBS_MASTER          ce02

/* Linux and boot configuration */
#include "inc/nikhef-site-config-app.h" /* Site specific definitions */
#include "edg-1.2/linuxdef-cfg.h"      /* Linux default resources */
#include "inc/nikhef-sysconfig-core.h"    /* LCFG client specific resources */
/* Hardware configuration */
#include "inc/nikhef-nodetype-pizza0.h"   /* hardware config pizza0 nodes */
#include "inc/nikhef-disklayout-wn0.h"     /* disk layout for WN without home */
/* Software configuration */
#include "inc/nikhef-filesystems-wn0.h"   /* non-local filesystems (autofs) */
#include "inc/nikhef-auth-config.h"        /* Core auth definitions (root) */
#include "inc/nikhef-users.h"              /* permanent local users */
#include "inc/nikhef-poolusers.h"         /* EDG DataGrid leased users */
#include "edg-1.2/WorkerNode-cfg.h"    /* WorkerNode specific resources */
/* be sure to override rpmcfg */
#include "edg-1.2/pbs-cfg.h"             /* PBS specific config stuff */
#include "inc/nikhef-unmount-nfs.h"       /* get rid of fixed NFS mounts */
#include "inc/nikhef-pbsclient.h"         /* make this a client of the CE */
+update.rpmcfg                      rpmlist-net18
+updaterpms.offline                  upd020823171537-4165
```



RedHat 6.2 - modern-processor breakdown

- ◆ Recently acquired systems come with P4-XEON or AMD K7 "Athlon"
- ◆ Kernel on install disk (2.2.13) and in RH Updates (2.2.19) say "?????"
- ◆ Baseline: RedHat 6.2 is getting really old
- ◆ But a temporary solution can still be found (up to kernel 2.4.9):




use new kernel (without dependencies) in existing system

- ◆ Requires you to build a new RPM
- ◆ You can even get the Intel 1Gig card to work (for installs -> Steve)
- ◆ See <http://www.dutchgrid.nl/Admin/Nikhef/edg-testbed/>



Installing systems without an FDD

- ◆ Most modern motherboards support PXE booting
- ◆ stock LCFG-install kernel works well with PXE
- ◆ "just" need a way to prevent an install loop
 - thttpd daemon with a perl script to "reset" dhcpcd
 - called from modified dcsrc file
 - script will only reset dhcpcd.conf when \$REMOTE_ADDR matches
 - CNAF did something similar using temporary ssh keys



DutchGrid Platform

www.dutchgrid.nl



- **DutchGrid:**
 - Test bed coordination
 - PKI security
 - Support
- **Participation by**
 - NIKHEF, KNMI, SARA
 - DAS-2 (ASCI):
 - TUDelft, Leiden, VU, UvA, Utrecht
 - Telematics Institute
 - FOM, NWO/NCF
 - Min. EZ, ICES/KIS
- IBM, KPN, ...

Our test bed in the Future

- ◆ We expect continuous growth

- ◆ Our Aims:
 - ◆ ~ 1600 CPUs by 2007
 - ◆ "infinite" storage @ SARA
 - ◆ 2.5 Gbit/s interconnects now
 - ◆ > 10 Gbit/s in 2003/2004?

- ◆ Our constraints:
 - ◆ The fabric must stay generic and multi-disciplinary

