



Packaging and distribution issues

Flavia Donno, INFN-Pisa

EDG/WP8 EDT/WP4 joint meeting, 29 May 2002









Outline

- Motivations and goals
- The EDG solution
- First evaluation of VDT/PACMAN
 (distributing EDG/UserInterface via pacman)
- Towards a common solution.


Motivations and goals

- Deployment of common middleware tools
 - Installation/configuration of middleware software(Which releases? What components? Relocatability?...)
- Installation/configuration of application software
 - Variety of packaging (cmt, scram, softreltools, ...) and distribution/deployment/configuration tools (rpm, pacman, dar, upd, ...)
- Support for deployment on desktops, departmental clusters, production farms
 - EDG has a solution for managing "large" PC farms
- Definition of requirements/recommendations
 - Focus on distribution/deployment tools (pacman, upd, ...)
 - Support for multiple packaging tools (?)
 - Modularity, Relocatability, Flexible Configuration
 - Versioning, publishing dependencies, etc.
 - Interoperability with "fabric management" tools (?)

The EDG solution

◆ EDG/WP4 LCFG: "grid fabric management" tool

- Based on LCFG originally developed by Edinburgh University by Paul Anderson and Alastair Scobie to automatically manage "clusters" of machines (300 nodes).
- A site consists of one or more "software and profile servers" and a number of "clients". Both clients and server can be automatically configured starting from one of the profile servers. The first profile server needs to be installed/configured manually.



The EDG solution: LCFG

- Configuration files (in XML format) are distributed to clients via HTTP. The software repository (RPM bundles) is served via NFS to the client from one of the servers.
- Configuration files describe machines types (CE, SE, WN, ...). A machine type is defined by a list of RPMs and LCFG configuration objects (nfs, globus, gdmp, etc.). Inheritance is also supported.
- Modularity of LCFG objects for services/software configuration.
- Not only software but also system management: accounts, services, security, etc.
- The software installation step and the configuration step are kept separate for a better control.
- Tools are available for
 - starting/stopping/reconfiguring services,
 - uninstalling, downgrading, automatically updating rpms (updaterpms),
 - keeping the configuration homogeneous and coherent.


The EDG solution: LCFG

Drawbacks:

- LCFG is a powerful <u>system_management</u> tool, not a distribution/deployment tool.
- It needs a local software/configuration repository
- Full control of the machine (LCFG light).
- Based on RPMs only but very modular (versioning, run-time dependencies, etc.)
- %Postinstall step disabled during rpm installation. (No relocatability in EDG for the moment, specific user environment and service configuration solutions).
- Configuration and Interdependency issues need to be addressed by the repository manager (through LCFG objects).
- It does not address the one-time installation need (EDG Userinterface)
- ...
- → A lot to learn from it for what concerns configuration management issues.

- pacman is a package manager
 - you can transparently pull from a local or remote repository (http), install and manage software packages.
- ■Packages can be distributed in many forms: tarballs, rpms, ...
- Pacman hides the details of:
 - Where do you get the software from?
 - Which version of the software is right for your system?
 - Whether there are dependent packages that you have to install first?
 - Whether you have to be root or not?
 - ▶ What are the exact instructions for installing the software?
 - ► How to setup environment variables and paths for the packages once they are installed?
 - ► How to conveniently setup the same environment on multiple machines?
 - When a new version of the package is available and when you should upgrade?

- Install pacman (untar a file + source a script)
- Setup the file (cache_starter) with the URLs of possible pacman caches (=software repository)
- Issue user commands:
 - pacman -fetch <package>
 - pacman -install <package>
 - pacman -update <package>
 - pacman -uninstall <package>
 - pacman -remove <package>
 - □ pacman -local



Package	Description	Installed?	Update?	Depends on	Daemons	Date fetched
ca_CERN -0.6 -	EDG CERN Certification Authorities	yes	-	-	-	Mon_ Apr 22_ 17:39:51_ 2002_
ca_CESNET - 0.6 - 1	EDG CESNET Certification Authorities	yes	-	-	-	Mon_ Apr 22_ 17:39:52_ 2002_
ca_CNRS -0.6 -	EDG CNRS Certification Authorities	yes	-	-	-	Mon_ Apr 22_ 17:39:52_ 2002_
ca_CNRS - DataGrid -0.6 -1	EDG CNRS - DataGrid Certification Authorities	yes	-	-	-	Mon Apr 22 17:39:53 2002

Example of a *.pacman file:

```
= 'edg-userinterface-1.1.4'
name
description = 'EDG UserInterface Package'
        = 'http://marianne.in2p3.fr/'
           = "
source
systems = { }
depends = ['edg-ui-external-1.1.4', 'edg-compiler-1.0-0', \
         'ca EDG-0.6-1', 'edg-rgma-2.2.3-1',
         'globus_edg_ui-2.0-21', 'grm-1.0.2-1',
         'edg-profile-0.3-1', 'edg-user-env-0.3-1',
         'edg-utils-1.0.14-1', 'userinterface-1.1.2-1', \
         'userinterface-profile-1.1.2-1',
         'workload-profile-1.1.2-1'
exists
         = []
                             source="http://datagrid.in2p3.fr/distribution/datagrid/wp1/RPMS/"
                             systems = { 'linux-i386': ['edg-userinterface-1.1.4.i386.rpm','edg-userinterface-1.1.4']}
inpath
         = []
                             Install={'root': ['./configure-userinterface']}
bins
         = []
paths
         = []
enviros = []
localdoc = "
daemons = []
install = \{ \}
setup
          = []
demo
          = "
```

- Tested with EDG RPMs (EDG UserInterface)
- No check of dependencies for packages not installed with pacman
- No way to supercede default rpm installation options per package.
- Uninstalls only "dummy superpackage"
- No separate configuration step. Limited environment setup.
- Versioning not directly supported.
- Update = uninstall + install. It refreshes the internal packman database.
- No uninstall target.
- Manual generation of pacman files. How about an rpm->pacman conversion tool? Attempt from Atlas?
 (http://www.usatlas.bnl.gov/computing/software/pacman/ACF-cache/rpm2pacman)
- Fetching restarts from the beginning if an error occurs.
- Installation blocks if rpm already installed.
- Pacman database gets easily corrupted.

- Pacman offers a nice layer of abstraction vs existing packaging tools
- It allows for distributed management of a pacman cache (and so for software installation and configuration)
- It is easy to use at a user level and at a cache manager level (but quite limited at the moment).

But:

- Does it really offer a solution to the needs we have ?
- Can it be integrated into LCFG? What are the requirements? How about other management tools?
- We still have to address the problems of versioning, interdependency, publishing of package metadeta info, configuration issues, etc.
- How about software distribution and VDT/EDG releases ?

Towards a common solution

We have:

- We have examined the EDG LCFG and VDT PACMAN tools
- They respond to different requests and offer "limited" solutions.

How do we proceed in DataTAG?

We will:

- Continue the study of existing tools feeding back requirements to the developers - we are working with people from the Condor team.
- Report on existing technologies and tools
- Write a recommendations/requirements document (by the 15th of June)
- Feed our input back to GLUE and LCG for a common (?) solution.
- Create an experimental distribution with EDG and VDT software attempting to sort out configuration/installation issues.