

EGEE

Enabling Grids for
E-science in Europe

www.eu-egee.org

Grid proxy and MyProxy

GENIUS/GILDA Tutorial, Catania, 24-25.05.2004

Giuseppe La Rocca
EGEE NA4 Generic Applications



EGEE is a project funded by the European Union under contract IST-2003-508833

Contents

- Create a proxy certificate
- Printing information on a proxy certificate
- Destroying a proxy certificate

- Creating a long-term proxy
- Printing information on a long-term proxy
- Destroy a long-term proxy



Grid-proxy-init

To create a proxy certificate, issue the command:

```
>> grid-proxy-init
```

```
Your identity: /C=IT/O=GRID/OU=Personal  
Certificate/L=INFN Catania/CN=Giuseppe La  
Rocca/Email=giuseppe.larocca@ct.infn.it
```

```
Enter GRID pass phrase for this identity:
```

```
Creating proxy ..... Done
```

```
Your proxy is valid until: Thu May 27 04:11:19 2004
```



Enabling Grids for
E-science in Europe

Grid-proxy-info

To print information about a proxy certificate, issue the command:

```
>> grid-proxy-info
subject : /C=IT/O=GILDA/OU=Personal Certificate/L=INFN
Catania/CN=Giusseppe La
Rocca/Email=giusseppe.larocca@ct.infn.it/CN=proxy
issuer : /C=IT/O=GILDA/OU=Personal Certificate/L=INFN
Catania/CN=Giusseppe La Rocca/Email=giusseppe.larocca@ct.infn.it
type : full
strength : 512 bits
path : /tmp/x509up_u512
timeleft : 11:59:54
```



Enabling Grids for
E-science in Europe

Grid-proxy-destroy

To destroy a proxy certificate, issue the command:

>> **grid-proxy-destroy**



Enabling Grids for
E-science in Europe

Myproxy-init

To create and store a long-term proxy certificate, the user must do:

```
>> myproxy-init -s grid001.ct.infn.it
```

```
Your identity: /C=IT/O=GILDA/OU=Personal Certificate/L=INFN  
Catania/CN=Giusseppe La Rocca/Email=giusseppe.larocca@ct.infn.it
```

Enter GRID pass phrase for this identity:

Creating proxy

..... Done

Proxy Verify OK

Your proxy is valid until: Wed Jun 2 17:00:46 2004

Enter MyProxy pass phrase:

Verifying password - Enter MyProxy pass phrase:

A proxy valid for 168 hours (7.0 days) for user larocca now exists on grid001.ct.infn.it.

Myproxy-init

If your certificate is going to expire, you can create a new long-term-proxy with a lifetime in hours less than the certificate's remaining one, by using the command

>>myproxy-init -s <server> -c <hours>

Where **-c** is the option to set the lifetime of delegated proxy on server.



Enabling Grids for
E-science in Europe

Myproxy-get-delegation

To get a long-term proxy, issue the command:

```
>> myproxy-get-delegation -s grid001.ct.infn.it
```

Enter MyProxy pass phrase:

A proxy has been received for user larocca in /tmp/x509up_u512



Enabling Grids for
E-science in Europe

Myproxy-info

To retrieve information about a long-term proxy, issue the command:

```
>> myproxy-info
```

username: larocca

owner: /C=IT/O=GILDA/OU=Personal Certificate/L=INFN
Catania/CN=Giusseppe La
Rocca/Email=giusseppe.larocca@ct.infn.it

timeleft: 167:39:46 (7.0 days)

Myproxy-destroy

To destroying a long-term proxy, issue the command:

>> **myproxy-destroy -s grid001.ct.infn.it**