

TEC, Trigger and Check: preparing LOFAR for Lunar observations

Tuesday 7 June 2016 12:10 (20 minutes)

One of the main ways to use radio to detect Ultra High Energy Neutrinos and Cosmic Rays is the Lunar Askaryan technique, that uses the Moon as a target and searches for nanosecond pulses with large radio telescopes. To use low frequency aperture arrays, such as LOFAR and the SKA, pose new challenges and possibilities in detection techniques of short radio pulses and an accurate measurement of the Total Electron Content (TEC). As a preparatory work, we have used other measurements that use similar techniques, or that can answer a specific question, with the LOFAR radio telescope. In this contribution I will report on our work on triggering on short radio signals, post-event imaging of radio signals from buffered data and methods to determine the TEC-value.

Summary

Author: TER VEEN, Sander (ASTRON)

Co-authors: Dr NELLES, Anna (University of California Irvine); BONARDI, Antonio (IMAPP - Radboud University Nijmegen); CORSTANJE, Arthur (Radboud University Nijmegen); TRINH, Gia (KVI-CART, University of Groningen); Prof. FALCKE, Heino (Radboud University Nijmegen); Mr ENRIQUEZ, J. Emilio (Radboud University Nijmegen); HÖRANDEL, Jörg (Ru Nijmegen/Nikhef); RACHEN, Jörg Paul (IMAPP / Radboud University Nijmegen); MULREY, Katie (Vrije Universiteit Brussel); Dr ROSSETTO, Laura; SCHOLTEN, Olaf (KVI-CART, Univ. of Groningen); SCHELLART, Pim (R); Mrs MITRA, Pragati (Vrije Universiteit Brussels); THOUDAM, Satyendra (Radboud University); BUITINK, Stijn (Vrije Universiteit Brussel (VUB)); Dr WINCHEN, Tobias (Vrije Universiteit Brussel)

Presenter: TER VEEN, Sander (ASTRON)

Session Classification: Presentations