



Contribution ID: 223

Type: **Poster**

Effect of MnO_2 morphology on electrochemical capacitance of supercapacitor electrode

Wednesday 24 May 2017 15:45 (15 minutes)

In this study, different surface morphologies of MnO_2 (rod, wire, urchin and tube-like MnO_2) with an α -phase crystalline structure were synthesized via a hydrothermal process by adding various reagents. The crystalline structure and morphology were examined by X-ray diffraction (XRD) and scanning electron microscopy (SEM), respectively. In addition, the electrochemical properties were measured using cyclic voltammetry (CV) and galvanostatic charge/discharge (C.D.) in 1 M Na_2SO_4 aqueous solution. The specific capacitance of rod, wire, urchin and tube-like MnO_2 were about 110.20, 73.49, 53.80 and 64.31 F g^{-1} . Especially, the rod-like MnO_2 exhibits a highest capacitance of 110.2 F g^{-1} at the current density of 0.5 A g^{-1} due to its smallest size.

Primary authors: Mr PHAKKHAWAN, Authit (Khon Kaen University); Dr KLANGTAKAI, Pawinee (Khon Kaen University); Dr PIMANPANG, Samuk (Srinakharinwirot University)

Presenter: Mr PHAKKHAWAN, Authit (Khon Kaen University)

Session Classification: Poster Presentation I

Track Classification: Nanoscale Physics and Nanotechnology