


Particle Flow reconstruction & Software compensation



Huong Lan Tran

Software session - 30/08/2016

CLIC Detector and Physics Collaboration Meeting


Outlines

- Particle flow reconstruction and software compensation
- Software compensation technique
- Implementation of software compensation into Pandora
- Some results with ILD detector model
- What does it mean for CLIC detector study?




Particle Flow reconstruction & Software compensation

- Particle Flow reconstruction: trace individual particles
 - Need precise measurement of particle's energy with calorimeters
- ILD calorimeters are non-compensating: degrade energy resolution
 - Compensation with electromagnetic response truncation (cell energy truncation)
- But ILD calorimeters are highly granular:
 - Allow assessment at sub-shower level for electromagnetic and hadronic **sub-shower distinction** for software compensation



Software compensation

- **Software compensation** technique by CALICE: weighting hit energy according to its energy density




$$\omega(\rho) = p_1 \cdot \exp(p_2 \cdot \rho) + p_3$$

$$E_{SC} = \sum_{hits} E_{ECAL} + \sum_{bin} (E_{HCAL}^{bin} \times \omega_{bin}(\rho))$$

$$\text{with } E_{HCAL}^{bin} = \sum_{hits \in bin} E_{hit}$$


Example on software compensation's operation



You can see the EM shower core being reduced in energy (weight < 1).

The surrounding hadronic hits are increased in energy (weight > 1).


ECAL hits not affected by software compensation.



Coloured in by weight applied in software compensation.

Blue: Low Weight
Green: High Weight

Software compensation application



- First set of clusters obtained
- Clusters without track: neutral particles, fragment, ...
 - Clusters with associated track: cluster-track energy comparison. **Crucial** as it decides how good the energy reconstruction will be
- ⇒ Software compensation for all clusters

OR

Software compensation for neutral hadrons



Software version and configuration


- **Detector model:** `ILD_o1_v06`
- **Reconstruction software:** `ilcsoft_v01-17-07` combined with PandoraPFA version `v02-09-00`:
 - PandoraSDK `v02-03-01`
 - LCContent `v02-04-00` including software compensation in LCPlugins and hits information registration for software compensation weight training in LCUtility
 - PandoraMonitoring `v02-03-00`
- **Digitiser:** `ILDCaloDigi` with realistic options for ECAL and HCAL
- **Calibration constants** optimised using PandoraAnalysis toolkit
- **Timing cut:** `100 ns`









Final software compensation implementation

Branch: **master** ▾ **LCContent** / [src](#) / **LCPlugins** /

[Create new file](#) [Upload files](#) [Find file](#) [History](#)

 **StevenGreen1** committed with **johnmarshall80** Further optimisation of clean clusters

Latest commit a943d04 24 days ago







| | | |
|--|--|--------------|
| .. | | |
|  LCBFieldPlugin.cc | Rename FineGranularityContent library -> LCContent. | 2 years ago |
|  LCEnergyCorrectionPlugins.cc | Further optimisation of clean clusters | 24 days ago |
|  LCParticleIdPlugins.cc | Improved const-correctness. Algorithms are now only exposed to pointe... | a year ago |
|  LCPseudoLayerPlugin.cc | Rename FineGranularityContent library -> LCContent. | 2 years ago |
|  LCShowerProfilePlugin.cc | Cosmetic changes. | 4 months ago |
|  LCSoftwareCompensation.cc | Further optimisation of clean clusters | 24 days ago |

Branch: **master** ▾ **LCContent** / [src](#) / **LCUtility** /

[Create new file](#) [Upload files](#) [Find file](#) [History](#)

 **StevenGreen1** Added software compensation energy correction plugin class. Added alg... [...](#)

Latest commit b1093c9 on Apr 30


| | | |
|---|--|-------------|
| .. | | |
|  CaloHitPreparationAlgorithm.cc | Cosmetic changes. | a year ago |
|  ClusterPreparationAlgorithm.cc | Improved member variable initialization, with a default constructor f... | 2 years ago |
|  EventPreparationAlgorithm.cc | Make list names and current list management properties mandatory - th... | 2 years ago |
|  PfoPreparationAlgorithm.cc | Improved member variable initialization, with a default constructor f... | 2 years ago |
|  TrackPreparationAlgorithm.cc | Improved const-correctness. Algorithms are now only exposed to pointe... | a year ago |
|  TrainingSoftwareCompensation.cc | Added software compensation energy correction plugin class. Added alg... | a month ago |



Final software compensation implementation

- **Visual Pandora: PandoraMonitoring v02-03-00**

- New functionality in cell algorithm (visualise hit and cluster energy) allow colouring hits in a cluster according to weight applied in software compensation
- Thanks to Steven Green



Final software compensation implementation

- **Setting in Pandora: SC enabled by default in PandoraSettingsDefault.xml**
 - Software compensation weights for standard ILD detector are used by default
 - All variables are steerable

```
<!-- PLUGIN SETTINGS -->
<HadronicEnergyCorrectionPlugins>SoftwareCompensation</HadronicEnergyCorrectionPlugins>
<EmShowerPlugin>LCEmShowerId</EmShowerPlugin>
<PhotonPlugin>LCPhotonId</PhotonPlugin>
<ElectronPlugin>LCElectronId</ElectronPlugin>
<MuonPlugin>LCMuonId</MuonPlugin>
```

Software compensation in Particle Flow reconstruction

Huong Lan Tran, Katja Krüger, Felix Sefkow
Deutsches Elektronen-Synchrotron DESY, Hamburg, Germany

Steven Green, John Marshall, Mark A. Thomson
Cavendish Laboratory, Cambridge, United Kingdom

Frank Simon
Max-Planck-Institut für Physik, Munich, Germany

High calorimeter granularity is the prerequisite requirement for particle separation in Particle Flow reconstruction. It can be further utilised in the so-called *software compensation technique*, in which it provides a discrimination of the electromagnetic sub-showers in hadron showers and therefore improves the energy resolution for single particles. This improvement in the single particle energy resolution can then lead to a better jet energy resolution. This paper describes the software compensation technique and its implementation in Particle Flow reconstruction. The impact of the software compensation on the cell size optimisation for the hadronic calorimeter of the International Large Detector (ILD) is also discussed.

- Paper written on this: first draft done
 - Soon to be on review



CONTENTS

| | |
|---|---|
| I. Introduction | 1 |
| A. The particle flow approach to calorimetry and the PandoraPFA framework | 1 |


I. INTRODUCTION

| | |
|---|---|
| A. The particle flow approach to calorimetry and the PandoraPFA framework | 1 |
|---|---|

Energy resolution with software compensation








- Software compensation benefits in two-fold way:
 - Improve energy reconstruction of neutral objects
 - Improve cluster energy estimator for better track-cluster association > confusion mitigation
- Significant improvement at both single particle and jet level
- Software compensation applied at re-clustering stage more beneficial for jet energy resolution




JER vs cell size

- Effectiveness of software compensation depends on granularity
 - Software compensation included in cell size optimisation
 - Weights optimised for each cell size



Application to CLIC detector study

- CLIC detector study involves very high energy jets
 - Need a validation of software compensation weights
 - Or: Optimisation of software compensation weights for a wider range of energy



Almost no improvement
when applying SC
➤ more in Steve's [talk](#)



Summary

- Jet energy resolution with software compensation in Pandora:
 - Significant gain in performance over a wide jet energy range, best performance achieved for ILD detector
 - Inclusion of SC does not significantly alter view on cell size optimisation
- Software compensation code and utilities in latest version of PandoraPFA
 - Some small issues observed for high jet energies
- Installed in new ILCsoft v01-17-10
 - Weights fixed for standard ILD detector, flexibility feature added in new version on [GitHub](#)
- Study summarised in a paper, soon to be on review



Back-up slides



Software Compensation in AHCAL optimisation

- **Idea:** Applying different weights for hits of different energy densities
- **Weight** defined as:

$$\omega(\rho) = p_1 \cdot \exp(p_2 \cdot \rho) + p_3$$

where ρ is hit energy density, p_1, p_2, p_3 are *beam energy dependent parameters*

- Energy of cluster then computed in software compensation method as:


$$E_{SC} = \sum_{hits} E_{ECAL} + \sum_{hits} (E_{HCAL} \cdot \omega(\rho))$$

- Weights determined through minimising a χ^2 function:

$$\chi^2 = \sum_{events} (E_{SC} - E_{beam})^2$$



Hit Energy Density and Weights



Weight determination:

- Through χ^2 minimisation
- For each beam energy weights are defined with three parameters p_1, p_2, p_3


$$\omega(\rho) = p_1 \cdot \exp(p_2 \cdot \rho) + p_3$$

where p_1, p_2, p_3 are energy dependent parameter (defined directly in χ^2)


$$p_1 = p_{10} + p_{11} \times E_{ini} + p_{12} \times E_{ini}^2$$

$$p_2 = p_{20} + p_{21} \times E_{ini} + p_{22} \times E_{ini}^2$$




$$p_3 = \frac{p_{30}}{p_{31} + e^{p_{32} \times E_{ini}}}$$



Weight parameters




$$\omega(\rho) = p_1 \cdot \exp(p_2 \cdot \rho) + p_3$$




Final software compensation implementation

- Software compensation now applied **all-at-once** in re-clustering step



Software compensation in PFlow reconstruction

- First set of clusters
 - No associated tracks
 - Neutral particles
 - Fragments
 - To be merged in other clusters
 - ⋯ Has associated tracks
 - Cluster energy will be compared to track energy
 - re-clustering if not compatible
- Software compensation applied for *only clusters with associated tracks* for energy comparison
In principle *can be applied for both type* of clusters



Software compensation in PFlow reconstruction



First set of clusters



No associated tracks

- Neutral particles
- Fragments
- To be merged in other clusters



Has associated tracks

- Cluster energy will be compared to track energy re-clustering if not compatible


➤ Software compensation applied for

only clusters with associated tracks

for energy comparison

In principle *can be applied for both type*


of clusters



Particle Flow Objects

➤ Software compensation applied for *neutral PFOs*

- Stand-alone: sometimes better, sometimes worse compared to Steve's results with truncation
- When combine with application at re-clustering for clusters with associated tracks: improvement at high energies but degradation at small energies




HCAL cell truncation performance

- HCAL cell truncation is not applied ALONE:


Two default energy correction plugins are turned on

- **CleanClusters**: clean hot hits in ECAL track, which is quite effective in *low energy range* for clusters which are largely contained in ECAL
- **ScaleHotHadrons**: some sort of simple software compensation for clusters that have up to 100 hits (affects low energy range)
- Study to separate the effect of CleanClusters +ScaleHotHadrons and HCAL cell truncation



CleanClusters energy correction

- CleanClusters mainly affects ECAL clusters by changing energy significantly (remove hot cell)




```
[ VERBOSE "MyMarlinPandoraDefault" ] Software compensation changing energy : 1
[ VERBOSE "MyMarlinPandoraDefault" ] Number of hits in cluster      : 40
[ VERBOSE "MyMarlinPandoraDefault" ] Hadronic Energy of Cluster   : 3.79469
[ VERBOSE "MyMarlinPandoraDefault" ] Corrected Energy of Cluster  : 1.74793
[ VERBOSE "MyMarlinPandoraDefault" ] NECalHits                   : 40
[ VERBOSE "MyMarlinPandoraDefault" ] NHCALHits                    : 6
```

Clean Cluster Changing Energy Significantly

```
[ VERBOSE "MyMarlinPandoraDefault" ] 0x1c6a140
[ VERBOSE "MyMarlinPandoraDefault" ] energyInPreviousLayer      : 0.0160862
[ VERBOSE "MyMarlinPandoraDefault" ] energyInNextLayer         : 0.0199764
[ VERBOSE "MyMarlinPandoraDefault" ] energyInCurrentLayer      : 2.45802
[ VERBOSE "MyMarlinPandoraDefault" ] energyInAdjacentLayers    : 0.0180313
[ VERBOSE "MyMarlinPandoraDefault" ] hitHadronicEnergy         : 1.06995
[ VERBOSE "MyMarlinPandoraDefault" ] Min Clean Hit Energy      : 1
[ VERBOSE "MyMarlinPandoraDefault" ] Fraction of cluster energy in hit : 0.281959
[ VERBOSE "MyMarlinPandoraDefault" ] m_minCleanHitEnergyFraction : 0.2
[ VERBOSE "MyMarlinPandoraDefault" ] newHitHadronicEnergy(energyInAdjacentLayers - energyInCurrentLayer + hitHadronicEnergy) : 0.2
[ VERBOSE "MyMarlinPandoraDefault" ] energy change (newHitHadronicEnergy - hitHadronicEnergy) : -0.869948
[ VERBOSE "MyMarlinPandoraDefault" ] Changing the energy...
[ VERBOSE "MyMarlinPandoraDefault" ] energyInPreviousLayer      : 0.0160862
[ VERBOSE "MyMarlinPandoraDefault" ] energyInNextLayer         : 0.0199764
[ VERBOSE "MyMarlinPandoraDefault" ] energyInCurrentLayer      : 2.45802
[ VERBOSE "MyMarlinPandoraDefault" ] energyInAdjacentLayers    : 0.0180313
[ VERBOSE "MyMarlinPandoraDefault" ] hitHadronicEnergy         : 1.37682
[ VERBOSE "MyMarlinPandoraDefault" ] Min Clean Hit Energy      : 1
[ VERBOSE "MyMarlinPandoraDefault" ] Fraction of cluster energy in hit : 0.362827
[ VERBOSE "MyMarlinPandoraDefault" ] m_minCleanHitEnergyFraction : 0.2
[ VERBOSE "MyMarlinPandoraDefault" ] newHitHadronicEnergy(energyInAdjacentLayers - energyInCurrentLayer + hitHadronicEnergy) : 0.2
[ VERBOSE "MyMarlinPandoraDefault" ] energy change (newHitHadronicEnergy - hitHadronicEnergy) : -1.17682
[ VERBOSE "MyMarlinPandoraDefault" ] Changing the energy...
[ VERBOSE "MyMarlinPandoraDefault" ] This cluster requires an energy correction according to the CLEAN CLUSTERS logic.
[ VERBOSE "MyMarlinPandoraDefault" ] Number of hadronic plugins registered: 2
[ VERBOSE "MyMarlinPandoraDefault" ] 0x1c6a0a0
```

CleanClusters energy correction

- CleanClusters mainly affects ECAL clusters by changing energy significantly (remove hot cell)




```
[ VERBOSE "MyMarlinPandoraDefault" ] Software compensation changing energy : 1
[ VERBOSE "MyMarlinPandoraDefault" ] Number of hits in cluster      : 59
[ VERBOSE "MyMarlinPandoraDefault" ] Hadronic Energy of Cluster   : 3.67985
[ VERBOSE "MyMarlinPandoraDefault" ] Corrected Energy of Cluster  : 1.96347
[ VERBOSE "MyMarlinPandoraDefault" ] NECalHits                   : 70
[ VERBOSE "MyMarlinPandoraDefault" ] NHCALHits                   : 0
```

Clean Cluster Changing Energy Significantly

➤ Use CleanClusters for ECAL clusters

```
VERBOSE "MyMarlinPandoraDefault" ] energyInPreviousLayer      : 0.151975
VERBOSE "MyMarlinPandoraDefault" ] energyInNextLayer        : 0.170483
VERBOSE "MyMarlinPandoraDefault" ] energyInCurrentLayer     : 2.29877
VERBOSE "MyMarlinPandoraDefault" ] energyInAdjacentLayers   : 0.161229
VERBOSE "MyMarlinPandoraDefault" ] hitHadronicEnergy        : 1.91638
VERBOSE "MyMarlinPandoraDefault" ] Min Clean Hit Energy     : 1
VERBOSE "MyMarlinPandoraDefault" ] Fraction of cluster energy in hit : 0.520776
VERBOSE "MyMarlinPandoraDefault" ] m_minCleanHitEnergyFraction : 0.2
VERBOSE "MyMarlinPandoraDefault" ] newHitHadronicEnergy(energyInAdjacentLayers - energyInCurrentLayer + hitHadronicEnergy) : 0.2
VERBOSE "MyMarlinPandoraDefault" ] energy change (newHitHadronicEnergy - hitHadronicEnergy) : -1.71638
```

JER with small energies (3x3cm² HCAL)



Software compensation and semi-digital reconstruction

- Semi-digital reconstruction is particularly
- successful at low energies
 - Counting hits at 3 thresholds N_1, N_2, N_3

- Reconstructed energy: $E_{SD} = \sum_{bins} \alpha_i \cdot N_i$

or

$$E_{SD} = \sum_{hits} \alpha_i \cdot \frac{E_j}{E_j} = \sum_{hits} \omega_j \cdot E_j \text{ with } \omega_j = \frac{\alpha_i}{E_j}$$

- Software compensation can also apply the **same formalism** keeping **10 bin definition** of classic SC:

$$E_{SC} = \sum_{hits} E_{ECAL} + \sum_{bin} (\alpha + \beta E_{sum} + \gamma E_{sum}^2) \times E_{HCAL}^{bin}$$

- Give compatible results to classic software compensation
 - Number of bin and binning definition steerable
 - Allow semi-digital reconstruction in the same framework for direct comparison

