

GOCDB failover report

Gilles Mathieu – STFC GAG, EGEE'09, Barcelona 23 Sept. 2009



GOCDB-3 failover (1)

- RAL machine room migration in June
 - RAL machine room offline for 1 week
 - Frontend running at ITWM in Germany
 - DB running at Daresbury in the UK
- Bilan and actions
 - It worked ◎
 - SSL issues identified



GOCDB-3 failover (2)

- RAL power outage 12-16 August
 - Power went out at RAL on 12/08 at 00:30
 - "Emergency" failover operated
 - Involved a lot of head scratching (possibly leading to hair loss)



GOCDB-3 failover (3)

- RAL power outage 12-16 August
 - Overall impact on GOCDB availability:

	12-Aug										13-Aug										14-Aug															
	n	2	4	6	8	10	12	14	16	18	20	22	0	2	4	6	8	10	12	14	16	18	20	22	0	2	4	6	8	10	12	14	16	18	20	22
						10			10	10								10			10	10								10				10		
Web portal																																				
External DB access																																				
GOCDB-PI																																				

- GOCDB web portal has been unavailable for 8.5h, and available in read-only for 25.5h
- GOCDB-PI has been unavailable for 12.5h
- Direct DB access has been unavailable for 34h



GOCDB-3 failover (4)

- RAL power outage 12-16 August: Bilan and actions
 - Performance issues on CNAF DB
 - Solved by changing the schema/queries
 - DB dump transfer automation
 - Worked on right now
- Future of GOCDB failover?