Abstract for Presentation at 22nd International Spin Symposium

• Name: Kaibao Chen

• Institution: School of Physics, Shandong University, Jinan, China

• Title of presentation: Azimuthal and spin asymmetries in $e^+e^- \to V\pi X$ at high energies

and 3D fragmentation functions

• Type of presentation: Oral

• E-Mail: chenkb@mail.sdu.edu.cn

Semi-inclusive vector and pseudoscalar meson production in e^+e^- annihilation at high ener-

gies is an ideal place to study three dimensional fragmentation functions, especially for the tensor

polarization dependent part. We present the complete general kinematic analysis of this process

and show that the cross section should be expressed by 81 independent structure functions, and

give the results of azimuthal and spin asymmetries as well as hadron polarizations in terms of

these structure functions. We also present the parton model calculation results for this process

up to twist-3 level in leading order pQCD. We get the relationships between these structure

functions and fragmentation functions, also the azimuthal asymmetries and hadron polarization

results in the form of convolutions of these fragmentation functions. In this way, we show that

these three dimensional fragmentation functions can be accessed in experiments through these

measurable quantities.

References

[1] S. Y. Wei, K. b. Chen, Y. k. Song and Z. t. Liang, Phys. Rev. D **91**, no. 3, 034015 (2015)

[arXiv:1410.4314 [hep-ph]].

[2] K. b. Chen, W. h. Yang, S. y. Wei and Z. t. Liang, arXiv:1605.07790 [hep-ph].

1