



Contribution ID: 76

Type: Young Scientist Forum

## Natural dark matter in the pMSSM

*Thursday, April 20, 2017 7:45 PM (8 minutes)*

We evaluate the fine-tuning of the phenomenological minimal supersymmetric standard model (pMSSM). We show that, contrary to common believe, that the fine-tuning of the pMSSM is not large yet, nor under pressure by LHC searches. Low sbottom, stop and gluino masses turn out to be less relevant for low fine-tuning than commonly assumed. Fine-tuning arguments point to models with a dark matter candidate yielding the correct dark matter relic density: a bino-higgsino particle with a mass of 35–155 GeV. Some of these candidates are compatible with recent hints seen in astrophysics experiments such as Fermi-LAT and AMS-02. We argue that upcoming direct search experiments, such as XENON1T, will test all of the most natural solutions in the next few years.

**Primary authors:** CARON, Sascha (Nikhef National institute for subatomic physics (NL)); VAN BEEKVELD, Melissa (Radboud University Nijmegen); RUIZ DE AUSTRI, Roberto (Instituto de Fisica Corpuscular (ES)); Prof. BEENAKKER, Wim (Radboud University Nijmegen)

**Presenter:** VAN BEEKVELD, Melissa (Radboud University Nijmegen)

**Session Classification:** YSF

**Track Classification:** Dark Matter