

# **2nd TCT Workshop**

Monday 17 October 2016 - Tuesday 18 October 2016

Jožef Stefan Institute

## **Book of Abstracts**



# Contents

Advanced TCT systems . . . . .	1
Beam locator/Beam monitoring/Support PCBs . . . . .	1
Comparison of different signal simulation tools . . . . .	1
Comparison of different simulations tools and update on KDetSim . . . . .	1
Diode measurements and pulse analysis with TCT . . . . .	1
Edge TCT on AMS H35 HV-CMOS devices . . . . .	1
Edge-TCT measurements . . . . .	1
Edge-TCT measurements on different HVCMOS devices . . . . .	2
Laboratory results on LGADs (Timing) . . . . .	2
Mobility measurements . . . . .	2
Resolving authentic time dependence of time-of-flight photocurrent in organic semiconductors . . . . .	2
Scanning TCT - example of operation . . . . .	2
Single event effect tests with focused light . . . . .	3
TCAD simulations . . . . .	3
TCAD simulations . . . . .	3
TCT in presence of continuous illumination - studies of bulk material . . . . .	3
TCT measurements on 3D detectors . . . . .	3
TCT measurements on diodes . . . . .	3
TCT pulse analysis and corrections . . . . .	4
Temperature dependence of LGAD response . . . . .	4
Two photon absorption Transient Current Technique System . . . . .	4
Understanding pulse shapes at high fluences . . . . .	4
Update on KDetSim . . . . .	4

Update on TRACS . . . . .	4
Update on TRACS simulation . . . . .	4
Welcome . . . . .	5

**TCT systems / 2**

## **Advanced TCT systems**

**Corresponding Author:** marko.zavrtanik@cern.ch

**Practical issues(tips and tricks) / 13**

## **Beam locator/Beam monitoring/Support PCBs**

**Corresponding Authors:** gregor.kramberger@ijs.si, sven.wonsak@cern.ch

**Simulations / 20**

## **Comparison of different signal simulation tools**

**Corresponding Author:** gregor.kramberger@ijs.si

**Results from recent TCT measurements on different detector structures / 17**

## **Comparison of different simulations tools and update on KDet-Sim**

**Corresponding Author:** gregor.kramberger@ijs.si

**Hands on experience / 14**

## **Diode measurements and pulse analysis with TCT**

- 1.) Analysis of the signal - reflection
- 2.) Mobility measurements

**Results from recent TCT measurements on different detector structures / 9**

## **Edge TCT on AMS H35 HV-CMOS devices**

**Corresponding Author:** ecavallaro@ifae.es

**Results from recent TCT measurements on different detector structures / 11**

## **Edge-TCT measurements**

**Corresponding Author:** finn.feindt@desy.de

**Results from recent TCT measurements on different detector structures / 16**

## **Edge-TCT measurements on different HVCMOS devices**

**Corresponding Author:** bojan.hiti@cern.ch

**New ways of using TCT / 7**

## **Laboratory results on LGADs (Timing)**

**Corresponding Author:** marco.ferrero@cern.ch

**Results from recent TCT measurements on different detector structures / 12**

## **Mobility measurements**

**New ways of using TCT / 25**

## **Resolving authentic time dependence of time-of-flight photocurrent in organic semiconductors**

**Corresponding Author:** egon.pavlica@ung.si

Time-of-flight photoconductivity (TOF) is a powerful method, which is used to study conversion of photons to electrons and their transport through thin organic semiconductor layers. Compared to current-voltage characterization methods, TOF results are unaffected by the spurious effects at the semiconductor/metal interfaces. Precise knowledge of photocurrent time-dependence is of crucial importance for the determination of charge transport parameters such as mobility and the width of charge transporting states. Our TOF measurements of single-crystals of dioctyl-benzothienobenzothiophene (C8-BTBT) show that transport of photexcited carriers and the corresponding photocurrent across two coplanar metal contacts separated by 120  $\mu\text{m}$ , occurs in a fraction of a microsecond. However, measured time-dependent photocurrent ( $I(t)$ ), compared to theoretical predictions, showed additional peaks and significant broadening of the  $I(t)$  lineshape. We found that additional peaks correspond to signal reflections from the waveguide terminations. And peaks broadening occurs due to 3-ns duration of the photoexcitation laser. Direct deconvolution of the measured signal was not possible due to signal reflections and relatively high noise-to-signal ratio. Therefore we estimated a time dependence of the photocurrent, which reproduced the measured signal transient. Estimated  $I(t)$  was considered as an authentic TOF response of the material under investigation.

**Hands on experience / 15**

## **Scanning TCT - example of operation**

- 1.) Beam condition monitoring at work (fibre split and in-beam version)
- 2.) Cabling issues and related problems
- 3.) Tuning the right signal
- 4.) Beam locator

**New ways of using TCT / 6**

## **Single event effect tests with focused light**

**Corresponding Author:** samo.korpar@cern.ch

**Results from recent TCT measurements on different detector structures / 18**

## **TCAD simulations**

**Corresponding Author:** marco.bomben@cern.ch

**Simulations / 21**

## **TCAD simulations**

**Corresponding Author:** marco.bomben@cern.ch

**New ways of using TCT / 8**

## **TCT in presence of continuous illumination - studies of bulk material**

**Corresponding Author:** gregor.kramberger@ijs.si

**Results from recent TCT measurements on different detector structures / 10**

## **TCT measurements on 3D detectors**

**Corresponding Author:** lsimon@ifae.es

**Results from recent TCT measurements on different detector structures / 24**

## **TCT measurements on diodes**

**Corresponding Author:** william.holmkvist@cern.ch

**Practical issues(tips and tricks) / 5**

## **TCT pulse analysis and corrections**

**Corresponding Author:** gregor.kramberger@ijs.si

**Results from recent TCT measurements on different detector structures / 26**

## **Temperature dependance of LGAD response**

**Corresponding Author:** roberto.mulargia@cern.ch

**TCT systems / 3**

## **Two photon absorption Transient Current Technique System**

**Corresponding Author:** marcos.fernandez@cern.ch

**Practical issues(tips and tricks) / 4**

## **Understanding pulse shapes at high fluences**

**Corresponding Author:** marko.mikuz@cern.ch

**Simulations / 23**

## **Update on KDetSim**

**Corresponding Author:** gregor.kramberger@ijs.si

**Simulations / 22**

## **Update on TRACS**

**Corresponding Author:** marcos.fernandez@cern.ch

**Results from recent TCT measurements on different detector structures / 19**

## **Update on TRACS simulation**



27

## **Welcome**