

Search for new physics via baryon EDM at LHC

Tuesday 30 May 2017 18:50 (20 minutes)

Permanent electric dipole moments (EDMs) of fundamental particles provide powerful probes for physics beyond the Standard Model. We propose to search for the EDM of strange and charm baryons at LHC, extending the ongoing experimental program on the neutron, muon, atoms, molecules and light nuclei. The EDM of strange Λ baryons, selected from weak decays of charm baryons produced in pp collisions at LHC, can be determined by studying the spin precession in the magnetic field of the detector tracking system. A test of CPT symmetry can be performed by measuring the magnetic dipole moment of Λ and $\bar{\Lambda}$ baryons. For short-lived Λ_c^+ and Ξ_c^+ baryons, to be produced in a fixed-target experiment using the 7 TeV LHC beam and channeled in a bent crystal, the spin precession is induced by the intense electromagnetic field between crystal atomic planes. The experimental layout based on the LHCb detector and the expected sensitivities in the coming years are discussed, along with perspectives for the future

Author's Name

Nicola Neri

Author's Institute

CERN & INFN Milano

Author's e-mail

nicola.neri@mi.infn.it

Abstract Title

Search for new physics via baryon EDM at LHC

Subject

QCD+Flavour

Authors: NERI, Nicola (CERN, Università degli Studi e INFN Milano (IT)); MARTINEZ VIDAL, Fernando (IFIC - University of Valencia and CSIC (ES)); MARANGOTTO, Daniele (Università degli Studi e INFN Milano (IT)); MERLI, Andrea (Università degli Studi e INFN Milano (IT)); RUIZ VIDAL, Joan (Univ. of Valencia and CSIC (ES)); BOTELLA OLCINA, Francisco Jose (Univ. of Valencia and CSIC (ES)); DE OYANGUREN CAMPOS, Arantza (Univ. of Valencia and CSIC (ES)); GARCIA MARTIN, Luis Miguel (Univ. of Valencia and CSIC (ES))

Presenter: MARTINEZ VIDAL, Fernando (IFIC - University of Valencia and CSIC (ES))

Session Classification: Parallel Session BSM+DM