

Session 1:

Run simulation → reconstruction chain and see the result
(updated on 24.01.2018)


Start this excersises when you have:

- LArSoft environment configured

What is illustrated:

- run:
 - particle gun
 - G4 particle propagation through detector
 - detector readout simulation
 - reconstruction chain
 - using provided standard configuration files
- have a look into standard FHiCL's
- simulation and reconstruction results visualisation

Simulations / reconstruction in ProtoDUNE



(re-)Login (just a remainder of setup steps), then prepare some directories for output:

```
[rosulej@dune-vm-build-02 larsoft]$ source /cvmfs/dune.opensciencegrid.org/products/dune/setup_dune.sh
```

```
Setting up larsoft UPS area... /cvmfs/fermilab.opensciencegrid.org/products/larsoft/
```

```
Setting up DUNE UPS area... /cvmfs/dune.opensciencegrid.org/products/dune/
```

```
[rosulej@dune-vm-build-02 larsoft]$ source /cvmfs/fermilab.opensciencegrid.org/products/larsoft/setups
```

```
[rosulej@dune-vm-build-02 larsoft]$ setup mrb
```

Use your release number here:

```
[rosulej@dune-vm-build-02 larsoft]$ source localProducts_larsoft_v06_40_00_e14_prof/setup
```

```
MRB_PROJECT=larsoft
```

```
MRB_PROJECT_VERSION=v06_40_00
```

```
MRB_QUALS=e14:prof
```

```
MRB_TOP=/afs/cern.ch/work/r/rosulej/larsoft
```

```
MRB_SOURCE=/afs/cern.ch/work/r/rosulej/larsoft/srcs
```

```
MRB_BUILDDIR=/afs/cern.ch/work/r/rosulej/larsoft/build_slf7.x86_64
```

```
MRB_INSTALL=/afs/cern.ch/work/r/rosulej/larsoft/localProducts_larsoft_v06_40_00_e14_prof
```

```
PRODUCTS=/afs/cern.ch/work/r/rosulej/larsoft/localProducts_larsoft_v06_40_00_e14_prof:/cvmfs/fermilab.opensciencegrid.org/products/larsoft:/cvmfs/dune.opensciencegrid.org/products/dune:/cvmfs/fermilab.opensciencegrid.org/products/larsoft:/cvmfs/fermilab.opensciencegrid.org/products/common/db
```

```
[rosulej@dune-vm-build-02 larsoft]$ mrbslp
```

```
local product directory is /afs/cern.ch/work/r/rosulej/larsoft/localProducts_larsoft_v06_40_00_e14_prof
```

```
----- this block should be empty -----
```

```
[rosulej@dune-vm-build-02 ~]$ cd /afs/cern.ch/work/r/rosulej/ ← your folder, e.g. in AFS work area, or EOS in the future
```

```
[rosulej@dune-vm-build-02 rosulej]$ mkdir job ← make a directory for job configuration files
```

```
[rosulej@dune-vm-build-02 rosulej]$ mkdir data ← make a directory for LArSoft output files: sim, reco
```

```
[rosulej@dune-vm-build-02 rosulej]$ cd ~/larsoft ← run LArSoft (lar -c ...) from this location
```

```
[rosulej@dune-vm-build-02 larsoft]$ ls
```

```
build_slf7.x86_64 ← build area ($MRB_BUILD), run compilation from here
```

```
localProducts_larsoft_v06_40_00_e14_prof
```

```
srcs ← development area ($MRB_SOURCE), edit code here
```

For your future work: **Upgrade to the newest LArSoft release** (please, login to a fresh terminal):

```
[rosulej@dune-vm-build-02 larsoft]$ source /cvmfs/dune.opensciencegrid.org/products/dune/setup_dune.sh
```

```
Setting up larsoft UPS area... /cvmfs/fermilab.opensciencegrid.org/products/larsoft/
```

```
Setting up DUNE UPS area... /cvmfs/dune.opensciencegrid.org/products/dune/
```

```
[rosulej@dune-vm-build-02 larsoft]$ source /cvmfs/fermilab.opensciencegrid.org/products/larsoft/setups
```

```
[rosulej@dune-vm-build-02 larsoft]$ setup mrb
```

Use your NEW release number here:

```
[rosulej@dune-vm-build-02 larsoft]$ mrb newDev -p -v v06_41_00 -q e14:prof
```

```
[rosulej@dune-vm-build-02 larsoft]$ source localProducts_larsoft_v06_41_00_e9_prof/setup
```

```
MRB_PROJECT=larsoft
```

```
MRB_PROJECT_VERSION=v06_41_00
```

```
MRB_QUALS=e14:prof
```

```
MRB_TOP=/afs/cern.ch/work/r/rosulej/larsoft
```

```
MRB_SOURCE=/afs/cern.ch/work/r/rosulej/larsoft/srcs
```

```
MRB_BUILDDIR=/afs/cern.ch/work/r/rosulej/larsoft/build_slf7.x86_64
```

```
MRB_INSTALL=/afs/cern.ch/work/r/rosulej/larsoft/localProducts_larsoft_v06_41_00_e14_prof
```

```
PRODUCTS=/afs/cern.ch/work/r/rosulej/larsoft/localProducts_larsoft_v06_41_00_e14_prof:/cvmfs/fermilab.opensciencegrid.org/products/larsoft:/cvmfs/dune.opensciencegrid.org/products/dune:/cvmfs/fermilab.opensciencegrid.org/products/larsoft:/cvmfs/fermilab.opensciencegrid.org/products/common/db
```

Update source codes in repositories you are developing (remember to call „kinit username@FNAL.GOV“):

```
[rosulej@dune-vm-build-02 larsoft]$ cd $MRB_SOURCE
```

```
[rosulej@dune-vm-build-02 srcs]$ cd dunetpc
```

```
[rosulej@dune-vm-build-02 srcs]$ git checkout develop
```

```
[rosulej@dune-vm-build-02 srcs]$ git pull
```

...and rebuild:

```
[rosulej@dune-vm-build-02 srcs]$ cd $MRB_BUILDDIR
```

```
[rosulej@dune-vm-build-02 build_slf7.x86_64]$ mrb z
```

```
[rosulej@dune-vm-build-02 build_slf7.x86_64]$ mrbsetenv
```

```
local product directory is /afs/cern.ch/work/r/rosulej/larsoft/localProducts_larsoft_v06_41_00_e14_prof
```

```
----- this block should be empty -----
```

```
-----
```

```
[rosulej@dune-vm-build-02 build_slf7.x86_64]$ mrb i -j4
```

Run particle gun:

```
lar -c srcs/dunetpc/fcl/protodune/gen/gen_protoDune_pion_2GeV_mono.fcl -n 10 -o pi_gen.root
```



location of DUNE standard configuration files

you may skip entire path using .fcl files committed to the repository

(but it is good to know where they come from)

this will work as well:

```
lar -c gen_protoDune_pion_2GeV_mono.fcl -n 10 -o pi_gen.root
```



number of events to produce (do not skip it, default is huge!)

```
lar -c gen_protoDune_pion_2GeV_mono.fcl -n 10 -o pi_gen.root
```



output file with events, place it in your data directory

What was generated:

- π^+ at 2GeV/c, monoenergetic
- in ProtoDUNE single-phase geometry
- in the position just in front of beam window, pointing towards it

Run G4 propagation of particles:

```
lar -c srcs/dunetpc/fcl/protodune/g4/protoDUNE_g4.fcl pi_gen.root -o pi_g4.root
```



G4 (as each sim/reco step has its own directory for configuration files)

```
lar -c protoDUNE_g4.fcl pi_gen.root -o pi_g4.root
```



use output file from previous step as input to the next step

```
lar -c protoDUNE_g4.fcl pi_gen.root -o pi_g4.root
```



and put the path/filename for output

What was simulated:

- π^+ with the initial momentum 2GeV/c, all interactions of it and secondary particles
- in ProtoDUNE single-phase geometry
- full MC truth information is saved to the output file
- energy deposits in LAr were recorded as well

Run detector simulation:

```
lar -c srcs/dunetpc/fcl/protodune/detsim/protoDUNE_detsim.fcl pi_g4.root -o pi_detsim.root
```



here is the place of detector simulation job files

```
lar -c protoDUNE_detsim.fcl pi_g4.root -o pi_detsim.root
```



use G4 simulation as input to the detector simulation

```
lar -c protoDUNE_detsim.fcl pi_g4.root -o pi_detsim.root
```



and put the path/filename for output

What was simulated:

- scintillation light and ionization electrons from energy deposits in LAr
- recombination of ionization electrons
- attenuation of electrons number due to LAr impurities at given drift distance
- longitudinal and transverse diffusion of electrons at given drift distance
- ProtoDUNE single-phase readout:
 - E-field response for induction and collection planes
 - electronics response
 - noise
 - ADC waveforms on readout channels

Run reconstruction:

```
lar -c srcs/dunetpc/fcl/protodune/reco/protoDUNE_reco.fcl pi_detsim.root -o pi_reco.root
```



several reconstruction chains

```
lar -c protoDUNE_reco.fcl pi_detsim.root -o pi_reco.root
```



use detector simulation as input to the reconstruction

```
lar -c protoDUNE_reco.fcl pi_detsim.root -o pi_reco.root
```



and put the path/filename for output

What was reconstructed (with a success or not):

- deconvoluted ADC waveforms (recob::Wire's)
- hits on wire waveforms (recob::Hit)
- 2D clusters (recob::Cluster)
- 3D tracks (recob::Track)
- 3D vertices (recob::Vertex)
- Full event description (all above bounded in particle hierarchy, recob::PFParticle)

FHiCL job configuration file (here protoDUNE_reco.fcl):

```
#include "services_dune.fcl"
```

```
process_name: Reco
```

```
services: {...}
```

```
source: {...}
```

```
physics:
```

```
{
```

```
  producers:
```

```
  {
```

```
    rns:      { module_type: RandomNumberSaver }
```

```
    caldata:  @local::producer_adcprep
```

```
    ... ..
```

```
    pmtrack:  @local::dunefd_pmalgtrackmaker
```

```
  }
```

```
  reco: [ rns, ophit, opflash, ... ]
```

```
  stream1: [ out1 ]
```

```
  trigger_paths: [reco]
```

```
  end_paths: [stream1]
```

```
}
```

```
outputs:
```

```
{ out1: {...} }
```

← histogram root file configured

← root input and max events

← module labels which will be used in this job

← **sequence (*path*) of producer modules**

← actual selection of producer paths to run

← analyzers and output paths

At the end of file: configuration of module parameters:

```
physics.producers.pmtrack.HitModuleLabel:      "linecluster"
```

```
physics.producers.pandora.HitFinderModuleLabel: "linecluster"
```


```
...
```

Event display:

```
lar -c srcs/dunetpc/dune/Utilities/evd_protoDUNE.fcl pi_reco.root
```

or simply:

```
lar -c evd_protoDUNE.fcl pi_reco.root
```



All event display features illustrated in **YoungDUNE tutorial**:

<https://indico.fnal.gov/getFile.py/access?contribId=5&resId=0&materialId=slides&confId=12889>

Lunch