



Contribution ID: 20

Type: **not specified**

## Decay angular distributions of $K^*$ and $D^*$ vector mesons in pion-nucleon interaction

*Monday, 13 March 2017 18:30 (30 minutes)*

We discuss production of vector  $K^*$  and  $D^*$  mesons in  $\pi^- p$  interaction with their subsequent decay into pseudoscalar  $K + \pi$  and  $D + \pi$  mesons, respectively. Our consideration is based on modified quark-gluon string model which includes spin variables and allows to determine decay distributions of the outgoing pseudoscalars. These distributions are sensitive to the vector meson production mechanism and can be used for its determination. We find the relative importance of vector-meson Reggeon exchange to others for the cross sections. Result of present study may be used in projects of future experimental programs with the pion beams (for instance, at J-PARC facility).

**Primary author:** Dr KIM, Sangho (Asia Pacific Center for Theoretical Physics)

**Co-authors:** Prof. OH, Yongseok (Department of Physics, Kyungpook National University); Prof. TITOV, Alexander (Bogoliubov Laboratory of Theoretical Physics, JINR)

**Presenter:** Dr KIM, Sangho (Asia Pacific Center for Theoretical Physics)

**Session Classification:** Session

**Track Classification:** Topic 3: Theoretical Constraints on Amplitude Analyses