



Contribution ID: 1876    Type: **CLOSED - Oral (Student, In Competition) / Orale (Étudiant(e), inscrit à la compétition)**

## **\*\*WITHDRAWN\*\* Strong transient modulation of horizon radiation**

*Tuesday, 30 May 2017 08:45 (15 minutes)*

As a black hole grows, its Hawking radiation is not thermal and, depending on the extent to which the Hawking spectrum is modulated, it can carry information about the infalling matter. Analogously, via the equivalence principle, the Unruh spectrum of non-uniformly accelerated trajectories is not thermal and, depending on the extent to which the Unruh radiation is modulated, it can carry information about the trajectory. Here, we calculate the exact extent to which Unruh spectra can be modulated through non-uniform acceleration. We find evidence that the conditions for a strong modulation, and therefore for a strong information-carrying capacity of the spectrum, can realistically be met in the cases of both the Unruh and Hawking effects.

**Primary authors:** AHMADZADEGAN, Aida (University of Waterloo); KEMPF, Achim (U)

**Presenter:** AHMADZADEGAN, Aida (University of Waterloo)

**Session Classification:** T1-4 Gravity and Cosmology (DTP) | Gravité et cosmologie (DPT)

**Track Classification:** Theoretical Physics / Physique théorique (DTP-DPT)