



Contribution ID: 159

Type: Talk

## **[607] Electronic structure of buried LaNiO<sub>3</sub> layers in (111)-oriented LaNiO<sub>3</sub>/LaMnO<sub>3</sub> superlattices probed by soft x-ray ARPES**

*Wednesday 23 August 2017 16:00 (15 minutes)*

Taking advantage of the large electron escape depth of soft x-ray angle resolved photoemission spectroscopy we report measurements of the electronic structure of (111)-oriented [LaNiO<sub>3</sub>/LaMnO<sub>3</sub>] superlattices and LaNiO<sub>3</sub> epitaxial thin films. For thin films we observe a 3D Fermi surface with an electron pocket at the Brillouin zone center and hole pockets at the zone vertices. Superlattices with thick nickelate layers present a similar electronic structure. However, as the thickness of the LaNiO<sub>3</sub> is reduced to 7 monolayers the superlattices become insulating. These heterostructures do not show a marked redistribution of spectral weight in momentum space but exhibit a pseudogap of  $\approx 50$  meV. [APL Materials 5, 016101 (2017)]

**Primary author:** BRUNO, Flavio (University of Geneva)

**Co-authors:** Dr GIBERT, Marta (Université de Genève); Dr MCKEOWN WALKER, S. (University of Geneva); Dr PEIL, Oleg (Université de Genève); Dr DE LA TORRE, A. (University of Geneva); RICCO, Sara (University of Geneva); Dr WANG, Z. ( Paul Scherrer Institute); Dr CATALANO, Sara (Université de Genève); Dr TAMAI, A. (University of Geneva); Dr BISTI, F. ( Paul Scherrer Institute); Dr STROCOV, V. ( Paul Scherrer Institute); Prof. TRISCONI, Jean-Marc (Université de Genève); Prof. BAUMBERGER, F. (University of Geneva)

**Presenter:** BRUNO, Flavio (University of Geneva)

**Session Classification:** Correlated-Electron Physics in Transition-Metal Oxides

**Track Classification:** Correlated-Electron Physics in Transition-Metal Oxides