

15th MCnet Meeting

Wednesday, 5 April 2017 - Friday, 7 April 2017

CERN



Book of Abstracts

Contents

Towards general purpose heavy ion generators and > microscopic collectivity	1
Introduction	1
Recursive Soft Drop	1
Heavy-ion collisions and Single Diffractive Events	1
A summary of recent ATLAS measurement useful for MC modelling improvements . . .	2
NLO+PS $gg \rightarrow ZZ \rightarrow e+e-\mu+\mu-$ production with POWHEG	2
Automating Basis Reduction for Effective Lagrangians in FeynRules	2
Discussion: Format for the MCnet Annual Schools	3
Student and Postdoc only session	3
Introduction to CEDAR	3
Rivet overview and plans	3
CONTUR overview and plans	3
Rivet for BSM reinterpretation	3
Professor tuning and BSM	3
Heavy ion analysis requirements	4
Update/changes for JHEP	4
Results from UCL projects	4

Session 1 / 1**Towards general purpose heavy ion generators and > microscopic collectivity**

Author: Christian Bierlich¹

¹ *Lund University (SE)*

Corresponding Author: christian.bierlich@thep.lu.se

TBA - Something involving heavy ions, Work In Progress.

Session 1 / 2**Introduction**

Author: James Black¹

¹ *IPPP*

Corresponding Author: james.a.black@durham.ac.uk

Introductory Talk.

Session 3 / 3**Recursive Soft Drop**

Author: Frederic Alexandre Dreyer¹

¹ *MIT*

Corresponding Author: fdreyer@mit.edu

We introduce a new jet substructure method based on a recursive iteration of the Soft Drop algorithm. The recursive soft drop algorithm introduces an additional parameter N to define the number of layers of soft drop declustering, providing an optimized grooming strategy for boosted objects with $(N+1)$ -prong decays, as well as improved stability in high pileup conditions. We discuss the infinite N limit, where groomed jets have a null area, and investigate their properties. We show promising applications to jet mass resolution in boosted top and W bosons, and demonstrate how recursive soft drop grooming can substantially mitigate pileup effects when used in conjunction with existing pileup-removal methods.

Session 1 / 4**Heavy-ion collisions and Single Diffractive Events**

Author: Harsh Shah¹

¹ *Lund University*

Corresponding Author: harshshah12@gmail.com

TBA

Session 3 / 5

A summary of recent ATLAS measurement useful for MC modelling improvements

Author: Josh McFayden¹

¹ *University College London (UK)*

Corresponding Author: mcfayden@cern.ch

TBA

Session 3 / 6

NLO+PS $gg \rightarrow ZZ \rightarrow e+e-\mu+\mu-$ production with POWHEG

Authors: Simone Alioli¹; Gionata Luisoni¹; Fabrizio Caola¹; Raoul Rontsch²

¹ *CERN*

² *Karlsruhe Institute of Technology*

Corresponding Authors: fabrizio.caola@cern.ch, raoul.roentsch@kit.edu, simone.alioli@cern.ch, gionata.luisoni@cern.ch

I will present a calculation of the next-to-leading order (NLO) QCD corrections to the hadroproduction process $gg \rightarrow ZZ \rightarrow e+e-\mu+\mu-$, matched to the parton shower in the POWHEG framework.

Session 2 / 8

Automating Basis Reduction for Effective Lagrangians in Feyn-Rules

Author: Liam Ronald Moore¹

Co-author: Claude Duhr²

¹ *University of Glasgow (GB)*

² *CERN*

Corresponding Authors: claude.duhr@cern.ch, l.moore@cern.ch

Accounting for redundancies among higher-dimensional operators is necessary in any Effective Field Theory, and has historically been a source of confusion in its applications to the Standard Model. Even while the procedure is now well-understood, reducing an arbitrary set of operators onto an

agreed basis is still a time-consuming step arising in matching a given UV completion to an EFT, and at each order in perturbation theory where this plays a key role in renormalizing the theory.

Emulating the procedure used to derive the ‘Warsaw’ basis of the dimension-six SMEFT, work to automate this reduction will be discussed using FeynRules, with the aim of providing a tool which will be useful in SMEFT calculations and lend itself to future generalization, e.g. to the construction of operator bases for theories beyond the SM, and eliminating redundancies in operators of still higher mass dimension.

Session 1 / 9

Discussion: Format for the MCnet Annual Schools

Session 2 / 10

Student and Postdoc only session

Session 4 / 11

Introduction to CEDAR

Corresponding Author: a.g.buckley@gmail.com

Session 4 / 12

Rivet overview and plans

Corresponding Author: chris.pollard@cern.ch

Session 4 / 13

CONTUR overview and plans

Corresponding Author: david.yallup.15@ucl.ac.uk

Session 4 / 14

Rivet for BSM reinterpretation

Corresponding Author: a.g.buckley@gmail.com

Session 4 / 15

Professor tuning and BSM

Corresponding Authors: holger.schulz@cern.ch, holger.schulz@physik.hu-berlin.de

Session 4 / 16

Heavy ion analysis requirements

Corresponding Authors: j.klein@cern.ch, jan.fiete.grosse-oetringhaus@cern.ch, jochen.klein@cern.ch

Project meetings / 17

Update/changes for JHEP

Corresponding Authors: david.yallup.15@ucl.ac.uk, bjorn.sarrazin@cern.ch, j.butterworth@cern.ch, david.grellscheid@durham.ac.uk

In dealing with the referees comments for JHEP we found a couple of issues, which we'll discuss.

Project meetings / 18

Results from UCL projects

Corresponding Author: j.butterworth@cern.ch