Hard Probes 2018: International Conference on Hard & Electromagnetic Probes of High-Energy Nuclear Collisions

Contribution ID: 364

Type: 2a) Jets and high-pT hadrons (TALK)

## Dynamical quenching weights in an expanding medium

Tuesday 2 October 2018 17:25 (20 minutes)

In this work, we extend the re-summation of multiple medium-induced emissions to apply to dynamically expanding media. This is done by recasting the quenching weight as the solution of a rate equation with medium-induced partonic splitting functions that are sensitive to the expansion. We perform the calculations in the framework of Baier-Dokshitzer-Mueller-Peigne-Schiff-Zakharov (BDMPSZ) formalism for multiple soft scatterings with a time-dependent transport coefficient. Furthermore, we discuss the validity of a dynamical scaling law that relates the spectrum in an expanding medium to the equivalent static case with re-scaled medium parameters [1] and test the size of energy loss fluctuations in a realistic medium.

References:

[1] Carlos A. Salgado and Urs Achim Wiedemann "A Dynamical Scaling Law for Jet Tomography", Phys Rev Lett. 89.092303.

## **Summary**

**Primary authors:** ADHYA, Souvik Priyam (Institute of Particle and Nuclear Physics Faculty of Mathematics and Physics, Charles University); TYWONIUK, Konrad (CERN); SALGADO LOPEZ, Carlos Albert (Universidade de Santiago de Compostela (ES))

**Presenter:** ADHYA, Souvik Priyam (Institute of Particle and Nuclear Physics Faculty of Mathematics and Physics, Charles University)

Session Classification: Parallel 1