

Monitoring a Region with Nagios

Steve Traylen

WLCG Operations Meeting - April 21st 2008

- **Running a NAGIOS for the region.**
 - Motivation
 - Method
- **Alerting the sites and the ROC.**
- **Escalation of detected alarms.**
- **Considerations and Missing Parts.**

- **The ROC wants:**
 - An overview of all the sites in its regions.
 - Collect problems discovered at sites.
 - Inform sites of problems found at sites.
 - Verify problems being found are being fixed.
- **Cover its sites despite sites ranging from:**
 - A tier1 with an established monitoring and problem solving process.
 - A site with just about nothing except an email address.
- **Remove the need for the COD operators to generate tickets on sites.**

- **The ROC needs to provide hardware for NAGIOS.**
 - Something midrange is just fine at the moment.
- **Use of a new NAGIOS instance.**
 - It is considerably easier for the ROC to use a fresh instance of NAGIOS.
 - NCG can own all the configuration and not integrate with any existing schema.
 - If not possible or desirable then NCG must merge with existing NAGIOS infrastructures.
 - NCG must cope with this anyway for sites.
- **Access to MyProxy server that can be configured correctly.**

- **The Central Europe ROC has working regional monitoring now.**
 - A nagios service reads SAM alarms and alerts sites.
 - The COD is no longer needed and in fact does not see these alarms for the CE region.
 - This has been working well apparently.
 - No news is good news.
- **The WLCG provided NCG system is a released generalization of their methods.**
 - NCG = NAGIOS Configuration Generator

- **NCG framework creates a NAGIOS configuration.**
 - ROC provides a list of sites to the framework.
 - NCG collects service topology information currently from:
 - SAM Database - this is the default.
 - BDII Information System
 - Local configuration files.
 - *Needed to fine tune service details that are not published.*
 - The GOCDDB may be used in the future.
 - List of sites by ROC is easy to obtain.
 - Importing scheduled downtime.
- **Other configuration is much like that of a site NAGIOS**
 - MyProxy certificate storage and renewal.
 - Webserver with X509 based access.
 - Instructions exist for all this.

- **The NAGIOS configuration contains**
 - Hosts as the Service Host Names,
 - srm.cern.ch
 - ce101.cern.ch
 - lcg-bdii.cern.ch
 - nagioshost.yourroc.example.org
 - *Alerts with the monitoring itself are raised here for the ROC.*
 - *e.g. Unable to collect SAM results.*
 - Nagios “Services” attached to nodes are created for each of the possible tests results.
 - BDII Service on lcg-bdii.cern.ch
 - GridFTP Service on ce101.cern.ch
 - Services for results collected from SAM.
 - *JobSubmission test result on ce101.cern.ch*
 - *lcg-cr test results on srm.cern.ch*
- **This is a very standard NAGIOS configuration.**

- **Detection**
 - The ROC does run its own basic Grid Service tests.
 - globus-url-copy can fail only outside a site.
 - The ROC may want to test things for its region.
 - *e.g Are my sites running SL4?*
- **Collection**
 - Results are now collected for the ROC's sites from:
 - SAM Database... gather_sam
 - Network Uptime Collector ... gather_npm
 - Results will be collected in the future for the ROC's sites:
 - From gstat via nagios and messaging service.
 - From site nagios or ? and messaging service.
 - GGUS assignment via RSS feed or messaging service?
 - *Messaging service not in place in yet.*
- **Problems whether detected or collected are identically handled from then on.**

- **Different sites want different methods of notification.**
 - Email.
 - RSS.
 - Nothing
 - Site's NAGIOS or similar will collect from messaging system.
- **Give problems as fast as possible to those who can solve it.**
 - Don't bother telling those who can't fix it.
 - The ROC is only interested if the problem is not fixed in say 3 working hours of the site...
 - Site working hours information in NAGIOS are important for this.
- **Take care not to enter a loop:**
 - ROC detects problem
 - Site collects problem from ROC.
 - ROC collects problem from site.....

- **Currently each NAGIOS at ROC or site has to have:**
 - Complete knowledge of all hosts it is interested in.
 - Complete knowledge of all alarms that could be raised.
 - e.g. ROC might introduce test to require lcg-utils > X.Y.Z.
 - The site won't know to collect the test results.
- **New HOSTS and Services are added by an NCG rerun.**
- **NAGIOS needs to monitor NCG configuration to check if a rerun is needed.**
 - Moreover the automatic addition of nodes and services must come eventually.
- **Nagios 2 Nagios alarms not possible yet.**
 - Messaging service needs to be there.

- **CERN-ROC will take a lead.**
 - Once NCG supports multiple sites better the CERN-ROC sites will be invited to take alarms from the CERN NAGIOS.
 - In the manner of their choice.
 - Deployment instructions will be created for a ROC rollout.
 - Initially one other ROC will volunteer.

- **NCG Deployment.**

<https://twiki.cern.ch/twiki/bin/view/LCG/GridMonitoringNcg>

- **CERNROC Deployment of NCG enabled NAGIOS.**

<https://twiki.cern.ch/twiki/bin/view/LCG/CERNROCNagiosNCGInstall>

- **CERNROC NAGIOS instance.**

<https://lxb1931.cern.ch/nagios>

- Certificate and dteam or atlas VO membership.