



FCC–hh Injection and Extraction: Insertions and Requirements

E. Renner

M. Atanasov, W. Bartmann, D. Barna, M. J. Barnes, F. Burkart, A. Chmielinska, E. Carlier, M. Hofer, B. Goddard, T. Kramer, A. Lechner, N. Magnin, L. Stoel, A. Sanz Ull, P. Van Trappen, D. Woog,...

FCC Week 2018, Amsterdam, 8th – 14th of April

Outline


- Injection: Summary of key points
- Extraction: updates on optics & hardware
- Extraction: Machine protection considerations
- Summary and next steps

Injection - Overview

E. Renner: [FCC-hh transfer line and injection design](#), Wed. 15:30

- Combined with side experiments (IPB and IPL) – 1.4km, ~0.7km for injection
- Baseline: Injection from HEB (LHC) at 3.3 TeV
- 1.3 TeV option studied as well
- Double plane injection


	Septa (nc Lamb.)	Kicker
System Length	104	40
Deflection [mrad/Tm]	9.8/92	0.18/2
Number of Modules	21	18
Flux Field [T]	0.7-1.2T	1



Injection

2017 → 2018: Beam size at injection dump (TDI) increased to stay below damage limit of the TDI in case of kicker failure

$\sqrt{\beta_x \beta_y}$ factor 1.6 compared to FCCW 2017



D.Woog: [Inductive adder prototype pulse generator for FCC-hh kickers](#), Wed. 11:10

M. Barnes: [Marx prototype pulse generator design and initial results](#), Wed. 0930

M. Barnes: [FCC kicker magnet design, impedance and heating aspects](#) Wed. 10:30

A. Lechner: [FCC-hh protection absorbers and the dump](#), Tue 16:40

Injection in a Nutshell


Summary of

[FCC-hh transfer line and injection design](#), Wed. 15:30

- ▶ Challenge: transfer 550 MJ
- ▶ Damage limit of injection dump limits **injection batch length to 80 bunches** (LHC: 288, different energy and intensity)
- ▶ Short risetime of kicker magnets (430ns) is required to enable FCC-hh filling factor (10400 bunches)
- ▶ **Novel pulse generator technologies** (Inductive Adder or Marx Generator) for kicker to enable **short risetime, fast recharging (10Hz)** and have **lower failure rates** due to different concept
- ▶ Normal conducting Lambertson **septum: reliable, simple, robust**
- ▶ **Loss studies for injection failures are ongoing, first conclusions:**
 - Protection efficiency ok, but small horizontal beam size at TDI ($\sigma_x = 0.15\text{mm}$) is challenging for TDI settings

Extraction


- IPD, 2.8 km for extraction of beam 1 and 2
- 2.5 km dumpline with dilution kicker system to create sweep pattern at graphite beam dump
- Design mainly driven by machine protection
 - ▶ Safely extract 8.5 GJ beam
 - ▶ Reduce failure probabilities
 - ▶ Avoid downtime in case of failure



Extraction – New Baseline

Old baseline: working backup solution

- Based on superferric Lambertson septa (1.3-1.55T / ~184m with 25 mm septum blade)
- Septa layout requires double plane extraction
- Highly segmented extraction kicker system (300 kicker)




Extraction – New Baseline

→ Higher field with same apparent septum blade thickness (25mm)


Old baseline: working backup solution

- Based on superferric Lambertson septa (1.3-1.55T / ~184m with 25 mm septum blade)
- Septa layout requires double plane extraction
- Highly segmented extraction kicker system (300 kicker)



Proposed new baseline:

- Based on novel septa: SuShi (3.2T) and Truncated CosTheta (4T). Total system length ~70m
- Septa Layout requires single plane extraction (vertical)
- Reduced kicker segmentation, still highly segmented (150 kicker)



Extraction – Layout


(1) 150 Extraction Kicker (2017: 300)

- System length 120 m
- 1 μ s risetime

(2) Larger beam size at protection absorber than 2017


(3) SuShi / Cos-Theta Septa instead of superferric Lambertson

- \sim 70m instead of 180m (2017)



W. Bartmann

Extraction – Septa





Extraction – Septa (MSD)

SuShi

D. Barna: [Superconducting Shield \(SuShi\) septum](#), Wed. 08:30

- 3.2 T
- Measurements on first prototype conducted
- Apparent septum blade: 25mm
 - can potentially be reduced to 20mm using NbTi for the shield (**reduced kick strength**)




D. Barna

Truncated Cos-Theta

K. Sugita: [Status of truncated cosine-theta septum magnet study](#), Wed. 09:10


- 4T
- 35mm app. septum blade
- Very flexible geometry for larger separation of circulating and extracted beam

Most challenging: 20 mm support for block part, mostly horizontal forces



A. Sanz UI

Extraction Kicker



Extraction and Dilution Kicker Strategy

Go a step back and remember the idea behind the kicker system layout...

FCC-hh beam dump extraction and dilution kicker systems, Thu. 0850

- To **increase availability** the main idea is, that in case of a faulty kicker magnet **normal operation can continue with a reduced number of kickers** and **repair is only required during the next scheduled technical stop**
- Septa apertures, kicker segmentations etc. are designed to allow operation with at least 10% missing dilution or/and extraction kicker
- Furthermore, **failure probabilities for and the impact of a single failing element should be reduced**
- ▶ A **highly segmented** system is envisaged
 - 150* extraction kicker per beam (LHC: 15)
 - 30 horizontal + 55 vertical dilution kicker per beam (LHC: 10)

**2017: 300 kicker. 2018: Number of segments reduced, see next slide*


Extraction Kicker

- Highly segmented system: 150 kicker compared to 15 in LHC ($I = 0.6\text{m}$)*
- Main design restriction: 1 μs risetime required to survive asynch. dump
- ▶ 3.3 kA / $\sim 6\text{kV}$ per kicker (LHC: 30kA / 27kV)

▶ Relaxed hardware parameters / simpler systems than LHC:

- 1 generator per kicker (LHC: 2)
- 1-2 switches per generator (LHC: 10)**


Overall complexity regarding failure/availability comparable to LHC



**2017: 300 kicker. 2018: Number of segments reduced, while still allowing for '1. sigma oscillation'(slide 17) in case of erratic, keeping hardware requirement reasonable and enable operation with reduced number of modules*

*** : 2 switches with current technology. R&D necessary to enable generator with 1 switch.*

Extraction – Dilution Kicker and Dumpline




Extraction – Dilution Kicker and Dumpline

2017: Dilution system envisaged kickers with modulated frequency to minimize size of dumpcore (max. 50kHz)

- + Sweeppattern $r=45$ cm
- Very challenging for kicker system
- **Problematic for survival of asynchronous beam dump**

2018: Constant frequency of the dilution system (50kHz)

- Sweeppattern $r=55$ cm
- **Energy deposition in case of asynch. dump acceptable**
- Large deflection by dilution kicker necessary
 - ▶ Either increase tunnel length to 3km or increase BdL of MKBs
 - ▶ **Focusing triplet in the dumpline** helps to reduce the aperture in the dilution kickers and hence relax the hardware requirements.



Dilution Kicker (MKB)

- 30 horiz. / 55 vertical magnets to keep hardware requ. acceptable
- Hardware relaxed by triplet in dumpline
 - reduced gap height and width in vertical dilution kicker
 - reduced horizontal kick strength
- 10% less horizontal / vertical dilution acceptable


Complex system, e.g.:

- max. frequency mismatch of $\sim 0.2-0.5\%$ allowed
 - Impact on availability?
- time dependent damping constant, ...


	triplet		w.o triplet	
	MKBH	MKBV	MKBH	MKBV
frequency [kHz]	50	50	50	50
risetime [us]	5	5	5	5
Installed L [m]	60	110	100	110
Gap field [T]	0.5	0.5	0.5	0
Modules	30	55	50	50
BdL [Tm]	22	42	38	39
gap height [m]	0.03	0.046	0.026	0.046
gap width [m]	0.03	0.04	0.046	0.086
Current [kA]	12	16	10	34
Voltage [kV]	8	12	12	12

Dilution Kicker – Frequency Mismatch

Mismatch between single generators



Mismatch between horizontal and vertical system



To be studied beyond the CDR – avoid impact on availability due to strict interlocking.

Systems need to be set up accurately but no showstopper

Extraction – Machine Protection Strategy

Machine protection requirements to be considered for the design are ...

1. Safely extract the beam – always guarantee kicker triggering [See appendix]
2. Survive asynchronous dump
3. Avoid asynchronous dumps
4. Avoid other failures with damage potential [See appendix]
5. Avoid failure impacting availability / avoid necessity for immediate repair

Survival of Asynchronous Dump

Extraction kicker:



1 us risetime of extraction kicker to guarantee bunchspacing of $\sim 1.8\text{mm}$ at septum protection



Dilution kicker:

Increased energy deposition at the beginning of the asynch. dilution pattern

OK With new dilution pattern, but larger dump core ($r \sim 70\text{-}80\text{cm}$)



OK, but should still be avoided (involves quenches, downtime...)

Avoid Asynch. Dump/ '1.5 Sig Oscillation'

► **LHC:** Main cause for asynch. dumps
are erratic extraction kicker

Avoid Asynch. Dump/ '1.5 Sig Oscillation'

► **LHC:** Main cause for asynch. dumps
are erratic extraction kicker

► **FCC:** 150 MKDs, 1 MKD: ~1.5 sigma (worst case MKD1)

avoid
asynch.
dump

Idea: Do not re-trigger immediately in case of an erratic kicker, but **wait until the next abort gap and dump beam synchronously.**

→ Part of beam oscillates **1 turn with ~1.5 sigma 1 turn before being extracted.**

Avoid Asynch. Dump/ '1.5 Sig Oscillation'

▶ **LHC:** Main cause for asynch. dumps are erratic extraction kicker

▶ **FCC:** 150 MKDs, 1 MKD: ~1.5 sigma (worst case MKD1)

avoid
asynch.
dump

Idea: Do not re-trigger immediately in case of an erratic kicker, but **wait until the next abort gap and dump beam synchronously.**

→ Part of beam oscillates **1 turn with ~1.5 sigma 1 turn before being extracted.**

2017/2018: Evaluating implications of '1.5 sig oscillation'

▶ Tracking studies conducted: up to ~2.7 sig oscill. OK for losses in collider

J. Molson: [Betatron collimation system insertions](#), Tue. 13:55

▶ 1.5 sig oscillation leaves margin for correction factors (need to be quantified more precisely) e.g.


- beta beating 20%
- horizont. offset in Crab Cavities / phase offset in CC
- ...

▶ ~Same deflection as failure of sep. dipole (1.5sig in 2ms)

Y. Nie: [Overall machine protection](#), Wed. 16:40

Multiple Abort Gaps

Impact of 1.5-sigma oscillation can be reduced in case of multiple abort gaps:



- Abort gaps need to be equally distributed
- Simple for abort gap synchronization
- Abort gap $\sim 1.5\mu\text{s}$, injection gap: $0.43\mu\text{s}$. \rightarrow Abort gap = 3x injection gap (advantage for RF cavities?)

Extraction: Challenges for the Re-Trigging System




Inherently different to LHC, FCC-hh requires

...

- ... an active system:
distinguish single erratics (no re-trigger) and multi-erratics (re-trigger)
- ... a fast system
despite long system length (120m, signal propagation)
- ... exclusion of partial pre-triggering (3-67%) due to failure in output of trigger distribution.

Impact of pre-triggering of X% of all extraction kickers with subsequent re-trigger of remaining modules after re-trigger time. → not problematic in LHC

N. Magnin, Laser triggering of thyristor switches, Wed. 1050



Summary and Next Steps

Injection:

- Optics updated to fulfill machine protection requirements
- New generator technologies required and studied
- Failure scenarios analyzed → Inherently different strategy due to different failure modes of new generators / reduced failure probabilities
- Protection studies ongoing


Summary and Next Steps

Extraction:


- **New proposed baseline: vertical single plane extraction** based on **SuShi and Truncated Cos-Theta Septa** → reduced system length, pot. less kick strength required
- Highly segmented extraction kicker system (150 modules). Impact of **1.5 sigma oscillation in case of single erratic was studied** → acceptable [dump beam with next abort gap]
- System designed to run with min. 10% less dilution/kick strength → **continue operation in case of faulty generator until next stop**
- **4 abort gaps** with 1.5 us proposed to reduce machine impact in case of failure
- ⇒ Challenge: Trigger / Re-trigger system – retrigger time / active system: → **beyond CDR**
- ⇒ Challenge: Dilution system - frequency offset, constant damping, margin for reduced kick strength: → **beyond CDR**

Thank you!

Spare: Injection Deadlock




Spare: Transferlines



	total length [km]	Dipole Field / Length	straights length [km]
LHC1 – FCCB	4.2	SC: 7.2T / 3.9km	0.3 (challenging TL collimation!)
LHC8-FCCL	8	SC: 7.2T / 1.5km	6.5
SPS3-FCCB	3.3	NC: 1.8T / 1.9km	2.4
SPS5-FCCL	5.8	NC: 1.8T / 4.4km	1.4

Spare: Dilution Kicker – Time Dependent Damping






Spare: Extraction – Machine Protection

Category	Primary Failure Scenario	Consequence / Potential Effect	Comment	Dump Line sc DL	class
Abort gap	Abort gap population out of tolerance	Quench of MSD?	Define AG threshold. Sushi / superferric Lamb.	Quench?	2
Abort gap	Synchronisation error	asynch. dump	asynch. dump	Quench?	2
Fast kicker	Dilution kicker erratic (spurious) trigger	synch. dump, less dilution			2
Fast kicker	>10% dilution kicker magnets missing	TDE damage	self announcing check impact on TCDS		2
Fast kicker	Extraction/injection deadlock	injection batch on TCDS (3.3 TeV)	only critical for 0.9%MKD kick	Quench?	2
Fast kicker	1 Ext. kicker erratic (spurious) trigger	semi-synchr. dump (next abort gap)	check bunch position at TDE		2
Fast kicker	> 1 Ext. kicker erratic (spurious) trigger	re-trigger	active / intelligent re-trigger system	Quench?	2
Fast kicker	3-10% extr. kicker magnet multierratic	collider damage	<ul style="list-style-type: none"> to be excluded in re-trigger system re-trigger time <0.5us 		1
Fast kicker	7-67% extr. kicker magnet multierratic	extraction absorber damage	<ul style="list-style-type: none"> to be excluded in re-trigger system re-trigger time <1us sacrificial absorber (new optics) 		1-2
Fast kicker	>= 10% dilution kicker magnets missing	Challenging max. energy dep. In TDE	self announcing, 10% to be quantified more precisely		1
Fast kicker	>= ~12% extraction kicker missing	Potential MSD / TCDS damage	self announcing 12% to be quantified more precisely		1
BETS	Energy tracking error	Faulty extraction			1
MPS	No trigger received from BIS	No extraction			1

Spare: Extraction - Challenges for the Re-Trigging System

- simultaneous pre-triggering of multiple kickers due to fault at higher level in trigger system (spurious output going to multiple modules) results in a 'step in the waveform'
- depending on re-trigger time and % of pre-firing kicker, losses in collider / at extraction absorber would not be acceptable



Spare: Extraction - Challenges for the Re-Triggering System

3-10% sim. pre-firing:

- Damaging losses in the collider
- Nearly independent of re-trigger time


Has to be avoided

10-67% sim pre-firing:

- losses ok for collider
- damage of extraction protection (TCP / TCDQ)
- sacrificial absorber
- dependency on re-trigger time

Should be avoided

→ otherwise: sacrificial absorber, requires new optics layout as longer drifts are necessary



hardware solution seems feasible – no showstopper

Spare: Safety – Risk of Missing MKD

Unsafty = Probability to have less than (here) 93% of MKDs firing (equiv. to 14 out of 15) missing MKDs → no safe extraction

- Failure rates scaled from studies conducted for LHC [1] [us]
- Above 30 modules $U \ll 10^{-14}$ for 1 generator branch (redundancy ≥ 2 modules)

- ✓ LHC, 2 generator branches: $U = 3 \cdot 10^{-7}/\text{yr}$
- ✓ FCC (300 MKDs), 1 branch: $U \rightarrow 0$
- ✓ ~ 30 MKDs, 1 branch: $U = 10^{-14}/\text{yr}$

[1] R. Filipi, **Dependability analysis of a safety critical system: the LHC beam dumping system at CERN**, CERN-Thesis 2007