



International Collaboration for **Data Preservation** and **Long Term Analysis** in High Energy Physics

#### FAIR LTDP in the EOSC



Jamie.Shiers@cern.ch



#### Outline

- Long-Term Data Preservation for sharing & re-use: multi-decade, multi-hundreds of PB (to tens of EB)
- A Science Demonstrator in the European Open Science Cloud (Pilot) – experience and extension to ESFRIs
- How might this apply to INFRAEOSC-04-2018: Connecting ESFRI infrastructures through cluster projects?
  - FAIR principles & Open Science
    - Including domain-specific (& cross-domain) issues on acquisition, deposit, preservation, curation, access, sharing & re-use
  - Skills needs & development:
    - Best practices, open standards and inter-operability





### HEP LTDP SD

- Motivation: Funding agencies today require (FAIR) Data Management Plans, explaining how data acquired or produced will be preserved for re-use, sharing and verification of results.
- Goal: use generic services to build a system capable of storing and preserving Open Data at a scale of 100TB+
  - 1. Trustworthy digital repositories (TDR) + PIDs;
  - 2. Scalable "digital library" services with DOIs;
  - 3. A versioning file system to capture and preserve the associated software and needed environment;
  - 4. A virtualised environment that allows the above to run in Cloud, Grid and many other environments.



# **Targets & Stretch Targets**

- Given that:
  - Numerous TDRs exist; [100 TB scale not 200 PB!]
  - CernVM / CVMFS offered in production to multiple disciplines;
    - EGI InSPIRE, EGI Engage, WLCG, other HEP labs;
  - Invenio-based services:
    - CDS, INSPIRE-HEP, Zenodo, B2SHARE, ... almost ubiquitous
- > What were we going to do after coffee?
- Stretch targets:
  - 1. Understand / implement F.A.I.R. in multi-disciplinary environment
    - Benefit from FAIR expertise in project
  - 2. Understand (and potentially prototype) use of generic services by other disciplines



# FAIR DMPs & TDRs

- If we want to be able to share data, we need to store them in a Trustworthy Digital Repository (TDR).
  - Data created and used by scientists should be managed, curated, and archived in such a way to preserve the initial investment in collecting them.
  - Researchers must be certain that data held in archives remain useful and meaningful into the future.
  - Funding authorities increasingly require continued access to data produced by the projects they fund, and have made this an important element in Data Management Plans (DMPs – H2020 Guidelines).
  - Indeed, some funders now stipulate that the data they fund must be deposited in a trustworthy repository.



### What is a data repository?

#### • For us (HEP), it is much more than just a "bit repository"

- And even that probably has several components
  - Long-term archive (tape); cache(s) for production & analysis (disk);
    "Open Access" area (not necessarily "immediate Open Access")
  - What data is accessed when, by whom, access patterns
- It includes also documentation, software (+environment in which it runs), "knowledge"
- These are probably supported by different services some of which may already be "remote" - that evolve on different timescales
- **Something** is changing all the time!
  - If you believe in transparent and seamless migrations you probably don't have a sustainable sustainability plan (or have never done a migration)
- Sustainable: financially + technically + "logically" (holistically?)



### **Certification for TDRs**

- Several certification procedures exist but only one developed by a Scientific Community – ISO 16363
  - All based on OAIS model: ISO 14721
- Follows OAIS structure:
  - 3. Organisational Infrastructure;
  - 4. Digital Object Management;
  - 5. Infrastructure and Security Risk Management.
- EOSC Pilot experience: even at "modest" scale (100TB), HEP data formats and long-term needs mean that a "generic" TDR is unlikely to work
  - "Domain" or institutional repositories?
  - Can still share knowledge, experience and even tools in building / operating these!



# **FAIR Data Principles**

#### Expert Group on turning FAIR into reality

persistent identifier.

#### **TO BE FINDABLE:**

- F1. (meta)data are assigned a globally unique and eternally
- F2. data are described with rich metadata.
- F3. (meta)data are registered or indexed in a searchable resource.
- F4. metadata specify the data identifier.

#### **TO BE ACCESSIBLE:**

- A1 (meta)data are retrievable by their identifier using a standardized communications protocol.
- A1.1 the protocol is open, free, and universally implementable.
- A1.2 the protocol allows for an authentication and authorization procedure, where necessary.
- A2 metadata are accessible, even when the data are no longer available.

#### TO BE INTEROPERABLE:

- I1. (meta)data use a formal, accessible, shared, and broadly applicable language for knowledge representation.
- I2. (meta)data use vocabularies that follow FAIR principles.
- I3. (meta)data include qualified references to other (meta)data.

#### **TO BE RE-USABLE:**

- R1. meta(data) have a plurality of accurate and relevant attributes.
- R1.1. (meta)data are released with a clear and accessible data usage license.
- R1.2. (meta)data are associated with their provenance.
- R1.3. (meta)data meet domain-relevant community standards.

#### From https://www.force11.org/group/fairgroup/fairprinciples

# Long Term Data Preservation

#### • <u>e-IRG</u> definition:

**Long-term** is defined as a period of time long enough for there to be concern about the loss of integrity of digital information held in repositories, including deterioration of storage media, changing technologies, support for old and new media and data formats (including standards), and a changing user community.

- <u>DPHEP</u> definition:
  - "Disruptive change";
  - Target periods: 25 30 50 years.
- > Let's look back: 25 / 30 / 50(!) years...



# In the year...

• T – 25:

- www was *just* emerging with the first X-based browsers...
- CERN (HEP) had just begun migration to "distributed computing" and Unix...
- Fortran, VMS, VM/CMS still dominant...
- *T 30:* mainframe era; open reel 6250 bpi
  tapes (no-one in HEP even dreamed of LTDP)









#### How Has FAIR evolved in 2017?

- Increasingly, FAIR has been taken to include not just data + meta-data but also software
- What started as "source code" preservation has now evolved to "running s/w and its environment"
  - <u>Much better IMHO</u>
- But there is still a lot to define / do
  - How is the data Findable?

SOURCE CODELINE FILLER

- Navigation? Search? Is there an API? ...
- How to implement this in a scalable & sustainable way
  - E.g. how many PID / DOI lookups per unit time, for how long is the service "guaranteed", ... "eternally?"
- How to implement cross project / discipline searches?
- I have heard claims that people have been doing this for 20 100(!!!) years

(These people clearly don't need any more project money)



#### What is (HEP) data?


#### (And its not just "the bits")



**Digital information** The data themselves. volume estimates for preservation data of the order of a few to 10 EB

Other digital sources such as databases to also be considered

Software Simulation. reconstruction. analysis, user, in addition to any external dependencies



# ROOT


**CERNLIB** Access Access to the CERN Program Library is free of charge to all HEP users worldwide. Non-HEP academic and not-for-profit organizations: 1KSF/year

#### Meta information Hyper-news, messages, wikis, user forums..



#### **Publications** arXiv.org NSP

HEPDATA: REACTION DATA Database Durham numerical values of HEP scattering data such as total and differential nucture functions, and polarisation measurements, from a wide range of experiments. It is compiled by th Durham Database Group (UK) with help from the COMPAS group (Russia.) and is updated at re



**Documentation** Internal publications, notes, manuals, slides

e-p physics HERA AND BEYOND G. ALTARELLI ENFROY E= 2304e P.ENERGY Ep= 800 Gel V5 = V4E.6 = 300 GeV EVOND HERA ONE CAN THINK OF PP COLLIDER IN LEP TUNNEL TO LHG = V LEP \* LHC E. = 50 - 100 GeV = 5 + 10 TeV V5 ~ (1-2) TeV

olated Lepton Events at HERA

#### **Expertise and people**



-25 2012 | Page 13

**David South** | Data Preservation and Long Term Analysis in HEP | CHEP 2012.

# Typical EU H2020 Call Text

- Research Infrastructures, such as the ones on the ESFRI roadmap and others, are characterised by the <u>very significant data</u> <u>volumes</u> they generate and handle.
- These data are of interest to thousands of researchers across scientific disciplines and to other potential users via Open Access policies.
- Effective data preservation and open access for immediate and future sharing and re-use are a fundamental component of today's research infrastructures.



#### How Are We Going To Solve This?

- General agreement on potential (<u>short-medium term</u>) BASIC components
- But that is not the same as offering scalable, sustainable, long-term production services!
- The scientific communities must be directly involved in defining the <u>parameters</u> and <u>additional services!</u>
- And we must not forget that long-term implies CHANGE!
- (No-one else is going to do this for us)





### Services are (just) services

- No matter how fantastic our { TDRs, PID services, Digital Library, Software repository } etc is, they are there to support the users
- > Who have to do the <u>really</u> hard work!
  - E.g. write the software, documentation, acquire and analyse the data, write the scientific papers
- Getting the degree of public recognition as at the Higgs discovery day was a target KPI!



### Open Science: A 5-Star Scale?

- We have a 5-star scale for Open Data
  - Sir Timothy Berners-Lee
- We have a proposed 5-star scale for FAIR data management (+TDRs)
  - Peter Doorn and Ingrid Dillo
- How about a 5-star scale for "Open Science: Open to the World"?
  - The EOSC & Friends



"Open to the world" cannot mean no accounting, authorisation, access control etc. Slide 17

### What are the right metrics?

- As easy to use as Amazon?
- Cheaper (and better) than doing it in-house?
- A majority of ESFRIs use it as their baseline?

#### "To find dark matter, you need the EOSC"?



#### LTDP: How do we measure progress / success?

- Practice: through
  Open Data releases
  - Can the data really be (re-)used by the Designated Community(ies)?
  - What are the support costs?
  - Is this sustainable?

- Theory: by applying state of the art "preservation principles"
  - Measured through ISO 16363 (self-) certification and associated policies and strategies
  - Participation in relevant
    working & interest groups

One, without the other, is probably not enough. The two together should provide a pretty robust measurement...



## (Some) Basic Needs

- **TDRs** capable of handling formats, data types, scale and duration of **ESFRI**(-like) projects
- Understanding of what FAIR means to our communities and how to implement / tailor corresponding services

Synergies between ESFRI projects – e.g. using FAIR DMPs to identify them

- Identification of needed skills → training; direct support to users, including for MIGRATIONS!
- All this can be done in cooperation with e-i service providers and other users...



# PANORAMICS...


- Preservation
- ANd
- Open Data for
- Researchers And
- Members of the public
- Incorporating
- Cloud
- Services







# LEP / (HL-)LHC Timeline




- Robust, stable services over several decades
- Data preservation and re-use over similar periods
- "Transparent" and <u>supported</u> migrations

CERN



#### ~30 years of LEP – what does it tell us?

- ► Major migrations are **unavoidable** but hard to **foresee**!
- Data is not just "bits", but also documentation, software + environment + "knowledge"
  - "Collective knowledge" particularly hard to capture (remember)
    - Documentation "refreshed" after 20 years (1995) now in Digital Library in PDF & PDF/A formats (was Postscript)
- Today's "Big Data" may become tomorrow's "peanuts"
  - 100TB per LEP experiment: <u>immensely challenging</u> at the time; now "trivial" for both CPU and storage
  - With time, <u>hardware costs</u> tend to zero
    - O(CHF 1000) per experiment per year for archive storage
  - Personnel costs tend to O(1FTE) >> CHF 1000!
    - Perhaps as little now as 0.1 0.2 FTE per LEP experiment to keep data + s/w alive – no new analyses included





See DPHEP Workshop on "Full Costs of Curation", January 2014: https://indico.cern.ch/event/276820/

#### **ODBMS** migration – overview (300TB)

#### A triple migration!

- Data <u>format</u> and <u>software</u> conversion from Objectivity/DB to Oracle
- Physical <u>media</u> migration from StorageTek 9940A to 9940B tapes
- Took ~1 year to prepare; ~1 year to execute
- Could never have been achieved without extensive system, database and application support!
- Two experiments many software packages and data sets
  - COMPASS <u>raw event data (300 TB)</u>
    - Data taking continued after the migration, using the new Oracle software
  - HARP <u>raw event data</u> (30 TB), <u>event collections</u> and <u>conditions data</u>
    - Data taking stopped in 2002, no need to port event writing infrastructure
  - In both cases, the migration was during the "lifetime" of the experiment
  - System integration tests validating read-back from the new storage



IT-SDC

#### **Data Management / Access Policies**

Worldwide Large hadron collider Computing Grid

DATA **RESERVATION 1** /GH NERGY HYSICS

International Collaboration for Data Preservation and

Long Term Analysis in High Energy Physics



You can't share data, nor re-use it, unless you have preserved it! Slide 26

### 2020 Vision for LTDP in HEP

- Long-term e.g. FCC timescales: disruptive change
  - By 2020, all archived data e.g. that described in DPHEP Blueprint, including LHC data – easily findable, fully usable by designated communities with clear (Open) access policies and possibilities to annotate further
  - Best practices, tools and services well run-in, fully documented and sustainable; built in common with other disciplines, based on standards
  - DPHEP portal, through which data / tools accessed
    >"HEP FAIRport": Findable, Accessible, Interoperable, Re-usable
- Agree with Funding Agencies clear targets & metrics



# What is?

#### Preservation

- Data preservation refers to the series of managed activities necessary to ensure continued access to digital materials for as long as necessary.
- Curation:
  - **Digital curation** involves maintaining, preserving and **adding value** to digital research data throughout its lifecycle.
- Stewardship:
  - Even more including decisions on what data to preserve, what is the necessary meta-data (and perhaps also data management during active life of the data).
  - (From cradle to grave, according to <u>EU HLEG report</u> claiming a missing 500,000 data scientists)
  - 5% "total project" tax proposed (and disputed by some)



#### ISO 16363 certification of CERN

- ISO 16363 follows OAIS breakdown:
  - 3. Organisational Infrastructure;
  - 4. Digital Object Management;
  - 5. Infrastructure and Security Risk Management.
- Many of the elements in 3) and 5) covered by existing (and documented) CERN practices
  - Some "weak" areas being addressed include disaster preparedness / recovery (together with EIROForum)
  - And we haven't really started to address 4) yet...
- Next step is "stage 1" external audit to high-light those areas requiring attention
  - May just be a question of documentation, e.g. CERN is not going to change its financial practices (MTP etc) as a result of ISO 16363!



### **Bit Preservation: Steps Include**

- Controlled media lifecycle
  - Media kept for 2 max. 2 drive generations
- Regular media verification
  - When tape written, filled, every 2 years...
- Reducing tape mounts
  - Reduces media wear-out & increases efficiency
- Data Redundancy
  - For "smaller" communities, a 2<sup>nd</sup> copy can be created: separate library in a different building (e.g. LEP – 3 copies at CERN!)
- Protecting the physical link
  - Between disk caches and tape servers
- Protecting the environment
  - Dust sensors! (Don't let users touch tapes)

#### Constant improvement: reduction in bit-loss rate: 5 x 10<sup>-16</sup>





#### **Organisational Infrastructure**

3.1	Governance & Organisational Viability	Mission Statement, Preservation Policy, Implementation plan(s) etc. Operational Circular, DPHEP Reports
3.2	Organisational Structure & Staffing	Duties, staffing, professional development etc.
3.3	Procedural accountability & preservation policy framework	Designated communities, knowledge bases, policies & reviews, change management, transparency & accountability etc. Generic descriptions refined by project DMPs
3.4	Financial sustainability	Business planning processes, financial practices and procedures etc.
3.5	Contracts, licenses & liabilities	For the digital materials preserved

#### Infrastructure & Security Risk Management

5.1	Technical Infrastructure Risk Management	Technology watches, h/w & s/w changes, detection of bit corruption or loss, reporting, security updates, storage media refreshing, change management, critical processes, handling of multiple data copies etc
5.2	Security Risk Management	Security risks (data, systems, personnel, physical plant), disaster preparedness and recovery plans

#### **Digital Object Management**

4.1	Ingest: acquisition of content	
4.2	Ingest: creation of the AIP	Archival Information Package
4.3	Preservation planning	
4.4	AIP Preservation	
4.5	Information management	"FAIR" etc
4.6	Access management	

The plan is to address these after metrics 3 & 5...

**Need to agree on scope: only "Open Data"?** 

# Open (Linked) Data

★ Available on the web (whatever format) but with an open license, to be Open Data

 $\star \star$  Available as machine-readable structured data (e.g. excel instead of image scan of a table)

 $\star \star \star$  as (2) plus non-proprietary format (e.g. CSV instead of excel)

 $\star \star \star \star$  All the above plus, Use open standards from W3C (RDF and SPARQL) to identify things, so that people can point at your stuff

 $\star \star \star \star \star \star$  All the above, plus: Link your data to other people's data to provide context

