

# **Blois 2018: 30th Rencontres de Blois on "Particle Physics and Cosmology"**

Sunday, 3 June 2018 - Friday, 8 June 2018

## **Book of Abstracts**



# Contents

Gravitational Waves . . . . .	1
Light Dark Matter: Change of a Paradigm? . . . . .	1
The Higgs Boson and the Cosmology of the Early Universe . . . . .	1
Higgs couplings and properties and their combinations, together with rare Higgs decays . . . . .	1
Higgs Differential Cross Sections and EFT Analysis . . . . .	1
BSM Prospects in Higgs Physics at the LHC . . . . .	2
The SM-Higgs Precision Program . . . . .	2
Perspectives and Outlook . . . . .	2
General Discussion . . . . .	2
Highlights on Searches for SUSY and Exotics at the LHC . . . . .	2
Searches for Exotic Dark Matter and Long-Lived Particles at the LHC . . . . .	3
BSM Theories with Long Lived Particles . . . . .	3
Dark Matter Searches at the LHC . . . . .	3
BSM Physics Beyond Colliders . . . . .	3
Recent Results and Prospects for Direct Detection Dark Matter Searches . . . . .	4
Indirect Dark Matter Searches . . . . .	4
BSM Physics Beyond Colliders . . . . .	4
CP Violation . . . . .	4
Rare decays and tests of lepton flavour universality in (b-)quark flavour physics . . . . .	4
The Theoretical Point of View . . . . .	5
Precision W/Z Physics at Colliders . . . . .	5
Diboson Channels and Triple Gauge Coupling (Theory) . . . . .	5
Heavy ion measurements at the LHC . . . . .	6

QCD Tests with Jets, Bosons and Top Quarks at the LHC . . . . .	6
Perturbative QCD . . . . .	6
Neutrino Properties from Observations in Astroparticle Physics . . . . .	6
Gamma Ray Astronomy . . . . .	7
Multimessenger Astrophysics . . . . .	7
Problems and Perspectives in Cosmology . . . . .	7
Observational Cosmology and Hubble Constant . . . . .	7
Cosmological Constraints from the Dark Energy Survey . . . . .	7
Status of Neutrino Parameters and Future Prospects . . . . .	7
Lepton Number Violation . . . . .	8
Sterile Neutrinos in Cosmology . . . . .	8
Coherent Low Energy Neutrino Interactions . . . . .	8
New Ideas in Dark Matter Research . . . . .	8
Conference Summary . . . . .	8
Search for Primordial Black Holes with VERITAS . . . . .	8
Directional Search for Dark Matter Using Nuclear Emulsion . . . . .	8
First result on the neutrinoless double beta decay of Se-82 with CUPID-0 . . . . .	9
The ENUBET neutrino beam . . . . .	10
Gamma Rays from the Centers of the Milky Way and Andromeda Seen with the Fermi-LAT . . . . .	10
Results from the CUORE experiment . . . . .	11
EMC-effect in Drell-Yan process . . . . .	11
Search for neutrinoless double beta decay with GERDA . . . . .	12
Transient Gamma Ray Sources (MAGIC) . . . . .	13
The BAHAMAS Project . . . . .	13
Search for $K^+ \rightarrow \pi^+ \nu \bar{\nu}$ at NA62 . . . . .	13
Search for exotics at NA62 . . . . .	13
KM3NeT/ORCA: Neutrino oscillation studies in the deep sea . . . . .	14
BICEP/Keck: Constraining primordial gravitational waves with CMB polarization observa- tions from the South Pole . . . . .	15

Latest astroparticle physics results of H.E.S.S. . . . . .	15
Gamma Rays from the Centers of the Milky Way and Andromeda Seen with the Fermi-LAT . . . . .	15
Neutrino astronomy in the Mediterranean: ANTARES latest results and perspectives for KM3NeT/ARCA . . . . .	16
The Left-Right SU <sub>L</sub> (2) x SU <sub>R</sub> (2) Model of Electroweak Interaction . . . . .	16
Recent Results from the South Pole Telescope and Status of SPT-3G . . . . .	17
A search for primordial black hole evaporation events with the VERITAS experiment . .	17
CHIME . . . . .	17
The XENON1T Dark Matter Experiment . . . . .	18
Recent results from ANITA . . . . .	19
Pierre Auger Observatory: latest results and prospects . . . . .	19
Results from the ARIS experiment . . . . .	19
Pierre Auger Observatory: latest results and prospects . . . . .	20
LATTES: a new detector concept for a gamma-ray experiment in the Southern hemisphere . . . . .	21
CHIME . . . . .	21
Point-source searches with IceCube . . . . .	21
LATTES: a new detector concept for a gamma-ray experiment in the Southern hemisphere . . . . .	22
Higgs Boson fermionic production and decay modes with the ATLAS detector . . . . .	22
Quantum gravity corrections to photon dynamics, white dwarfs and the Big Bang . . . .	22
Heavy flavour results from Tevatron . . . . .	23
Highlights from heavy-flavor measurements with ALICE in heavy-ion collisions . . . . .	23
Heavy flavour production and properties in CMS and ATLAS . . . . .	24
Mixing and CP violation in beauty and charm at LHCb . . . . .	24
Rare decays, radiative decays and b->sll transitions at LHCb . . . . .	24
Lepton Flavour Universality tests with B decays at LHCb . . . . .	24
Test of lepton universality in rare B decays at BELLE . . . . .	24
Belle II status and early physics . . . . .	25
Searches for tau LFV and lepton non-universality at Belle II . . . . .	25

Soft QCD in ATLAS and CMS . . . . .	25
QCD highlights from ALICE . . . . .	25
QCD with photons in ATLAS and CMS . . . . .	25
Hadron spectroscopy, exotic states and heavy flavour production at LHCb . . . . .	25
Charmonium decays at BESIII . . . . .	26
Recent results on production and decay of quarkonium states at BABAR . . . . .	26
EMC-effect in Drell-Yan process at COMPASS . . . . .	27
Hard probes with pPb and PbPb collisions and fixed target results at LHCb . . . . .	27
Heavy ion measurements in ATLAS . . . . .	27
Heavy ion measurements in CMS . . . . .	27
Darkside latest results and future prospects . . . . .	27
Search for dark matter particles with CRESST-III . . . . .	28
The XENON1T Dark Matter Experiment . . . . .	28
Directional Search for Dark Matter Using Nuclear Emulsion - NEWSdm . . . . .	28
Results from the ARIS experiment . . . . .	28
IceCube . . . . .	28
Dwarfs spheroidal galaxies searches - VERITAS . . . . .	29
Galactic and extragalactic searches for dark matter annihilation . . . . .	29
Composite Dark Matter . . . . .	29
Is self-interacting dark matter with no light mediators viable? . . . . .	29
Flip-flop DM . . . . .	29
Long-lived particle signatures at present and future colliders . . . . .	30
Clockwork without supersymmetry . . . . .	30
n-nbar oscillations and BSM physics . . . . .	30
Physics with top and search for exotic signatures in the forward direction at LHCb . . . . .	30
Searches for dark matter and new physics in ATLAS and CMS . . . . .	30
Searches with boosted objects . . . . .	30
Searches for electroweak production of supersymmetric gauginos and sleptons at ATLAS . . . . .	31
Search for vector-like quarks in ATLAS . . . . .	31
Searches for long-lived particles in ATLAS . . . . .	31

Searches for leptoquarks in CMS . . . . .	31
Searches for supersymmetry with gauge-mediated symmetry breaking at CMS . . . . .	31
Inclusive and differential W/Z measurements in ATLAS and CMS . . . . .	32
Precision electroweak measurements at the Tevatron . . . . .	32
Tests of the electroweak sector in ATLAS . . . . .	32
Theoretical uncertainties for the W-Boson Mass . . . . .	32
Multiboson production in ATLAS and CMS . . . . .	33
Electroweak boson production with jets in CMS . . . . .	33
Automation of NLO electroweak calculations . . . . .	33
VBF and VBS production in SM processes in ATLAS and CMS . . . . .	34
Theory status for hadronic top-quark pair production . . . . .	34
$t\bar{t}(\text{+X})$ pair production in ATLAS and CMS . . . . .	34
Single top production in ATLAS and CMS . . . . .	34
Top quark properties in ATLAS and CMS . . . . .	34
Anomalous top quark couplings, FCNC, and EFT interpretations in CMS . . . . .	35
Top mass measurements in ATLAS and CMS . . . . .	35
B-hadron observables and top mass determination . . . . .	35
Higgs Boson fermionic production and decay modes in ATLAS detector . . . . .	35
Measurement of the Yukawa couplings of the Higgs boson in CMS . . . . .	35
Measurement of cross sections and couplings of the Higgs Boson in bosonic decay channels in ATLAS . . . . .	36
Constraining the Higgs self-couplings at electron-positron colliders . . . . .	36
Searches for extended scalar sectors in CMS . . . . .	36
Higgs pair production . . . . .	36
Observation of $t\bar{t}H$ production in CMS . . . . .	36
Searches for flavor-changing neutral currents in top quark events in ATLAS . . . . .	36
NEWS-G project : direct detection of sub-Gev dark matter particles . . . . .	37
NOvA results . . . . .	37
Results from the CUORE experiment . . . . .	37
Recent probes of perturbative QCD calculations with jets in ATLAS and CMS . . . . .	37

Results on ttH production in ATLAS . . . . .	37
Results from the CUORE experiment . . . . .	38
Neutrino Properties from Observations in Astroparticle Physics . . . . .	38
Cosmological Constraints from Dark Energy Survey . . . . .	38

**Highlights / 152**

## **Gravitational Waves**

**Corresponding Author:** porter@apc.in2p3.fr

**Highlights / 153**

## **Light Dark Matter: Change of a Paradigm?**

**Corresponding Author:** kzurek@berkeley.edu

**Highlights / 154**

## **The Higgs Boson and the Cosmology of the Early Universe**

**Corresponding Author:** mikhail.shaposhnikov@epfl.ch

**The Higgs Boson / 155**

## **Higgs couplings and properties and their combinations, together with rare Higgs decays**

**Corresponding Author:** thomas.strebler@cern.ch

**Subject:**

**Abstract Title:**

**Author's e-mail:**

**Author's Name:**

**Author's Institute:**

**The Higgs Boson / 156**

## **Higgs Differential Cross Sections and EFT Analysis**

**Corresponding Author:** stefan.guindon@cern.ch

**Subject:**

**Abstract Title:**

**Author's e-mail:**

**Author's Name:**

**Author's Institute:**

**The Higgs Boson / 157**

## **BSM Prospects in Higgs Physics at the LHC**

**Corresponding Author:** gpanico@ifae.es

**The Higgs Boson / 158**

## **The SM-Higgs Precision Program**

**Corresponding Author:** michael.spira@psi.ch

**Discussion Session / 159**

## **Perspectives and Outlook**

**Corresponding Author:** fayet@lpt.ens.fr

**Discussion Session / 160**

## **General Discussion**

**Beyond the Standard Model / Dark Matter / 161**

## **Highlights on Searches for SUSY and Exotics at the LHC**

**Corresponding Author:** nadja.strobbe@cern.ch

**Subject:**

**Abstract Title:**

**Author's e-mail:**

**Author's Name:**

**Author's Institute:**

**Beyond the Standard Model / Dark Matter / 162**

## **Searches for Exotic Dark Matter and Long-Lived Particles at the LHC**

**Corresponding Author:** sawada@icepp.s.u-tokyo.ac.jp

**Subject:**

**Abstract Title:**

**Author's e-mail:**

**Author's Name:**

**Author's Institute:**

**Beyond the Standard Model / Dark Matter / 163**

## **BSM Theories with Long Lived Particles**

**Corresponding Author:** david.r.curtin@gmail.com

**Beyond the Standard Model / Dark Matter / 164**

## **Dark Matter Searches at the LHC**

**Corresponding Author:** smeehan12@gmail.com

**Subject:**

**Abstract Title:**

**Author's e-mail:**

**Author's Name:**

**Author's Institute:**

**Beyond the Standard Model / Dark Matter / 165**

## **BSM Physics Beyond Colliders**

**Beyond the Standard Model / Dark Matter / 166**

### **Recent Results and Prospects for Direct Detection Dark Matter Searches**

**Corresponding Author:** kjpalladino@gmail.com

**Beyond the Standard Model / Dark Matter / 167**

### **Indirect Dark Matter Searches**

**Corresponding Author:** mlisanti@princeton.edu

**Beyond the Standard Model / Dark Matter / 168**

## **BSM Physics Beyond Colliders**

**Corresponding Author:** devries.jordy@gmail.com

**Heavy Flavour Physics / 169**

### **CP Violation**

**Corresponding Author:** guy.wilkinson@cern.ch

**Subject:**

**Abstract Title:**

**Author's e-mail:**

**Author's Name:**

**Author's Institute:**

**Heavy Flavour Physics / 170**

### **Rare decays and tests of lepton flavour universality in (b-)quark flavour physics**

**Corresponding Author:** monica.pepe.altarelli@cern.ch

**Subject:**

**Abstract Title:**

**Author's e-mail:**

**Author's Name:**

**Author's Institute:**

Heavy Flavour Physics / 171

## **The Theoretical Point of View**

**Corresponding Author:** nazila@cern.ch

**Subject:**

**Abstract Title:**

**Author's e-mail:**

**Author's Name:**

**Author's Institute:**

QCD+EW+Top Physics+Heavy Ions / 172

## **Precision W/Z Physics at Colliders**

**Corresponding Author:** ilya.kravchenko@cern.ch

**Subject:**

**Abstract Title:**

**Author's e-mail:**

**Author's Name:**

**Author's Institute:**

QCD+EW+Top Physics+Heavy Ions / 173

## **Diboson Channels and Triple Gauge Coupling (Theory)**

**Corresponding Author:** grazzini@physik.uzh.ch

**QCD+EW+Top Physics+Heavy Ions / 174**

## **Heavy ion measurements at the LHC**

**Corresponding Author:** antonin.maire@cern.ch

**Subject:**

**Abstract Title:**

**Author's e-mail:**

**Author's Name:**

**Author's Institute:**

**QCD+EW+Top Physics+Heavy Ions / 175**

## **QCD Tests with Jets, Bosons and Top Quarks at the LHC**

**Corresponding Author:** valentina.maria.cairo@cern.ch

**Subject:**

**Abstract Title:**

**Author's e-mail:**

**Author's Name:**

**Author's Institute:**

**QCD+EW+Top Physics+Heavy Ions / 176**

## **Perturbative QCD**

**Corresponding Author:** f-petriello@northwestern.edu

**The High Energy Universe / 177**

## **Neutrino Properties from Observations in Astroparticle Physics**

**Corresponding Author:** mbustamante@nbi.ku.dk

**The High Energy Universe / 178**

## **Gamma Ray Astronomy**

**Corresponding Author:** costant@cppm.in2p3.fr

**The High Energy Universe / 179**

## **Multimessenger Astrophysics**

**Corresponding Author:** konstancja.satalecka@desy.de

**Cosmology / 180**

## **Problems and Perspectives in Cosmology**

**Corresponding Author:** bartlett@apc.univ-paris7.fr

**Cosmology / 181**

## **Observational Cosmology and Hubble Constant**

**Corresponding Author:** suyu@mpa-garching.mpg.de

**Cosmology / 182**

## **Cosmological Constraints from the Dark Energy Survey**

**Corresponding Author:** dgruen@stanford.edu

**Neutrino Physics / 183**

## **Status of Neutrino Parameters and Future Prospects**

**Corresponding Author:** antonio.palazzo@ba.infn.it

**Neutrino Physics / 184**

## **Lepton Number Violation**

**Corresponding Author:** oliviero.cremonesi@mib.infn.it

**Neutrino Physics / 185**

## **Sterile Neutrinos in Cosmology**

**Corresponding Author:** nathalie.palanque-delabrouille@cea.fr

**Neutrino Physics / 186**

## **Coherent Low Energy Neutrino Interactions**

**Corresponding Author:** psbarbeau@phy.duke.edu

**Beyond the Standard Model / Dark Matter / 187**

## **New Ideas in Dark Matter Research**

**Corresponding Author:** mpyle1@berkeley.edu

**Summary Talk / 188**

## **Conference Summary**

**Corresponding Author:** yg7373@gmail.com

**Parallel Session Astro+Cosmo / 192**

## **Search for Primordial Black Holes with VERITAS**

**Corresponding Author:** qifeng@nevis.columbia.edu

**Beyond the Standard Model / Dark Matter / 193**

## **Directional Search for Dark Matter Using Nuclear Emulsion**

**Author:** Murat Ali Guler<sup>1</sup>

<sup>1</sup> *Middle East Technical University (TR)*

**Corresponding Author:** ali.murat.guler@cern.ch

A variety of experiments have been developed over the past decades, aiming at the detection of Weakly Interactive Massive Particles (WIMPs) via their scattering in an instrumented medium. The sensitivity of these experiments has improved with a tremendous speed, thanks to a constant development of detectors and analysis methods. Detectors capable of reconstructing the direction of the nuclear recoil induced by the WIMP scattering are opening a new frontier to possibly extend Dark Matter searches beyond the neutrino background. Exploiting directionality would also give a proof of the galactic origin of dark matter making it possible to have a clear and unambiguous signal to background separation. The NEWSdm experiment, based on nuclear emulsions, is a new experiment proposal intended to measure the direction of WIMP-induced nuclear recoils with a solid-state detector, thus with a high sensitivity. We discuss the discovery potential of a directional experiment based on the use of a solid target made of newly developed nuclear emulsions and novel read-out systems achieving nanometric resolution. We also report results of a technical test conducted in Gran Sasso.

**Subject:**

BSM+DM

**Abstract Title:**

Directional Search for Dark Matter Using Nuclear Emulsion

**Author's e-mail:**

ali.murat.guler@cern.ch

**Author's Name:**

NEWSdm Collaboration

**Author's Institute:**

METU

**Parallel Session Neutrinos / 194**

## **First result on the neutrinoless double beta decay of Se-82 with CUPID-0**

**Author:** Lorenzo Pagnanini<sup>1</sup>

<sup>1</sup> *GSSI - Gran Sasso Science Institute*

**Corresponding Author:** lorenzo.pagnanini@gssi.infn.it

CUPID-0 is the first large array of enriched scintillating ZnSe cryogenic calorimeters implementing active particle identification. The detector consists of an array of 24 ZnSe crystals enriched in <sup>82</sup>Se and two natural ZnSe crystals for a total mass of 10.5 kg installed in a dilution refrigerator hosted at the Laboratori Nazionali del Gran Sasso.

The heat-light readout exploited in CUPID-0 provides a unique tool for  $\alpha$ -particle discrimination and allows to suppress the background in the region of interest to an unprecedented level for a bolometric experiment. We will report the first results of the search for neutrinoless double beta decay ( $0\nu\beta\beta$ ) in <sup>82</sup>Se and a preliminary background reconstruction.

**Subject:**

Neutrinos

**Abstract Title:**

First result on the neutrinoless double beta decay of Se-82 with CUPID-0

**Author's e-mail:**

lorenzo.pagnanini@lngs.infn.it

**Author's Name:**

Lorenzo Pagnanini on behalf of the CUPID-0 collaboration

**Author's Institute:**

Università Milano Bicocca and INFN Sezione Milano Bicocca

**Parallel Session Neutrinos / 195**

## **The ENUBET neutrino beam**

**Author:** Anselmo Meregaglia<sup>1</sup>

<sup>1</sup> *Centre National de la Recherche Scientifique (FR)*

**Corresponding Author:** anselmo.meregaglia@cern.ch

ENUBET has been designed to monitor lepton production in the decay tunnel of neutrino beams at single particle level and to provide a 1% measurement of the neutrino flux at source. In particular, the three body semileptonic decay of kaons monitored by large angle positron production offers a fully controlled  $\nu_e$  source at the GeV scale for a new generation of short baseline experiments. During the last year major advances have been achieved in the design of the positron tagger and the beamline. In Blois, the ENUBET Collaboration will present the performance of the positron tagger tested at CERN in 2017-2018, the design for the Reference Beamline - with special emphasis on the static focusing system - and the expected sensitivity of ENUBET for  $\nu_e$  and  $\nu_\mu$  cross section measurements.

**Subject:**

Neutrinos

**Abstract Title:**

The ENUBET neutrino beam

**Author's e-mail:**

anselmo.meregaglia@cern.ch

**Author's Name:**

Anselmo Meregaglia

**Author's Institute:**

CENBG-IN2P3-CNRS

**Parallel Session Astro+Cosmo / 196**

## **Gamma Rays from the Centers of the Milky Way and Andromeda Seen with the Fermi-LAT**

**Corresponding Author:** houxian2007@gmail.com

198

## Results from the CUORE experiment

**Author:** Brian Fujikawa<sup>None</sup>

**Corresponding Author:** bkfujikawa@lbl.gov

The Cryogenic Underground Observatory for Rare Events (CUORE) is the first bolometric experiment searching for neutrinoless double beta decay ( $0\nu\beta\beta$ ) that has been able to reach the one-ton scale. The detector consists of an array of 988 TeO<sub>2</sub> crystals arranged in a compact cylindrical structure of 19 towers. The construction of the experiment was completed in August 2016 with the installation of all towers in the cryostat. Following a cooldown, diagnostic, and optimization campaign, routine data-taking began in spring 2017. In this talk, we present the  $0\nu\beta\beta$  results of CUORE from examining a total TeO<sub>2</sub> exposure of 86.3 kg·yr, characterized by an average energy resolution of 7.7 keV FWHM and a background in the region of interest of  $\mbox{0.014 counts}/(\text{keV}\cdot\text{kg}\cdot\text{yr})$ . In this physics run, CUORE placed a lower limit on the <sup>130</sup>Te  $0\nu\beta\beta$  half-life of  $T_{1/2}^{0\nu} > 1.3 \times 10^{25}$  yr (90% C.L.). We then discuss the additional improvements in the detector performance achieved in 2018 and the latest update on the study of other rare processes in Tellurium and the evaluation of the background budget.

**Subject:**

Neutrinos

**Abstract Title:**

Results from the CUORE experiment

**Author's e-mail:**

cuore-speaker@mailman.yale.edu

**Author's Name:**

CUORE Collaboration

**Author's Institute:**

CUORE Collaboration

**Parallel Session QCD+HF / 200**

## EMC-effect in Drell-Yan process

**Author:** Evgenii Mitrofanov<sup>1</sup>

<sup>1</sup> *Joint Institute for Nuclear Research (RU)*

**Corresponding Author:** evgenii.mitrofanov@cern.ch

The EMC effect or a modification of parton distributions in bound nucleons by nuclear environment as compared to free ones, has been extensively studied during the last 30 years. Many explanations of the effect like nuclear binding, pion excess in nuclei, multi-quark clusters, dynamic rescaling, medium modification, short-range correlations, etc. have been proposed, but its full understanding is still lacking. The COMPASS experiment at CERN will provide new results on the EMC effect, originating from the Drell-Yan process and studied in the 190 GeV  $\pi^-$  beam scattering on the ammonia

and tungsten targets.

The present understanding of the EMC effect and experimental possibilities of COMPASS in this context will be discussed.

**Subject:**

QCD+Flavour

**Abstract Title:**

EMC-effect in Drell-Yan process

**Author's e-mail:**

evgenii.mitrofanov@cern.ch

**Author's Name:**

Evgenii Mitrofanov

**Author's Institute:**

Joint Institute for Nuclear Research

**Parallel Session Neutrinos / 201**

## **Search for neutrinoless double beta decay with GERDA**

**Author:** Chloe Ransom<sup>1</sup>

**Co-author:** The GERDA collaboration

<sup>1</sup> *University of Zurich*

**Corresponding Author:** chloe.ransom@physik.uzh.ch

The GERmanium Detector Array (GERDA) collaboration searches for the hypothetical lepton number violating process neutrinoless double beta decay of Germanium-76 by operating 35 kg of enriched germanium diodes acting as both source and detector. The detectors are operated directly in liquid argon, which acts both as a coolant and as background shielding. Since the start of Phase II in 2015, the liquid argon is also instrumented with light detectors to readout scintillation light for further background suppression. The most recent limit on the half-life from GERDA is  $8.0 \times 10^{25}$  yr, the strongest limit set for this isotope. This was achieved with a background level of  $10^{-3}$  counts/(keV kg yr), such that GERDA will remain "background-free" up to the entire design exposure. In May 2018, GERDA's projected half-life sensitivity will surpass  $10^{26}$  yr, the first neutrinoless double beta decay experiment to do so. Results and analysis from this data release will be presented.

**Subject:**

Neutrinos

**Abstract Title:**

Search for neutrinoless double beta decay with GERDA

**Author's e-mail:**

chloe.ransom@physik.uzh.ch

**Author's Name:**

Chloe Ransom

**Author's Institute:**

Physik-Institut, University of Zurich

**Parallel Session Astro+Cosmo / 202**

## **Transient Gamma Ray Sources (MAGIC)**

**Corresponding Author:** alessioberti90@gmail.com

**Parallel Session Astro+Cosmo / 203**

## **The BAHAMAS Project**

**Corresponding Author:** i.g.mccarthy@ljmu.ac.uk

**Parallel Session QCD+HF / 204**

## **Search for $K^+ \rightarrow \pi^+ \nu \bar{\nu}$ at NA62**

**Corresponding Author:** joel.christopher.swallow@cern.ch

**Subject:**

QCD+Flavour

**Abstract Title:**

Search for  $K^+ \rightarrow \pi^+ \nu \bar{\nu}$  at NA62

**Author's e-mail:**

cristina.lazzeroni@cern.ch

**Author's Name:**

Cristina Lazzeroni

**Author's Institute:**

University of Birmingham, UK

**Parallel Session BSM+DM / 205**

## **Search for exotics at NA62**

**Corresponding Author:** alina.kleimenova@cern.ch

Fixed target experiments are a particularly useful tool in the search of very weakly coupled particles in the MeV-GeV range, which are of interest, e.g. as potential Dark Matter mediators. Owing to the high beam-energy and

a hermetic detector coverage, NA62 also has the opportunity to directly search for a variety of long-lived beyond-the Standard Model particles, such as Axion-like Particles and Dark Photons. In this talk, we will review the status of these searches and give prospects for future data taking at NA62. Searches for heavy neutral lepton (HNL) production in charged kaon decays using the data collected by the NA62 experiment at CERN are reported. Upper limits are established on the elements of the extended neutrino mixing matrix for heavy neutral lepton mass in the range 130-450 MeV, improving on the results from previous HNL production searches. The status and prospects of searches for lepton flavour and lepton number violation in kaon decays at the NA62 experiment is also presented.

**Subject:**

BSM+DM

**Abstract Title:**

Search for exotics at NA62

**Author's e-mail:**

cristina.lazzeroni@cern.ch

**Author's Name:**

Cristina Lazzeroni

**Author's Institute:**

University of Birmingham, UK

**Parallel Session Neutrinos / 206**

## **KM3NeT/ORCA: Neutrino oscillation studies in the deep sea**

**Author:** Steffen Hallmann<sup>1</sup>

<sup>1</sup> *ECAP, Universität Erlangen-Nürnberg*

**Corresponding Author:** steffen.hallmann@fau.de

ORCA is the low-energy branch of KM3NeT, the next-generation Cherenkov neutrino observatory under construction in the Mediterranean Sea. A dense configuration of optical modules is foreseen to detect neutrinos down to a few GeV energy. The detector will be able to accurately reconstruct and distinguish two event topologies: track-like signatures from mostly  $\nu_\mu$  charged current interactions and cascade events dominated by the remaining neutrino interactions. With its instrumented volume of 8 Mm<sup>3</sup>, ORCA will collect high statistics of atmospheric neutrinos that have traversed a wide range of baselines and matter density profiles while crossing the Earth.

These ingredients enable ORCA to resolve the neutrino mass hierarchy, i.e. determine whether the third neutrino mass eigenstate is lighter or heavier than the other two, with a significance of  $3\sigma$  after 3-4 years of operation. ORCA will also be able to constrain other neutrino oscillation parameters such as  $\theta_{23}$  and - by studying the appearance of tau neutrinos - the unitarity of 3-neutrino mixing.

The contribution reviews the technology, performance and main scientific objectives of the experiment. The current construction status and further science options including a possible neutrino beam to ORCA are outlined.

**Subject:**

Neutrinos

**Abstract Title:**

KM3NeT/ORCA: Neutrino oscillation studies in the deep sea

**Author's e-mail:**

steffen.hallmann@fau.de

**Author's Name:**

Steffen Hallmann

**Author's Institute:**

ECAP, Universität Erlangen-Nürnberg

**Parallel Session Astro+Cosmo / 208**

**BICEP/Keck: Constraining primordial gravitational waves with CMB polarization observations from the South Pole**

**Corresponding Author:** mdierickx@cfa.harvard.edu

**Parallel Session BSM+DM / 209**

**Latest astroparticle physics results of H.E.S.S.**

**Corresponding Author:** lucia.rinchiuso@cea.fr

**Parallel Session Astro+Cosmo / 210**

**Gamma Rays from the Centers of the Milky Way and Andromeda Seen with the Fermi-LAT**

**Author:** Xian Hou<sup>1</sup>

<sup>1</sup> *Yunnan Observatories*

**Corresponding Author:** houxian2007@gmail.com

Recent observations of gamma rays with the Fermi-LAT have revealed excess emission from the centers of the Milky Way and the Andromeda galaxy, both of unknown origin. In this talk, I will briefly review the current observational status of the excess including morphological and spectral properties. Possible interpretations will be discussed, such as cosmic ray interactions with the interstellar medium, unresolved population of point sources, and dark matter annihilation or decay. Future observations at higher energies may shed light on the origin of the central emission.

**Subject:**

Astro/Cosmo

**Abstract Title:**

Gamma Rays from the Centers of the Milky Way and Andromeda Seen with the Fermi-LAT

**Author's e-mail:**

houxian2007@gmail.com

**Author's Name:**

Xian Hou

**Author's Institute:**

Yunnan Observatories

**Parallel Session Astro+Cosmo / 211**

## **Neutrino astronomy in the Mediterranean: ANTARES latest results and perspectives for KM3NeT/ARCA**

**Corresponding Author:** giovanna.ferrara@lns.infn.it

**Parallel Session Higgs+Top+EW / 212**

## **The Left-Right $SU_L(2) \times SU_R(2)$ Model of Electroweak Interaction**

**Author:** Andrew Koshelkin<sup>1</sup>

<sup>1</sup> *National Research Nuclear University*

**Corresponding Author:** a\_kosh@internets.ru

The  $SU_L(2) \otimes SU_R(2)$  gauge model of the unified theory of the electromagnetic and weak interactions, which is free of the auxiliary self-interaction scalar field, is developed. Breaking the initial symmetry, the  $SU_L(2) \otimes U_R(1)$  Lagrangian is derived. The obtained  $SU_L(2) \otimes U_R(1)$  Lagrangian contains all of the terms, corresponding to free boson and fermion fields as well as to interactions between them, which are in the classical Standard Model of the electroweak interaction. All boson fields, including the Higgs one, directly arise due to violation the initial symmetry, and are generated by the initial gauge fields. The obtained masses of the Higgs particle and of the gauge boson fields are in agreement with the experimental data[1,2].

1.ATLAS Collaboration, Physics Letters B, v.716, 30 (2012).

2.Particle Data Group,C. Patrignani et al., Chin.Phys. C , v.4, 100001 (2016).

**Subject:**

EW+Top+Higgs

**Abstract Title:**

The Left-Right  $SU_L(2) \times SU_R(2)$  Model of Electroweak Interaction

**Author's e-mail:**

a\_kosh@internets.ru

**Author's Name:**

A.V.Koshelkin

**Author's Institute:**

National Research Nuclear University (MEPhI)

Parallel Session Astro+Cosmo / 213

## Recent Results from the South Pole Telescope and Status of SPT-3G

**Corresponding Author:** adama@fnal.gov

Parallel Session Astro+Cosmo / 214

## A search for primordial black hole evaporation events with the VERITAS experiment

**Corresponding Author:** bzitzer@physics.mcgill.ca

Primordial black holes (PBH) are predicted to form from overdense regions in the early universe. These black holes can lose mass through Hawking radiation. Those PBHs of initial mass of  $10^{15}$  g would evaporate in the current epoch, producing a bright burst of gamma rays. Despite the lack of detection from many experiments, the observations of PBH evaporation events provide constraints on their rate-density, which has cosmological implications. We search for excess of gamma-ray burst events that could be associated with primordial black hole evaporations in the archival data of VERITAS, a ground-based Cherenkov telescope array. We present new analysis techniques and search methodologies, and the new constraints on the rate-density of evaporation of primordial black holes.

**Subject:**

Astro/Cosmo

**Abstract Title:**

A search for primordial black hole evaporation events with the VERITAS experiment

**Author's e-mail:**

qifeng@nevis.columbia.edu

**Author's Name:**

Qi Feng

**Author's Institute:**

Columbia University

215

## CHIME

**Author:** Keith Vanderlinde<sup>1</sup>

<sup>1</sup> *University of Toronto*

**Corresponding Author:** vanderlinde@dunlap.utoronto.ca

I will introduce the Canadian Hydrogen Intensity Mapping Experiment (CHIME), an ambitious project to study Dark Energy by tracing out 4 billion years of cosmic history, using a purpose-built radio telescope at Canada's Dominion Radio Astrophysical Observatory (DRAO).

Hydrogen Intensity (HI) mapping uses redshifted 21cm emission from neutral hydrogen as a 3D tracer of Large Scale Structure (LSS) in the Universe. Imprinted in the LSS is a remnant of acoustic waves which propagated through the primordial plasma of the nascent cosmos. This "Baryon Acoustic Oscillation" (BAO) feature, which appears as a spatial correlation of LSS, can be used as a standard ruler to trace the expansion history of the Universe, thereby allowing us to constrain the Dark Energy equation of state.

CHIME is a transit interferometer with no moving parts, which uses a massive computing backend to image the radio sky from 400-800MHz, corresponding to 21cm radiation emanating from a redshift range of  $0.8 < z < 2.5$ . Earth rotation sweeps its field of view across the sky, resulting in complete daily coverage of the northern celestial hemisphere and an unprecedented survey sensitivity. I will discuss the motivation, design, and progress on CHIME and its reduced-scale Pathfinder, as well as a pair of extensions which will probe the high-cadence time-domain radio sky, monitoring radio pulsars and exploring a more recent mystery in radio astronomy, the possibly-cosmological Fast Radio Bursts.

**Subject:**

Astro/Cosmo

**Abstract Title:**

CHIME

**Author's e-mail:**

vanderlinde@dunlap.utoronto.ca

**Author's Name:**

Keith Vanderlinde

**Author's Institute:**

University of Toronto

### Beyond the Standard Model / Dark Matter / 216

## The XENON1T Dark Matter Experiment

**Author:** Pietro Di Gangi<sup>1</sup>

<sup>1</sup> *INFN - University of Bologna*

**Corresponding Author:** digangi@bo.infn.it

The XENON1T experiment is the first tonne-scale double phase (liquid-gas) time projection chamber for direct search of dark matter, currently operational at the underground National Laboratory of

Gran Sasso in Italy. XENON1T utilizes about 2000 kg of liquid xenon as target mass for interactions of weakly interacting massive particles (WIMPs), candidate dark matter particles, with xenon nuclei. The XENON1T experiment demonstrated the lowest electronic recoil background at low energies ever achieved in dark matter experiments, at the level of  $(1.9 \pm 0.3) \cdot 10^{-4}$  events per kg·day·keV<sub>ee</sub>. The first scientific results, based on a short data taking run of 34.2 live-days, set one of the most stringent exclusion limits for the spin-independent WIMP-nucleon interaction, reaching the lowest cross section value ever probed at  $7.7 \cdot 10^{-47}$  cm<sup>2</sup> for 35 GeV/c<sup>2</sup> WIMP mass. Since then, XENON1T kept acquiring data with a second scientific run ended in early February 2018, during which ~250 days of data were collected. The dark matter search results from the combined analysis of the two scientific runs, for a total exposure of ~1 tonne-year, will be released soon and will allow to probe a range of WIMP-nucleon cross sections never explored before.

**Subject:**

BSM+DM

**Abstract Title:**

The XENON1T Dark Matter Experiment

**Author's e-mail:**

digangi@bo.infn.it

**Author's Name:**

Pietro Di Gangi

**Author's Institute:**

University of Bologna and INFN - Section of Bologna

**Parallel Session Astro+Cosmo / 217**

## **Recent results from ANITA**

**Corresponding Author:** l.cremonesi@ucl.ac.uk

**Parallel Session Astro+Cosmo / 218**

## **Pierre Auger Observatory: latest results and prospects**

**Corresponding Author:** ruben@lip.pt

**Parallel Session BSM+DM / 219**

## **Results from the ARIS experiment**

**Author:** Anyssa Navrer-Agasson<sup>1</sup>

<sup>1</sup> LPNHE

**Corresponding Author:** anavrera@lpnhe.in2p3.fr

Noble liquid time projection chambers (TPCs) are the leading technology in direct dark matter detection. Among the different targets, Liquid Argon (LAr) plays an important role thanks to its exceptional capabilities to distinguish between nuclear recoils and electronic recoils. The sensitivity of LAr detectors can be enhanced by constraining the parameters of the liquid argon response to interacting particles, such as the quenching of nuclear recoils and the electron-ion recombination effect.

The ARIS (Argon Response to Ionization and Scintillation) experiment has been designed to characterize the LAr response to low energy neutrons and gamma scatters with and without an electric field. A 0.5 kg LAr TPC was exposed to a highly collimated and quasi mono-energetic neutron beam produced with the LICORNE source at the IPN of Orsay and allowed to perform a precise measurement of quenching and recombination effects in LAr in the energy range of interest for dark matter searches.

**Subject:**

BSM+DM

**Abstract Title:**

Results from the ARIS experiment

**Author's e-mail:**

anavrera@lpnhe.in2p3.fr

**Author's Name:**

Anyssa Navrer-Agasson

**Author's Institute:**

LPNHE

**Parallel Session Astro+Cosmo / 220**

## **Pierre Auger Observatory: latest results and prospects**

**Author:** Ruben Mauricio Da Silva Conceicao<sup>1</sup>

<sup>1</sup> *LIP Laboratorio de Instrumentacao e Fisica Experimental de Part*

The Pierre Auger Observatory is the largest site in the world dedicated to the study of Ultra High Energy Cosmic Rays. It has accumulated an unprecedented amount of data that allowed to shed light on the nature and origin of the highest energy known particles.

In this talk, the latest results will be briefly reviewed with a focus on the study of anisotropies in the arrival direction of UHECRs, its mass composition and constrains on high-energy hadronic interaction models. AugerPrime, the planned upgrade, will be also be presented.

**Subject:**

Astro/Cosmo

**Abstract Title:**

Pierre Auger Observatory: latest results and prospects

**Author's e-mail:**

ruben@lip.pt

**Author's Name:**

Ruben Conceição

**Author's Institute:**

LIP

**Parallel Session Astro+Cosmo / 221**

## **LATTES: a new detector concept for a gamma-ray experiment in the Southern hemisphere**

**Author:** Ruben Mauricio Da Silva Conceicao<sup>1</sup>

<sup>1</sup> *LIP Laboratorio de Instrumentacao e Fisica Experimental de Part*

**Corresponding Author:** ruben@lip.pt

The Large Array Telescope for Tracking Energetic Sources (LATTES), is a novel concept for a hybrid EAS array detector, composed of a Resistive Plate Counter and a Water Cherenkov Detector, planned to cover gamma-rays from less than 100 GeV up to 100 TeVs. This experiment, to be installed at high altitude in South America, could cover the existing gap in sensitivity between satellite and ground arrays.

The low energy threshold, large duty cycle and wide field of view of LATTES makes it a powerful tool to detect transient phenomena and perform long term observations of variable sources. Moreover, given its characteristics, it would be fully complementary to the planned Cherenkov Telescope Array (CTA) as it would be able to issue alerts.

In this talk, a description of its main features and capabilities, as well as results on its expected performance, and sensitivity, will be presented.

**Subject:**

Astro/Cosmo

**Abstract Title:**

LATTES: a new detector concept for a gamma-ray experiment in the Southern hemisphere

**Author's e-mail:**

ruben@lip.pt

**Author's Name:**

Ruben Conceição

**Author's Institute:**

LIP

**Parallel Session Astro+Cosmo / 222**

## **CHIME**

**Corresponding Author:** vanderlinde@dunlap.utoronto.ca

**Parallel Session Astro+Cosmo / 223**

## **Point-source searches with IceCube**

**Corresponding Author:** stephanie.bron@icecube.wisc.edu

**Parallel Session Astro+Cosmo / 224**

## **LATTES: a new detector concept for a gamma-ray experiment in the Southern hemisphere**

**Corresponding Author:** bernardo@lip.pt

**Parallel Session Higgs+Top+EW / 225**

## **Higgs Boson fermionic production and decay modes with the ATLAS detector**

**Author:** Stephen Kam-Wah Chan<sup>1</sup>

<sup>1</sup> *Harvard University (US)*

**Corresponding Author:** stephen.kam-wah.chan@cern.ch

While the Higgs boson was discovered primarily through its coupling to other bosons, many of the Higgs couplings to fermions have yet to be conclusively observed at the LHC. Observing and measuring Higgs fermionic production and decay is crucial to understanding the Standard Model and anything that may lie beyond it. This presentation will summarize current efforts by the ATLAS collaboration to study these phenomena in the ATLAS detector at the LHC.

**Subject:**

EW+Top+Higgs

**Abstract Title:**

Higgs Boson fermionic production and decay modes with the ATLAS detector

**Author's e-mail:**

stephen.kam-wah.chan@cern.ch

**Author's Name:**

Stephen Chan

**Author's Institute:**

Harvard University

**Parallel Session Astro+Cosmo / 226**

## **Quantum gravity corrections to photon dynamics, white dwarfs and the Big Bang**

**Author:** Dheeraj Kumar Mishra<sup>1</sup>

**Co-author:** Nitin Chandra<sup>2</sup>

<sup>1</sup> *The Institute Of Mathematical Sciences, Chennai*

<sup>2</sup> *National Institute Of Technology Jamshedpur*

**Corresponding Authors:** dkmishra@imsc.res.in, nitin.c.25@gmail.com

Planck scale acts as a threshold where a new description of spacetime is expected to appear. We consider the invariant Planck scale modified/deformed Poincare algebra proposed by Magueijo and Smolin and study the consequences as the Planck scale corrections to the known physics. We get Planck scale modified dispersion relation and an effective invariant ultraviolet energy cut-off (Planck energy). We study various equilibrium thermodynamic properties of blackbody radiation (i.e. a photon gas) and degenerate fermions with such modifications. The energy density, specific heat etc. of the photon gas follows the usual acoustic phonon dynamics as have been well studied by Debye. This is in sync with the expectation of the emergence of the granular structure of spacetime at Planck scale. Other modified thermodynamic quantities like pressure, entropy etc. also get the correction. The usual Stefan- Boltzmann law gets modified. The phase-space measure is also expected to get modified for an exotic spacetime appearing at Planck scale, which in turn leads to the modification of Planck energy density distribution and the Wien's displacement law. We found that the non-perturbative nature of the thermodynamic quantities in the SR limit (for both the case with ultraviolet cut-off and the modified measure case), due to nonanalyticity of the leading term, is a general feature of the theory accompanied with an ultraviolet energy cut-off. Due to such modifications, the energy momentum tensor  $T_{\mu\nu}$  gets modified and which leads to possible modification in case of the physics of Big Bang and the age of the known Universe. The dynamics of the compact Stellar objects as white dwarfs too gets modified.

**Subject:**

Astro/Cosmo

**Abstract Title:**

Quantum gravity corrections to photon dynamics, white dwarfs and the Big Bang

**Author's e-mail:**

dkmishra@imsc.res.in

**Author's Name:**

Dheeraj Kumar Mishra

**Author's Institute:**

The Institute Of Mathematical Sciences, Chennai

**Parallel Session QCD+HF / 227**

## **Heavy flavour results from Tevatron**

**Corresponding Author:** drutskoy7@gmail.com

**Parallel Session QCD+HF / 228**

## **Highlights from heavy-flavor measurements with ALICE in heavy-ion collisions**

**Corresponding Author:** nicole.bastid@cern.ch

**Parallel Session QCD+HF / 229**

## **Heavy flavour production and properties in CMS and ATLAS**

**Corresponding Author:** eduard.burelo@cern.ch

**Parallel Session QCD+HF / 230**

## **Mixing and CP violation in beauty and charm at LHCb**

**Corresponding Author:** wormser@lal.in2p3.fr

**Subject:**

**Abstract Title:**

**Author's e-mail:**

**Author's Name:**

**Author's Institute:**

**Parallel Session QCD+HF / 231**

## **Rare decays, radiative decays and $b \rightarrow sll$ transitions at LHCb**

**Corresponding Author:** titus.mombacher@cern.ch

**Parallel Session QCD+HF / 232**

## **Lepton Flavour Universality tests with B decays at LHCb**

**Corresponding Author:** anna.lupato@cern.ch

**Parallel Session QCD+HF / 233**

## **Test of lepton universality in rare B decays at BELLE**

**Corresponding Author:** simon.wehle@desy.de

**Parallel Session QCD+HF / 234**

## **Belle II status and early physics**

**Corresponding Author:** ripp@in2p3.fr

**Parallel Session QCD+HF / 235**

## **Searches for tau LFV and lepton non-universality at Belle II**

**Corresponding Author:** ami@mail.desy.de

**Parallel Session QCD+HF / 236**

## **Soft QCD in ATLAS and CMS**

**Corresponding Author:** alessia.bruni@bo.infn.it

**Subject:**

**Abstract Title:**

**Author's e-mail:**

**Author's Name:**

**Author's Institute:**

**Parallel Session QCD+HF / 237**

## **QCD highlights from ALICE**

**Corresponding Author:** vytautas.vislavicius@cern.ch

**Parallel Session QCD+HF / 238**

## **QCD with photons in ATLAS and CMS**

**Corresponding Author:** htorres@cern.ch

**Parallel Session QCD+HF / 239**

## **Hadron spectroscopy, exotic states and heavy flavour production at LHCb**

**Corresponding Author:** mengzhen.wang@cern.ch

**Subject:**

**Abstract Title:**

**Author's e-mail:**

**Author's Name:**

**Author's Institute:**

**Parallel Session QCD+HF / 240**

## **Charmonium decays at BESIII**

**Corresponding Author:** yanl@ihep.ac.cn

**Subject:**

**Abstract Title:**

**Author's e-mail:**

**Author's Name:**

**Author's Institute:**

**Parallel Session QCD+HF / 241**

## **Recent results on production and decay of quarkonium states at BABAR**

**Corresponding Author:** guy.wormser@cern.ch

**Subject:**

**Abstract Title:**

**Author's e-mail:**

**Author's Name:**

**Author's Institute:**

**Parallel Session QCD+HF / 242**

## **EMC-effect in Drell-Yan process at COMPASS**

**Corresponding Author:** [evgenii.mitrofanov@cern.ch](mailto:evgenii.mitrofanov@cern.ch)

**Subject:**

**Abstract Title:**

**Author's e-mail:**

**Author's Name:**

**Author's Institute:**

**Parallel Session QCD+HF / 243**

## **Hard probes with pPb and PbPb collisions and fixed target results at LHCb**

**Corresponding Author:** [benjamin.audurier@ca.infn.it](mailto:benjamin.audurier@ca.infn.it)

**Subject:**

**Abstract Title:**

**Author's e-mail:**

**Author's Name:**

**Author's Institute:**

**Parallel Session QCD+HF / 244**

## **Heavy ion measurements in ATLAS**

**Parallel Session QCD+HF / 245**

## **Heavy ion measurements in CMS**

**Parallel Session BSM+DM / 246**

## **Darkside latest results and future prospects**

**Corresponding Author:** cgiganti@lpnhe.in2p3.fr

**Parallel Session BSM+DM / 247**

## **Search for dark matter particles with CRESST-III**

**Corresponding Author:** canonica@mpp.mpg.de

**Parallel Session BSM+DM / 248**

## **The XENON1T Dark Matter Experiment**

**Corresponding Author:** digangi@bo.infn.it

**Parallel Session BSM+DM / 249**

## **Directional Search for Dark Matter Using Nuclear Emulsion - NEWSdm**

**Corresponding Author:** naka@flab.phys.nagoya-u.ac.jp

**Subject:**

**Abstract Title:**

**Author's e-mail:**

**Author's Name:**

**Author's Institute:**

**Parallel Session BSM+DM / 250**

## **Results from the ARIS experiment**

**Corresponding Author:** anavrera@lpnhe.in2p3.fr

**Parallel Session BSM+DM / 251**

## **IceCube**

**Parallel Session BSM+DM / 252**

## **Dwarfs spheroidal galaxies searches - VERITAS**

**Corresponding Author:** bzitzer@physics.mcgill.ca

**Parallel Session BSM+DM / 253**

## **Galactic and extragalactic searches for dark matter annihilation**

**Corresponding Author:** smsharma@princeton.edu

**Parallel Session BSM+DM / 254**

## **Composite Dark Matter**

**Corresponding Author:** ennio.salvioni@tum.de

**Parallel Session BSM+DM / 255**

## **Is self-interacting dark matter with no light mediators viable?**

**Corresponding Author:** camilo.garcia.cely@desy.de

**Subject:**

**Abstract Title:**

**Author's e-mail:**

**Author's Name:**

**Author's Institute:**

**Parallel Session BSM+DM / 256**

## **Flip-flop DM**

**Corresponding Author:** baker@physik.uzh.ch

**Subject:**

**Abstract Title:**

**Author's e-mail:**

**Author's Name:**

**Author's Institute:**

**Parallel Session BSM+DM / 257**

## **Long-lived particle signatures at present and future colliders**

**Corresponding Author:** jose.zurita@kit.edu

**Parallel Session BSM+DM / 258**

## **Clockwork without supersymmetry**

**Corresponding Author:** daniele.teresi@ulb.ac.be

**Parallel Session BSM+DM / 259**

## **n-nbar oscillations and BSM physics**

**Corresponding Author:** milstead@fysik.su.se

**Parallel Session BSM+DM / 260**

## **Physics with top and search for exotic signatures in the forward direction at LHCb**

**Parallel Session BSM+DM / 261**

## **Searches for dark matter and new physics in ATLAS and CMS**

**Corresponding Author:** oleg.brandt@cern.ch

**Parallel Session BSM+DM / 262**

## **Searches with boosted objects**

**Corresponding Author:** a.zucchetta@cern.ch

**Parallel Session BSM+DM / 263**

## **Searches for electroweak production of supersymmetric gauginos and sleptons at ATLAS**

**Corresponding Author:** n.abraham@sussex.ac.uk

**Parallel Session BSM+DM / 264**

## **Search for vector-like quarks in ATLAS**

**Corresponding Author:** tobias.golling@unige.ch

**Subject:**

**Abstract Title:**

**Author's e-mail:**

**Author's Name:**

**Author's Institute:**

**Parallel Session BSM+DM / 265**

## **Searches for long-lived particles in ATLAS**

**Parallel Session BSM+DM / 266**

## **Searches for leptoquarks in CMS**

**Corresponding Author:** arne.reimers@cern.ch

**Subject:**

**Abstract Title:**

**Author's e-mail:**

**Author's Name:**

**Author's Institute:**

**Parallel Session BSM+DM / 267**

## **Searches for supersymmetry with gauge-mediated symmetry breaking at CMS**

**Corresponding Author:** gabriella.pasztor@cern.ch

**Subject:**

**Abstract Title:**

**Author's e-mail:**

**Author's Name:**

**Author's Institute:**

**Parallel Session Higgs+Top+EW / 268**

## **Inclusive and differential W/Z measurements in ATLAS and CMS**

**Corresponding Author:** chris.g@cern.ch

**Parallel Session Higgs+Top+EW / 269**

## **Precision electroweak measurements at the Tevatron**

**Corresponding Author:** quinn@phy.olemiss.edu

**Parallel Session Higgs+Top+EW / 270**

## **Tests of the electroweak sector in ATLAS**

**Corresponding Author:** andrew.pilkington@cern.ch

**Parallel Session Higgs+Top+EW / 271**

## **Theoretical uncertainties for the W-Boson Mass**

**Corresponding Author:** giuseppe.bozzi@unipv.it

**Subject:**

**Abstract Title:**

**Author's e-mail:**

**Author's Name:**

**Author's Institute:**

**Parallel Session Higgs+Top+EW / 272**

## **Multiboson production in ATLAS and CMS**

**Corresponding Author:** [gabriella.pasztor@cern.ch](mailto:gabriella.pasztor@cern.ch)

**Subject:**

**Abstract Title:**

**Author's e-mail:**

**Author's Name:**

**Author's Institute:**

**Parallel Session Higgs+Top+EW / 273**

## **Electroweak boson production with jets in CMS**

**Corresponding Author:** [sandeep.kaur@cern.ch](mailto:sandeep.kaur@cern.ch)

**Subject:**

**Abstract Title:**

**Author's e-mail:**

**Author's Name:**

**Author's Institute:**

**Parallel Session Higgs+Top+EW / 274**

## **Automation of NLO electroweak calculations**

**Corresponding Author:** [jlang@physik.uzh.ch](mailto:jlang@physik.uzh.ch)

**Subject:**

**Abstract Title:**

**Author's e-mail:**

**Author's Name:**

**Author's Institute:**

**Parallel Session Higgs+Top+EW / 275**

## **VBF and VBS production in SM processes in ATLAS and CMS**

**Corresponding Author:** kdlong@wisc.edu

**Subject:**

**Abstract Title:**

**Author's e-mail:**

**Author's Name:**

**Author's Institute:**

**Parallel Session Higgs+Top+EW / 276**

## **Theory status for hadronic top-quark pair production**

**Corresponding Author:** schwinn@physik.rwth-aachen.de

**Parallel Session Higgs+Top+EW / 277**

## **$t\bar{t}$ (+X) pair production in ATLAS and CMS**

**Corresponding Author:** andrew.wilson.brinkerhoff@cern.ch

**Parallel Session Higgs+Top+EW / 278**

## **Single top production in ATLAS and CMS**

**Corresponding Author:** carmen.garcia@ific.uv.es

**Parallel Session Higgs+Top+EW / 279**

## **Top quark properties in ATLAS and CMS**

**Corresponding Author:** hongbo.liao@cern.ch

Parallel Session Higgs+Top+EW / 280

## **Anomalous top quark couplings, FCNC, and EFT interpretations in CMS**

**Corresponding Author:** gerrit.patrick.van.onsem@cern.ch

Parallel Session Higgs+Top+EW / 281

## **Top mass measurements in ATLAS and CMS**

**Corresponding Author:** marina.cobal@cern.ch

Parallel Session Higgs+Top+EW / 282

## **B-hadron observables and top mass determination**

**Corresponding Author:** doojin.kim@cern.ch

**Subject:**

**Abstract Title:**

**Author's e-mail:**

**Author's Name:**

**Author's Institute:**

Parallel Session Higgs+Top+EW / 283

## **Higgs Boson fermionic production and decay modes in ATLAS detector**

**Corresponding Author:** stephen.kam-wah.chan@cern.ch

Parallel Session Higgs+Top+EW / 284

## **Measurement of the Yukawa couplings of the Higgs boson in CMS**

**Corresponding Author:** m.missiroli@cern.ch

**Parallel Session Higgs+Top+EW / 285**

## **Measurement of cross sections and couplings of the Higgs Boson in bosonic decay channels in ATLAS**

**Corresponding Author:** remi.lafaye@cern.ch

**Parallel Session BSM+DM / 286**

## **Constraining the Higgs self-couplings at electron-positron colliders**

**Corresponding Author:** xiaoran.zhao@uclouvain.be

**Parallel Session Higgs+Top+EW / 287**

## **Searches for extended scalar sectors in CMS**

**Corresponding Author:** georgia.karapostoli@cern.ch

**Parallel Session Higgs+Top+EW / 288**

## **Higgs pair production**

**Corresponding Author:** jmazzi@physik.uzh.ch

**Parallel Session Higgs+Top+EW / 289**

## **Observation of ttH production in CMS**

**Corresponding Author:** daniel.salerno@cern.ch

**Parallel Session Higgs+Top+EW / 290**

## **Searches for flavor-changing neutral currents in top quark events in ATLAS**

**Corresponding Author:** nicola.orlando@cern.ch

**Parallel Session BSM+DM / 291**

## **NEWS-G project : direct detection of sub-GeV dark matter particles**

**Corresponding Author:** gilles.gerbier@queensu.ca

**Subject:**

**Abstract Title:**

**Author's e-mail:**

**Author's Name:**

**Author's Institute:**

**Parallel Session Neutrinos / 292**

## **NOvA results**

**Corresponding Author:** l.cremonesi@ucl.ac.uk

**Parallel Session Astro+Cosmo / 293**

## **Results from the CUORE experiment**

**Corresponding Author:** matteo.biassoni@mib.infn.it

**Parallel Session QCD+HF / 294**

## **Recent probes of perturbative QCD calculations with jets in ATLAS and CMS**

**Corresponding Author:** amal.vaidya.15@ucl.ac.uk

**Parallel Session Higgs+Top+EW / 295**

## **Results on ttH production in ATLAS**

**Corresponding Author:** roberto.di.nardo@cern.ch

**Parallel Session Astro+Cosmo / 296**

## **Results from the CUORE experiment**

**Corresponding Author:** [matteo.biassoni@mib.infn.it](mailto:matteo.biassoni@mib.infn.it)

**Neutrino Physics / 297**

## **Neutrino Properties from Observations in Astroparticle Physics**

**Corresponding Author:** [mbustamante@nbi.ku.dk](mailto:mbustamante@nbi.ku.dk)

**298**

## **Cosmological Constraints from Dark Energy Survey**

**Corresponding Author:** [dgruen@stanford.edu](mailto:dgruen@stanford.edu)